Metalex Manufacturing Inc.

Metalex

Certified ISO 9001 Quality Management
Veteran Owned Business 30 Plus Years

#1-- INSIDE Pkg - Cust Copy

Packing List# 39513 **Rel#** 1 **PAGE** 1
Metalex Job# 2006-5688

Ship To: STANFORD UNIVERSITY-SLAC
BUILDING 081, ROOM 118
2575 SAND HILL ROAD
MENLO PARK CA 94025

Date: 12/19/06
Ship Via:
PTA# _____
(prepaid shipments only)
BOL/Air Bill#
Prepaid: XXXXXXX **Collect:**
Weight: **Ctns:** **Zone:**
Dimensions:

Attn: BEN POLING 408-250-6877
Customer PO: 5A10359

P.O. Item No.	Qty Ordered	Qty Shipped	Qty Back Ordered	Description
004	15	1	8	LCLS UNDULATOR MAIN ASSY ANL PART/REVISION NUMBER: L143-112000-05 SLAC PART NUMBER: SA-381-001-35 ASSEMBLY SERIAL NUMBER: 5A10359-16 STRONGBACK SERIAL NUMBER: 5A0699-16 THE FOLLOWING BOM ITEMS ARE LOOSE PARTS PACKAGED WITHIN THIS CRATE, BUT NOT ASSEMBLED TO THE MAIN STRUCTURE: ITEM# 12 L143-110109 BRACKET 1 QTY-10 ITEM# 13 L143-110110 BRACKET 2 QTY-10 ITEM# 14 L143-110111 SCREW QTY-40 ITEM# 17 91292A122 SHCS M4X0.7X25MM LG QTY-20 ITEM# 18 91292A135 SHCS M6X1.0X16MM LG QTY-20 ITEM# 24 L143-110703 PEAK FIELD SHIM QTY-20 PLEASE ENSURE THESE ITEMS ARE ACCOUNTED FOR WHEN MAIN STRUCTURE IS REMOVED FROM CRATE. -CERTIFICATE OF CONFORMANCE, INSPECTION DATA, AND CERTIFICATIONS ENCLOSED. ANL SOURCE: SIGNATURE: Glen Lawrence DATE: 12/20/06 PRINT: Glen Lawrence STAMP:

John Schmidt 12/20/06
Mauro Lucho 2006 Dec 20
Nastin
JRS 12/20/06

Received By:

Printed Name _____ Signature _____ Date _____

MX3006 (10/ 02)

Metalex Manufacturing Inc.
5750 Cornell Road • Cincinnati, OH 45242
Phone (513) 489-0507 • Fax (513) 489-1020
EMAIL: metalex@metalexmfg.com

Metalex
Customized Machinery and Parts
ISO 9001:2000 and AS9100 Certified
Veteran Owned Business 30 Plus Years

CERTIFICATE OF CONFORMANCE

Date: 12/19/2006
Customer: Argonne National Laboratory
9700 S. Cass
Argonne, IL 60439

Attention: Michael Oprondek

Metalex Job# 2006-5688
Purchase Order # 5A10359
MX Packing List # 39513

Metalex certifies that all material, processes, procedures, and dimensions are as called for on the purchase order, drawings, and/or amendments supplied by you.
All information concerning this part or parts, units and/or assemblies are on file at Metalex Manufacturing, Inc.

ITEM	QTY	PART NUMBER	REV	PART NAME	ID # *
004	1	L143-112000	05	LCLS Undulator Main Assembly	5A10359-16

*IDENTIFICATION NUMBER INCLUDES SERIAL #, HEAT #, AND/OR LOT #.

COMMENTS: "First Article" submitted on Metalex Shipper #37728 dated 3/31/06 (Job#05-4718).

SLAC Part Number: SA-381-001-35.

Assembly Serial Number: 5A10359-16.

QE — Metalex Representative Signature

TODD CAUDILL — Print Name

MTX QC 12

12/19/2006 — Date

MX1011 (05/05)

Metalex Manufacturing
L143-112000 BOM/ASSY Undulator
Purchase Order No. 5A10359

LCLS Undulator L143-00076 Assembly Procedure

Assembly:

ANL Part/Revision Number: L143-112000-05
SLAC Part Number: SA-381-001-35
Assembly Serial Number: 5A10359-16

Dimensional Inspection Requirements:

20. *Dimensionally inspect overall height of the magnet assemblies to verify they are within specification before installation into the strongback.*

Dimension: 78mm (3.071")

L143-110800 Upper Left Magnet Structure Assembly	Actual: 77.98-78.01
L143-111000 Upper Middle Magnet Structure Assembly	Actual: 77.98-78.02
L143-111200 Upper Right Magnet Structure Assembly	Actual: 77.98-77.99
L143-110900 Lower Left Magnet Structure Assembly	Actual: 77.990-78.020
L143-111100 Lower Middle Magnet Structure Assembly	Actual: 77.98-78.01
L143-111300 Lower Right Magnet Structure Assembly	Actual: 77.99-78.01

Temperature at start of inspection: 22 Deg.C

Temperature at end of inspection: 22 Deg. C

Verification of completion of assembly procedure:

Completed By: Thomas P Becker **Date:** 11-2-06

5750 Cornell Road • Blue Ash Industrial Park • Cincinnati, OH 45242
Phone (513) 489-0507 • Fax (513) 489-1020

Metalex Manufacturing
L143-112000 BOM/ASSY Undulator
Purchase Order No. 5A10359

LCLS Undulator Training Record

L143-00066 Statement of Work for LCLS Undulator Main Assembly

Section 4.1.3.2 Training of Assembly Personal

Requirements:

1.) Review and understand L143-00066 Statement of Work

2.) Review and understand L143-112000 Drawing Package

3.) Review and understand L143-00076 Assembly Procedure

4.) Review and understand Magnet Installation Procedure ANL video

5.) Review and understand Magnet Structure Installation ANL video

Completed By: Thomas P. Becker **Date:** 2.27.06
Thomas P. Becker

5750 Cornell Road • Blue Ash Industrial Park • Cincinnati, OH 45242
Phone (513) 489-0507 • Fax (513) 489-1020

Metalex Manufacturing
L143-112000 BOM/ASSY Undulator
Purchase Order No. 5A10359

LCLS Undulator Training Record

L143-00066 Statement of Work for LCLS Undulator Main Assembly

Section 4.1.3.2 Training of Assembly Personal

Requirements:

1.) Review and understand L143-00066 Statement of Work

2.) Review and understand L143-112000 Drawing Package

3.) Review and understand L143-00076 Assembly Procedure

4.) Review and understand Magnet Installation Procedure ANL video

5.) Review and understand Magnet Structure Installation ANL video

Completed By: Rob Schuerman Date: 02/27/06
ROB SCHUERMANN

5750 Cornell Road • Blue Ash Industrial Park • Cincinnati, OH 45242
Phone (513) 489-0507 • Fax (513) 489-1020

Metalex Manufacturing
L143-112000 BOM/ASSY Undulator
Purchase Order No. 5A10359

Assembly:

ANL Part/Revision Number: L143-112000-05
SLAC Part Number: SA-381-001-35
Assembly Serial Number: 5A10359-16

LCLS Undulator photographs per L143-00066 Sect. 4.1.3.3

L143-110800-02 Upper Left Magnet Structure Assembly

L143-110900-02 Lower Left Magnet Structure Assembly

L143-111000-102 Upper Middle Magnet Structure Assembly

L143-111000-202 Upper Middle Magnet Structure Assembly

L143-111000-302 Upper Middle Magnet Structure Assembly

L143-111100-102 Lower Middle Magnet Structure Assembly

L143-111100-202 Lower Middle Magnet Structure Assembly

L143-111100-302 Lower Middle Magnet Structure Assembly

L143-111200-02 Upper Right Magnet Structure Assembly

L143-111300-02 Lower Right Magnet Structure Assembly

Rob Schuermann Date: 12/18/06

Rob Schuermann

5750 Cornell Road • Blue Ash Industrial Park • Cincinnati, OH 45242
Phone (513) 489-0507 • Fax (513) 489-1020

07369
07281
07497
07508
07274
07510
07535
07517
07341
07279
07650
07558
1
2
3
4
5
6
7
8
9
10
11
12



07440
07515
07803
07396
07594
07281
07615
07253
07411
07624
07489
07482
07898
07478
07831
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13


07303
07515
07440
07386
07394
07426
07355
07375
07521
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40

07375
37
07275
38
07521
39
07214
40
07264
41
07403
42
07502
43
07232
44
07385
45
07404
46
07526
47
07425
48
07327
49
07583
50
07388
51

07827
07583
07388
07672
07565
07229
07277
07329
07642
07216
07874
07540
07639
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62


07374
07574
07639
07613
07647
07284
07276
07467
07268
07525
07208
07353
07605
59
60
61
62
63
64
65
66
67
68
69
70
71


07208
69
70
07605
71
72
07309
73
74
75
76
77
07332
78
79
07524


07316
07534
07221
07547
07348
07436
07527
07300


07328
07330
07553
07308
07399
07282
07245
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120


117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133

07257
144
07589
143
07428
142
07414
141
07297
140
07679
139
07562
138
07390
137
07392
136
07306
135
07314
134
07628
133
07317
132
07288
131
07614
130
129


07390
136
137
138
07679
139
140
07414
141
142
07589
143
144
07226
145
146

07391
07678
07446
07301
07319
07254
07273
07291
07541
07480
07487
07360
07662
07611


07409
07431
07465
07671
07537
07415
07391

184
07628
183
07609
182
07607
181
07380
180
07578
179
07656
178
07592
177
07505
176
07586
175
07629
174
07600
173
07409
172
07351
171
07431
170
169



11920 Ω
07682 Ω
08220 Ω
07385 Ω
07682 Ω
07145 Ω
07162 Ω
07383 Ω
07379 Ω
07671 Ω
11920 Ω
07685 Ω
08820 Ω
07283 Ω

07287
218
07676
212
07548
211
07542
210
07247
209
07285
208
07269
207
07209
206
07641
205
07632
204
07289
203
07335
201


13
07244
14
07441
15
07220
16
07447
17
07500
18
07620
19
07619
20
07265
21
07466
22
07567
23
07419
24
07366
25
07561
26

07207
07602
07286
07512
07409
07260
07211
07241
07643
07655
07269
07366
07419
07567
37
36
35
34
33
32
31
30
29
28
27
26
25
24
23
22

07580
07833
07217
07523
07408
07418
07474
07418
07470
07301
07673
07207
07602
07286
48
47
46
45
44
43
42
41
40
39
38
37
36
35
34
33

07536
07486
07201
07475
07389
07461
07478
07654
07363
07665
07569
07580
07383
07217
59
58
57
56
55
54
53
52
51
50
49
48
47
46
45
44

07552
07579
07554
07210
07401
07686
07576
07255
07533
07299
07290
07536
07486
07201
70
69
68
67
66
65
64
63
62
61
60
59
58
57
56
55

07450
07449
07439
07315
07675
07287
07504
07338
07437
07266
07552
07579
07554
79
78
77
76
75
74
73
72
71
70
69
68
67
66


07263
80
81
07645
82
83
07565
84
85
86
87
88
07499
89
90
07451
91
92
93
07453


89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
07453
07581
07582
07573
07430

07543
07429
07498
07238
07444
07365
07495
07514
07464
07320
07480
07310
07266
113
112
111
110
109
108
107
106
105
104
103
102
101
100
99

07669
133
07358
132
07302
131
07205
130
07630
129
07370
128
07550
127
07242
126
07361
125
07621
124
07628
123
07659
122
07513
121
120
119

143
07564
142
07664
141
07520
140
07485
139
07258
138
07413
137
07278
136
07331
135
07619
134
07511
133
07680
132
07858
131
07302
130

07362
146
07340
145
07317
144
07279
143
07661
142
07664
141
07620
140
07185
139
07258
138
137






201
202
203
07252
204
205
07438
206
207
208
07492
209
210
07471
211
212
07617
213

07674 Ω
07584 Ω
07616 Ω
07346 Ω

1. DISTRIBUTION: LCLS Undulator Ass'y Contractors, Tom Barsz, and Glen Lawrence.

ARGONNE NATIONAL LABORATORY

ACCEPTANCE CRITERIA LISTING

2. PAGE ONE OF 1 3. ACL NO. E5-020020

4. ORIGINATOR'S NAME & DIVISION Glen Lawrence/XFD 5. PHONE 2-9298 6. DATE 1/20/2005

7. PART NO. & NAME L143-110700 LCLS Undulator Strongback 8. QUANTITY 40

9. FOR INSPECTION, DELIVER TO BLDG. NO. N/A DIVISION ATTN:

10. AFTER INSPECTION, DELIVER TO BLDG. NO. N/A DIVISION ATTN:

11. REFERENCES AND/OR REMARKS: Strongbacks are to be delivered to undulator assembly contractor by machining contractor Undulator assembly contractor shall inspect strongback prior to acceptance. Argonne National Laboratory shall review all certification and machining vendor 's reported and optionally shall do on-site inspections..

12 STEP NO.	13 INSPECTION/TEST REQUIREMENT	14 INSPECTION TEST LOCATION	18 ACCEPTED BY OR NONCONFORMANCE REPORT NO.	19 DATE
1	Visual inspection of part for shipping damage. A) Were critical surfaces protected per SOW L143-00030 Section 4.1.4? B) Is there any visible damage?	Undulator Ass'y Contractor	TODD CAUDILL MTX QC 12	12-19-06
2	Check Strongback is marked with serial number & part no.'s (ANL & SLAC) per SOW Section 4.1.3	Undulator Ass'y Contractor	TODD CAUDILL MTX QC 12	12-19-06
3	Check all accompanying Certifications have correct part Serial number.	Undulator Ass'y Contractor	TODD CAUDILL MTX QC 12	12-19-06
4	Check Material Certification for compliance with ASTM B381-03, Grade F2	Undulator Ass'y Contractor & ANL	TODD CAUDILL MTX QC 12	12-19-06
5	Check Forging Annealing Certification for annealing conformance to AMS-H-81200A, Table V, commercial Pure, Bars & Forgings, including. Note 8	Undulator Ass'y Contractor & ANL	TODD CAUDILL MTX QC 12	12-19-06
6	Check Rough Machining Anneal Certification for annealing conformance to AMS 2801B section3.2.9	Undulator Ass'y Contractor & ANL	TODD CAUDILL MTX QC 12	12-19-06
7	Check the strongback contractor's reported dimensional measurements against the part drawing.	ANL		
8	Verify the strongback critical dimensions as listed in the SOW section 4.5.2 are in compliance with the print.	Undulator Ass'y Contractor	TODD CAUDILL MTX QC 12	12-19-06
	L143-112000-05			
	SA-381-001-35			
	5A10359-16			

15. ORIGINATOR OF PLAN Glen Lawrence DATE 01/20/2005

16. PLAN REVIEWED/APPROVED BY DATE

17. QAR CONCURRENCE WITH PLAN DATE

Metalex
Manufacturing
Inc.

Metalex
Certified ISO 9001 Quality Management
Veteran Owned Business 30 Plus Years

#1-- INSIDE Pkg - Cust Copy

Packing List# 37336 Rel# 1 PAGE 1
Metalex Job# 2005-3808

Ship To: ARGONNE NATIONAL
LABORATORY
BLDG 201, OCF-PRO
9700 S CASS AVE.
ARGONNE IL 60439

Date: 2/02/06
Ship Via: REMAIN @ METALEX
PTA#
(prepaid shipments only)
BOL/Air Bill#
Prepaid: Collect:
Weight: Ctns: Zone:
Dimensions:

Attn: MICHAEL OPRONDEK
Customer PO: 5A06990

P.O. Item No.	Qty Ordered	Qty Shipped	Qty Back Ordered	Description
002	19	1	12	L143-110700 REV. 07 STRONGBACK S/N: 5A06990-16 -CERTIFICATE OF CONFORMANCE, INSPECTION DATA, AND CERTIFICATIONS ENCLOSED. -REF: SDR'S #3801-001, #3801-004, & 3801-006 TESTING SURVEILLANCE BY ANL HAS BEEN WAIVED PER MEETING BETWEEN TOM BARSZ (ANL QUALITY) & ROB SCHUERMANN (MX PROJECT ENGINEER)

Received By:

Printed Name _____ Signature _____ Date _____

MX3006 (10/02)

www.metalexmfg.com
sales@metalexmfg.com

5750 Cornell Road Cincinnati, Oh 45242-2083
Phone (513) 489-0507 Fax (513) 489-1020

Metalex Manufacturing Inc.
5750 Cornell Road • Cincinnati, OH 45242
Phone (513) 489-0507 • Fax (513) 489-1020
EMAIL: metalex@metalexmfg.com

Metalex
Customized Machinery and Parts
ISO 9001:2000 and AS9100 Certified
Veteran Owned Business 30 Plus Years

CERTIFICATE OF CONFORMANCE

Date: 02/02/2006
Customer: Argonne National Laboratory
Bldg. 201, OCF-PRO
9700 S Cass Ave.
Argonne, Illinois 60439
Attention: Michael Oprondek

Metalex Job# 2005-3808
Purchase Order # 5A06990
MX Packing List # 37336

Metalex certifies that all material, processes, procedures, and dimensions are as called for on the purchase order, drawings, and/or amendments supplied by you.
All information concerning this part or parts, units and/or assemblies are on file at Metalex Manufacturing, Inc.

ITEM	QTY	PART NUMBER	REV	PART NAME	ID # *
0002	1	L143-110700	07	Strongback	5A06990-16

*IDENTIFICATION NUMBER INCLUDES SERIAL #, HEAT #, AND/OR LOT #.

COMMENTS: "First Article" submitted on Metalex Shipper #36794 dated 10/17/05 (Job#05-3801).

Metalex is in compliance with Statement of Workscope Document No. L143-110700, Revision 5, dated 09/05/05 and Strongback was successfully Vibration Stress Relieved per the Procedure in Appendix A.

Material from Heat Lot #G61C

Reference SDR# 3801-001 (Material Substitution), SDR# 3801-004 (Modification), & SDR# 3801-006 (Modification).

Testing Surveillance by ANL has been waived per meeting @ Metalex Mfg. on 02/01/06 between Tom Barsz (ANL Quality and Rob Schuermann (MX Project Engineer).

Metalex Representative Signature | TODD CALDICK (MTX QC 12) Print Name | 2/2/2006 Date

MX1011 (05/05)

To: METALEX MANUFACTURING INC
Address: 5750 CORNELL ROAD
CINCINNATI, OH 45242
Attention Of: PURCHASING AGENT

ATI Wah Chang
Allegheny Technologies
P.O. Box 460
Albany, Oregon 97321-0136
(541) 926-4211 FAX (541) 967-6948

PRODUCT CERTIFICATION

IN REGARD TO YOUR

Vendor Identification:	Wah Chang
Purchase Order No.:	58095-BL
Sales Order No.:	127418
Item No.:	1
Description:	Titanium Grade 2 Billet
Dimensions:	12.020-12.060" Dia. x 134.50-134.75" L
Specifications:	ASTM B381-05, AMS H 81200A and P.O.
Date:	November 3, 2005
Date Revised:	November 11, 2005 to add part number to certification
Heat No.:	G61C
Alloy:	Ti-2
SFC No.:	1306032
Quantity Shipped (pcs.):	2
Weight Shipped (lbs.):	5002
Part No.:	5A06990-14, 5A06990-16

JOB# 3807 & 3808
SHIP
SHIP

LEJ
METALEX
QA DEPT.
ACCEPTED
DATE 11/21/05
BY TL

THE TEST REPORT FOLLOWS.

Material Condition: Forged, conditioned, annealed and machined.

INGOT CHEMISTRY IN PERCENT

Element	Alpha Spec.	Spec. Max.	TOP	MIDDLE	BOTTOM
C		0.08	0.006	0.008	0.008
Fe		0.30	0.07	0.06	0.06
H		0.015	0.0009	0.0007	0.0007
N		0.03	0.004	0.005	0.008
O		0.25	0.13	0.13	0.15
OTHERS_EACH		0.1	<0.1	<0.1	<0.1
OTHERS_TOTAL		0.4	<0.4	<0.4	<0.4
Ti	BALANCE				

CERTIFICATE OF CONFORMITY

This is to hereby certify that the listed material has been processed, annealed and tested in accordance with the specifications noted in the Purchase Order.

Certified By: S. Giuliani, QA Specialist les 11/11/05

Wah Chang Is A Registered / Certified ISO 9001:2000 Company.

ATI Wah Chang
Allegheny Technologies
P.O. Box 460
Albany, Oregon 97321-0136
(541) 926-4211 FAX (541) 967-6948

Purchase Order No.: 58095-BL
Sales Order No.: 127416
Item No.: 1
Heat No.: G61C
SFC No.: 1306032

ROOM TEMPERATURE TENSILES (FOR INFO ONLY)

Test	Method	Offset	Gage	Units	Spec. Min.	Trans.
Tensile Strength:	ASTM E8			Ksi	50	66.4
Yield Strength:	ASTM E8	0.2%		Ksi	40	50.9
Elongation:	ASTM E8		1"	Pct	20	28
Reduction in Area:	ASTM E8			Pct	30	57

METALLURGY
QA DEPT.
ACCEPTED
DATE 1/23/05
BY TC

ATI Wah Chang

ATTACHMENT No. 2
Wah Chang / Kach Machine Works P.O. ~~181086~~ Rev 1 180122
CERTIFICATE OF CONFORMANCE

Kach Machine Works hereby certifies that all conversion processing for the above Purchase Order conforms to material and/or manufacturing requirements indicated in the drawing or specifications, as applicable. Inspection and/or test reports substantiating conformity are attached.

Any exceptions, deviations, or non-conformances are listed below.
(Attach additional sheets if necessary.)

Bar is straight within .0005" per side.

METALS
QA DEPT.
ACCEPTED
DATE 11/23/05
BY T

MAN VAN NGUYEN
Name

Foreman
Title

KACH MACHINE WORKS, Inc.

3838 N. BALLAST STREET • SWAN ISLAND • PORTLAND, OREGON 97217

QUALITY CONTROL DIMENSION INSPECTION REPORT

CUSTOMER: LEAR CHANG DATE: 10-31-05

PART NAME: 12" x 135" lg Bar PART NO.: SFC 1306032

P.O. NO.: 150122 NO. PCS.: 4 I.D. NO.: A1

MATERIAL: Titanium HEAT NO.: G 6IC

DRAWING NO.: None ~~REVISION~~ Part # 5A06990-16

DIM. NO.	Given	Actual					
1	OD 12.060"/12.00	12.049"/12.045"					
2	LENGTH 134.75/134.00	134.72"					
3	Finish 125 Ra	72 Ra					
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

METALEX QA DEPT. ACCEPTED DATE 11/23/05 BY TC

REMARKS:

Manuel Guerra
INSPECTOR

HEAT TREAT PROCESS CERTIFICATION FORM

S. O. #: N/A

MOT # 437140

Start Time: 03:01

Heat #: G-61C

Date: 9/1/05

Finish Time: 11:05

Material ID's: A, B, C, D

Was the Lot Split? (yes) (no) (Circle one)

Furnace #: 9 Size: 13" (Rnd.) (RCS) (Plate) (Rect.)

Heat Treated to Specification: AMS-H-81200, Latest Revision

HEAT TREATING PROCEDURE:

STRESS RELIEVE Anneal	Temp. 1100 °F	Time at Temp. 8 Hrs. — mins.	To 8 Hrs. 15 mins.
Beat Soln. Treat	Temp. ____ °F	Time at Temp. ____ Hrs. ____ mins.	To ____ Hrs. ____ mins.
Solution Treat	Temp. ____ °F	Time at Temp. ____ Hrs. ____ mins.	To ____ Hrs. ____ mins.
Duplex Anneal	Temp. ____ °F	Time at Temp. ____ Hrs. ____ mins.	To ____ Hrs. ____ mins.

Quench Media: (Furnace Cool) (Air Cool) (Fan Cool) (Water Quench)
(Circle One)

Heat Treatment Performed By: SM, [signature] 9/1/05

Date Operator Trained: N/A

Supervisor Review: [signature]

Quality Assurance Review:

METALEX QA DEPT. ACCEPTED DATE 11/23/05 BY TC

HEAT TREAT CHARTS IN JOB # 3805 FOLDER. TC 11/23/05

QF 166-004 Rev. 2 (4/28/03) Labd on Nts1/OMCFILE/FORMS/QF 166-004 Rev. 2

HEAT TREAT PROCESS CERTIFICATION FORM

S. O. #: N/A MOT # 437140 Start Time: 21:55

Heat #: G61C Date: 8/30/05 Finish Time: 05:55

Material ID's: A, B, C, D

Was the Lot Split? (yes) (no) (Circle one)

Furnace #: 9 Size: 13" (Rnd.) (RCS) (Plate) (Rect.)

Heat Treated to Specification: AMS-H-81200, Latest Revision

HEAT TREATING PROCEDURE:

Anneal	Temp. 1250 °F	Time at Temp. 8 Hrs. — mins.	To — Hrs. — mins.
Beat Soln. Treat	Temp. ____ °F	Time at Temp. ____ Hrs. ____ mins.	To ____ Hrs. ____ mins.
Solution Treat	Temp. ____ °F	Time at Temp. ____ Hrs. ____ mins.	To ____ Hrs. ____ mins.
Duplex Anneal	Temp. ____ °F	Time at Temp. ____ Hrs. ____ mins.	To ____ Hrs. ____ mins.

Quench Media: (Furnace Cool) (Air Cool) (Fan Cool) (Water Quench)
(Circle One)

Heat Treatment Performed By: SM 8/31/05

Date Operator Trained: N/A

Supervisor Review: DMA

Quality Assurance Review:

METALLURGICAL QA DEPT. ACCEPTED DATE 11/23/05 BY TC

HEAT TREAT CHARTS IN JOB # 3805 FOLDER TC 11/23/05

JOB#J8U8
PART# L143-110700
OPP# 20
S/N 5A06990-16
11-11-05
STEVE WALLACE

MTK
OC 12

11/11/05



Job#3808
PART# L143-110700
OP# 50
S/N 5A06990-16
Steve Wallace
12-7-05
TC
HTX QC 12
12/7/05



JO3#3608

SUPPLIER DISPOSITION REQUEST (SDR)

(Form ANL-311 includes instructions and determination sheet)

Page 1 of 1

(CHECK ONE)

☑ 1A. Deviation Request

☐ 1B. Nonconformance Action Request

2. SDR No. 3801-001

3. SDR Date 06/23/2005

4. Supplier Name, Address, Telephone, Fax

Metalex Manufacturing Inc.
5750 Cornell Road
Cincinnati, Ohio 45242
513-489-0507
513-489-1020

5. Purchase Order No. 5A06990

6. Related Documents

6.1 Document No. L143-00030 Date

7. Qty.	8. Describe Nonconforming Condition	9. Identify Requirement	10. Cause & Corrective Action
	1.) Document No. L143-00030 Section 4.1.1 has the forging being made per ASTM B 381-03. The current revision level of this specification is ASTM B 381-05. Metalex supplier, ATI Wah Chang would like to work to the latest revision.	Metalex request direction from ANL on what revision applies to this contract. Metalex supplier, ATI Wah Chang needs this clear direction as soon as possible to continue with acceptance of the order.	

SUPPLIER'S COMMENTS (IF YES, EXPLAIN)

11. Affects Form, Fit or Function
☐ Yes ☑ No

12. Affects Price
☐ Yes ☑ No

Rob Schuermann - Director, Tech. Services Unit - 06/23/05

06/23/05

13. SUPPLIER REPRESENTATIVE – TITLE – DATE

13. Affects Delivery
☑ Yes ☐ No This will hold up material supplier.

14. Recommended Disposition and Comments:

10. ANL REPRESENTATIVE – DATE

17. ANL Disposition and Remarks: Accept ASTM B381-05 as equivalent to ASTM B381-03 for purposes of this procurement

18. Approved

7/1/05 TECHNICAL REPRESENTATIVE – DATE

7/1/05 QUALITY ASSURANCE REPRESENTATIVE – DATE

PROCUREMENT REPRESENTATIVE – DATE

JQS #3808

SUPPLIER DISPOSITION REQUEST (SDR)

Form ANL-31* includes instructions and continuation sheet.

Page 1 of 1

(CHECK ONE)

✓ 1A. Deviation Request

__ 1B. Nonconformance Action Request

2. SDR No. 3801-004

3. SDR Date 08/17/2005

4. Supplier Name, Address, Telephone, Fax

Metalex Manufacturing Inc.
5750 Cornell Road
Cincinnati, Ohio 45242
(513) 489-0507 phone
(513) 489-1020 fax

5. Purchase Order No. 5A06990

6. Related Documents

6.1 ANL drawing 2143-110700 Rev.4 Date

7. Qty.	8. Describe Nonconforming Condition	9. Identify Requirement	10. Cause & Corrective Action
	1) Along with this form, Metalex has attached a sketch named SDR 3801-004, pages 1 and 2. This sketch outlines some additional "for manufacturing process only" holes that Metalex is requesting permission to add to the Strongback details. On each end of each part, (4) 5/8-11 tapped holes and (2) .6250" diameter dowel pin holes are requested to be added for internal use at Metalex.	Metalex requests direction from ANL on this item	

SUPPLIER'S COMMENTS
(IF YES EXPLAIN)

11. Affects Form, Fit or Function
__ Yes ✓ No

12. Affects Price
__ Yes ✓ No

13. Affects Delivery
__ Yes ✓ No Only if this is unresolved when raw material is arrived

14. Recommended Disposition and Comments:

Rob Schuermann - Director, Tech. Business Unit - 08/17/05

15. SUPPLIER REPRESENTATIVE - TITLE - DATE

16. ANL REPRESENTATIVE - DATE

17. ANL Disposition and Remarks: The requested modifications for internal Metalex use are allowed.

18. Approved

TECHNICAL REPRESENTATIVE - DATE 8-23-05

QUALITY ASSURANCE REPRESENTATIVE - DATE 8/25/05

PROCUREMENT REPRESENTATIVE - DATE 8/26/05

REV.	DATE	BY	DESCRIPTION





MagnaDyne

CERTIFIED ISO 9001
QUALITY MANAGEMENT

STRONGBACK DEVIATION — ARGONNE

T.J.RAUCH — 17AUG05

T.J.RAUCH — 17AUG05 — FULL — INCH X METRIC

2 2 3001

AutoCAD Release 14

DRAWING No. SDR 3001-004

REV. D

REV	DATE	BY	DESCRIPTION





Metalex

CERTIFIED ISO 9001
QUALITY MANAGEMENT

PROJECT: STRONGBACK DEVIATION
PROJECT: ARGONNE
DRAWN BY: T.J.RAUCH
DATE: 17AUG05
CHECKED BY: T.J.RAUCH
DATE: 17AUG05
SCALE: FULL
INCH X METRIC
SHEET 1 OF 2 3801
AutoCAD Release 14
DRAWING NO
SDR 3801-004
REV D

SUPPLIER DISPOSITION REQUEST (SDR)

(Form ANL-311 includes instructions and continuation sheet.)

Page 1 of 1

CHECK ONE:

☑ 1A. Deviation Request

☐ 1B. Nonconformance Action Request

2. SDR No. 3801-006

3. SDR Date 11/03/2005

4. Supplier Name, Address, Telephone, Fax

Metalex Manufacturing Inc.
5750 Cornell Road
(513) 489-0507 phone
(513) 489-1020 fax

5. Purchase Order No. 5A06990

6. Related Documents

6.1 ANL drawing L143-110700 Rev.7 Date

7. Qty.	8. Describe Nonconforming Condition	9. Identity Requirement	10. Cause & Corrective Action
	1) Along with this form, Metalex has attached a sketch named MXPL143-110700-03. This sketch outlines some additional "for manufacturing process only" holes that Metalex is requesting permission to add to the production Stongback details. These three (3) .2500" diameter tooling holes located as shown will allow ease of manufacturing and inspection of the critical overall length of this detail.	Metalex requests direction and approval from ANL on this item.	

SUPPLIER'S COMMENTS
(IF YES, EXPLAIN):

11. Affects Form, Fit or Function
☐ Yes ☑ No

12. Affects Price
☐ Yes ☑ No

Rob Schuermann - Director, Tech. Business Unit -11/03/05

Rob Schuermann 11/03/05

15. SUPPLIER REPRESENTATIVE – TITLE – DATE

13. Affects Delivery
☐ Yes ☑ No

14. Recommended Disposition and Comments:

Recommend acceptance.

16. ANL REPRESENTATIVE – DATE

17. ANL Disposition and Remarks: Acceptable

18. Approved

11/03/05

TECHNICAL REPRESENTATIVE – DATE

11/03/05

QUALITY ASSURANCE REPRESENTATIVE – DATE

11/3/05

PROCUREMENT REPRESENTATIVE – DATE

REV.	DATE	BY	DESCRIPTION



These three (3) .2500" diameter tooling holes located as shown will allow ease of manufacturing and inspection at the critical overall length of this detail

Metalex
CERTIFIED ISO 9001 QUALITY MANAGEMENT

STRINGBACK PROCESS	ARGONNE
R SCHUERMANN 03NOV05	
R SCHUERMANN 03NOV05	FULL / INCH / X / METRIC
1 OF 2 / 3801	DRAWING No MXPL143-110700-03 / REV. D
AutoCAD Release 14	

Schuermann, Rob

From: Oprondek, Michael T. [moprondek@anl.gov]
Sent: Thursday, November 03, 2005 5:36 PM
To: Schuermann, Rob
Cc: Lawrence, Glen; Barsz, Thomas R.
Subject: metalex SDR 005
Attachments: metalex.pdf

<<metalex.pdf>>

Michael Oprondek, Procurement Department,
Argonne National Laboratory; operated for the
U. S. Department of Energy by the University of Chicago
phone 630 252 7069 fax 630 252 4517

Metalex Customized Machinery and Parts (CERTIFIED ISO 9001 QUALITY MANAGEMENT)	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2005-3808	Qty 1

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ☒ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-110700	REV 07	P.O. Number 5A06990
	Date Rec'd N/A	P.O. No. N/A	Part Name STRONGBACK		
At Oper. 150	Serial Numbers: S/N: 5A06990-16 PRODUCTION		Customer Name ARGONNE NATIONAL LABORATORY		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
** ALL DIMENSIONS TO BE RECORDED IN MILLIMETERS **					
ALL DIMENSIONS APPLY AT A TEMPERATURE OF 20 DEGREES CELSIUS. PART MUST BE IN THERMAL EQUILIBRIUM DURING MEASUREMENTS AND AT THE SAME TEMPERATURE AT THE BEGINNING AND CONCLUSION OF THE MEASUREMENTS WITHIN +/-0.3 DEG. CELSIUS. ** THE PART TEMPERATURE BEFORE, DURING, AND AFTER DIMENSIONAL MEASUREMENT SHALL BE RECORDED BELOW**					
PART TEMPERATURE *BEFORE* INSPECTION	SOW 4.5.1	CONTACT THERMOMETER MX1794	70.0 °F	MTX QC 16	
PART TEMPERATURE *DURING* INSPECTION	SOW 4.5.1	CONTACT THERMOMETER MX1794	69.9 °F	MTX QC 16	
PART TEMPERATURE *AFTER* INSPECTION	SOW 4.5.1	CONTACT THERMOMETER MX1794	70.0 °F	MTX QC 16	
DRAWING L143-110700					
MATERIAL DESCRIPTION: ASTM B381 F2 TITANIUM GRADE 2	A2	CERT#	CONFORMS	MTX QC 16	
ALL DIMENSIONS ARE IN MILLIMETERS, SURFACE FINISH IN MICRONS.	NOTE #1		INFORMATION ONLY	MTX QC 16	
REMOVE ALL BURRS AND BREAK SHARP EDGES 0.3mm MAX.	NOTE #2	VISUAL & RADIUS GAGE MX837 & MX838	CONFORMS	MTX QC 16	
UNLESS OTHERWISE SPECIFIED, SURFACE FINISH TO BE 6.4 MICRONS.	NOTE #3	PROFILOMETER MX1304	CONFORMS 6.4 OR BETTER	MTX QC 16	
⏥ .05 A B	D7	CMM MX1269	w/in .038	MTX QC 16	
⏥ .05 A B	D2	CMM MX1269	w/in .033	MTX QC 16	
1.6	D2	PROFILOMETER MX1304	1.6 OR BETTER	MTX QC 16	
167.00 +.05 / -.00	C2	CMM MX1269	167.02 – 167.05	MTX QC 16	

STAMP	INSPECTED BY	DATE	PAGE 1 OF 2	QTY ACC	QTY REJ
MTX QC 16	[signature]	2/1/06		1	

MX1010 (7/98)

Metalex Customized Machinery and Parts CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2005-3808	Qty 1

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ■ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-110700	REV 07	P.O. Number 5A06990
	Date Rec'd N/A	P.O. No. N/A	Part Name STRONGBACK		
At Oper. 150	Serial Numbers: S/N: 5A06990-16 PRODUCTION		Customer Name ARGONNE NATIONAL LABORATORY		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
83.50 ±.08	C2	CMM MX1269	83.48 - 83.505	MTX QC 16	
1.6√	C2	PROFILOMETER MX1304	1.6√ OR BETTER	MTX QC 16	
⏥ |.05	C2	CMM MX1269	w/in .025	MTX QC 16	
⏥ |.05	C2	CMM MX1269	w/in .030	MTX QC 16	
⏥ |.05	D1	CMM MX1269	w/in .043	MTX QC 16	
⊥ |.1|A	D1	CMM MX1269	w/in .0279	MTX QC 16	
// |.05|A	E8	CMM MX1269	w/in .010	MTX QC 16	
ALL OTHER FEATURES ARE ACCEPTED PER METALEX OPERATOR ACCEPTANCE PROGRAM (OAP) MXWI17001 & OPERATOR SIGNOFF OF ROUTER OPERATIONS FOR COMPLIANCE TO ALL DRAWING FEATURES GENERATED WITHIN THAT DEFINED OPERATION.		ROUTER SIGNOFF MX5009	CONFORMS	MTX QC 16	

STAMP	INSPECTED BY	DATE	PAGE 2 OF 2	QTY ACC	QTY REJ
MTX QC 16	[signature]	2/1/06		1	

MX1010 (7/98)

Thomas H Beck
11-2-06

ANL Part/Revision Number: L143-112000-05
SLAC Part Number: SA-381-001-35
Assembly Serial Number: 5A10359-16
LOT16 magnets Serial # 7201-7680

Bottom Jaw

Slot Number	Serial No.	Main filed Orientation	x-axis orientation
1	7670	Upstream	Left
2	7522	Downstream	Right
3	7622	Upstream	Left
4	7296	Downstream	Right
5	7326	Upstream	Right
6	7359	Downstream	Right
7	7307	Upstream	Right
8	7460	Downstream	Left
9	7658	Upstream	Right
10	7230	Downstream	Left
11	7455	Upstream	Right
12	7633	Downstream	Right
13	7561	Upstream	Left
14	7244	Downstream	Left
15	7441	Upstream	Right
16	7220	Downstream	Right
17	7447	Upstream	Right
18	7500	Downstream	Left
19	7620	Upstream	Left
20	7619	Downstream	Left
21	7265	Upstream	Right
22	7466	Downstream	Left
23	7567	Upstream	Left
24	7419	Downstream	Right
25	7366	Upstream	Right
26	7269	Downstream	Right
27	7655	Upstream	Right
28	7643	Downstream	Right
29	7241	Upstream	Left
30	7211	Downstream	Left
31	7260	Upstream	Left
32	7400	Downstream	Left
33	7512	Upstream	Left
34	7286	Downstream	Left
35	7602	Upstream	Right
36	7207	Downstream	Left
37	7673	Upstream	Right
38	7501	Downstream	Left
39	7470	Upstream	Left
40	7448	Downstream	Right
41	7474	Upstream	Right
42	7418	Downstream	Right
43	7408	Upstream	Left

Top Jaw

Slot Number	Serial No.	Main filed Orientation	x-axis orientation
1	7558	Downstream	Left
2	7650	Upstream	Right
3	7249	Downstream	Right
4	7341	Upstream	Right
5	7517	Downstream	Left
6	7535	Upstream	Left
7	7510	Downstream	Right
8	7274	Upstream	Right
9	7508	Downstream	Right
10	7497	Upstream	Right
11	7231	Downstream	Left
12	7369	Upstream	Right
13	7334	Downstream	Right
14	7478	Upstream	Right
15	7393	Downstream	Left
16	7482	Upstream	Left
17	7489	Downstream	Right
18	7624	Upstream	Left
19	7411	Downstream	Right
20	7253	Upstream	Right
21	7615	Downstream	Right
22	7281	Upstream	Left
23	7594	Downstream	Right
24	7396	Upstream	Right
25	7303	Downstream	Left
26	7515	Upstream	Right
27	7440	Downstream	Left
28	7556	Upstream	Left
29	7386	Downstream	Left
30	7350	Upstream	Right
31	7394	Downstream	Right
32	7271	Upstream	Right
33	7426	Downstream	Left
34	7387	Upstream	Right
35	7355	Downstream	Left
36	7490	Upstream	Right
37	7375	Downstream	Left
38	7275	Upstream	Right
39	7521	Downstream	Left
40	7214	Upstream	Right
41	7264	Downstream	Left
42	7403	Upstream	Right
43	7507	Downstream	Left

44	7523	Downstream	Right
45	7217	Upstream	Left
46	7333	Downstream	Left
47	7580	Upstream	Right
48	7569	Downstream	Right
49	7665	Upstream	Left
50	7363	Downstream	Left
51	7654	Upstream	Left
52	7473	Downstream	Left
53	7461	Upstream	Right
54	7389	Downstream	Right
55	7475	Upstream	Right
56	7201	Downstream	Left
57	7486	Upstream	Right
58	7536	Downstream	Left
59	7290	Upstream	Right
60	7299	Downstream	Right
61	7533	Upstream	Left
62	7255	Downstream	Right
63	7576	Upstream	Right
64	7636	Downstream	Right
65	7401	Upstream	Left
66	7210	Downstream	Left
67	7554	Upstream	Left
68	7579	Downstream	Left
69	7552	Upstream	Right
70	7266	Downstream	Right
71	7437	Upstream	Right
72	7338	Downstream	Right
73	7504	Upstream	Left
74	7237	Downstream	Right
75	7675	Upstream	Left
76	7315	Downstream	Right
77	7439	Upstream	Right
78	7442	Downstream	Left
79	7450	Upstream	Right
80	7263	Downstream	Left
81	7549	Upstream	Left
82	7645	Downstream	Left
83	7213	Upstream	Left
84	7565	Downstream	Left
85	7421	Upstream	Right
86	7598	Downstream	Left
87	7456	Upstream	Left
88	7499	Downstream	Right
89	7570	Upstream	Left
90	7451	Downstream	Left
91	7325	Upstream	Right
92	7453	Downstream	Right
93	7443	Upstream	Right
94	7581	Downstream	Left
95	7270	Upstream	Right

44	7232	Upstream	Right
45	7385	Downstream	Right
46	7404	Upstream	Left
47	7526	Downstream	Right
48	7425	Upstream	Right
49	7327	Downstream	Left
50	7583	Upstream	Left
51	7388	Downstream	Left
52	7672	Upstream	Right
53	7585	Downstream	Right
54	7229	Upstream	Right
55	7277	Downstream	Left
56	7329	Upstream	Right
57	7642	Downstream	Right
58	7216	Upstream	Left
59	7374	Downstream	Left
60	7574	Upstream	Left
61	7639	Downstream	Right
62	7613	Upstream	Right
63	7647	Downstream	Right
64	7284	Upstream	Left
65	7276	Downstream	Right
66	7467	Upstream	Left
67	7268	Downstream	Left
68	7525	Upstream	Left
69	7208	Downstream	Left
70	7353	Upstream	Left
71	7605	Downstream	Left
72	7280	Upstream	Left
73	7309	Downstream	Left
74	7545	Upstream	Left
75	7323	Downstream	Right
76	7631	Upstream	Left
77	7332	Downstream	Right
78	7606	Upstream	Left
79	7524	Downstream	Right
80	7377	Upstream	Left
81	7371	Downstream	Left
82	7506	Upstream	Right
83	7407	Downstream	Left
84	7267	Upstream	Right
85	7322	Downstream	Right
86	7551	Upstream	Left
87	7298	Downstream	Left
88	7239	Upstream	Left
89	7212	Downstream	Right
90	7601	Upstream	Right
91	7228	Downstream	Right
92	7300	Upstream	Left
93	7305	Downstream	Right
94	7527	Upstream	Left
95	7575	Downstream	Left

96	7582	Downstream	Right
97	7349	Upstream	Right
98	7573	Downstream	Left
99	7566	Upstream	Left
100	7666	Downstream	Left
101	7310	Upstream	Right
102	7430	Downstream	Right
103	7320	Upstream	Left
104	7464	Downstream	Left
105	7514	Upstream	Left
106	7495	Downstream	Right
107	7365	Upstream	Left
108	7444	Downstream	Left
109	7238	Upstream	Right
110	7498	Downstream	Left
111	7429	Upstream	Left
112	7543	Downstream	Right
113	7540	Upstream	Left
114	7657	Downstream	Left
115	7312	Upstream	Right
116	7292	Downstream	Right
117	7568	Upstream	Right
118	7595	Downstream	Left
119	7368	Upstream	Left
120	7513	Downstream	Left
121	7659	Upstream	Right
122	7625	Downstream	Left
123	7621	Upstream	Right
124	7361	Downstream	Right
125	7242	Upstream	Right
126	7550	Downstream	Right
127	7370	Upstream	Left
128	7630	Downstream	Right
129	7205	Upstream	Right
130	7302	Downstream	Right
131	7358	Upstream	Right
132	7669	Downstream	Right
133	7511	Upstream	Right
134	7618	Downstream	Right
135	7331	Upstream	Right
136	7278	Downstream	Left
137	7413	Upstream	Left
138	7258	Downstream	Right
139	7485	Upstream	Right
140	7520	Downstream	Left
141	7664	Upstream	Right
142	7564	Downstream	Right
143	7279	Upstream	Right
144	7347	Downstream	Right
145	7340	Upstream	Right
146	7382	Downstream	Right
147	7539	Upstream	Right

96	7436	Upstream	Left
97	7218	Downstream	Right
98	7348	Upstream	Right
99	7379	Downstream	Left
100	7547	Upstream	Right
101	7494	Downstream	Left
102	7221	Upstream	Left
103	7250	Downstream	Right
104	7534	Upstream	Right
105	7328	Downstream	Left
106	7316	Upstream	Right
107	7330	Downstream	Left
108	7661	Upstream	Right
109	7553	Downstream	Left
110	7468	Upstream	Left
111	7629	Downstream	Right
112	7502	Upstream	Right
113	7308	Downstream	Right
114	7376	Upstream	Left
115	7399	Downstream	Left
116	7432	Upstream	Left
117	7282	Downstream	Right
118	7483	Upstream	Left
119	7245	Downstream	Left
120	7612	Upstream	Left
121	7546	Downstream	Left
122	7234	Upstream	Left
123	7246	Downstream	Right
124	7667	Upstream	Left
125	7538	Downstream	Left
126	7224	Upstream	Left
127	7563	Downstream	Left
128	7313	Upstream	Left
129	7491	Downstream	Right
130	7614	Upstream	Left
131	7288	Downstream	Left
132	7317	Upstream	Left
133	7623	Downstream	Right
134	7314	Upstream	Left
135	7306	Downstream	Right
136	7392	Upstream	Left
137	7390	Downstream	Right
138	7562	Upstream	Right
139	7679	Downstream	Left
140	7297	Upstream	Right
141	7414	Downstream	Right
142	7428	Upstream	Left
143	7589	Downstream	Left
144	7257	Upstream	Right
145	7226	Downstream	Right
146	7240	Upstream	Left
147	7644	Downstream	Right

148	7572	Downstream	Left
149	7427	Upstream	Right
150	7256	Downstream	Left
151	7236	Upstream	Right
152	7653	Downstream	Left
153	7416	Upstream	Right
154	7343	Downstream	Right
155	7577	Upstream	Right
156	7225	Downstream	Left
157	7381	Upstream	Right
158	7222	Downstream	Left
159	7336	Upstream	Left
160	7261	Downstream	Left
161	7603	Upstream	Left
162	7587	Downstream	Right
163	7203	Upstream	Left
164	7597	Downstream	Left
165	7345	Upstream	Right
166	7454	Downstream	Right
167	7628	Upstream	Right
168	7202	Downstream	Left
169	7293	Upstream	Right
170	7223	Downstream	Left
171	7604	Upstream	Right
172	7420	Downstream	Left
173	7354	Upstream	Left
174	7412	Downstream	Left
175	7434	Upstream	Right
176	7593	Downstream	Left
177	7544	Upstream	Right
178	7324	Downstream	Right
179	7395	Upstream	Left
180	7423	Downstream	Left
181	7311	Upstream	Right
182	7627	Downstream	Left
183	7294	Upstream	Left
184	7248	Downstream	Right
185	7424	Upstream	Left
186	7646	Downstream	Left
187	7397	Upstream	Left
188	7406	Downstream	Left
189	7417	Upstream	Left
190	7215	Downstream	Left
191	7516	Upstream	Left
192	7452	Downstream	Right
193	7398	Upstream	Right
194	7272	Downstream	Left
195	7243	Upstream	Left
196	7530	Downstream	Right
197	7463	Upstream	Left
198	7206	Downstream	Left
199	7219	Upstream	Right

148	7662	Upstream	Right
149	7360	Downstream	Right
150	7487	Upstream	Left
151	7480	Downstream	Right
152	7541	Upstream	Right
153	7291	Downstream	Left
154	7273	Upstream	Right
155	7254	Downstream	Right
156	7319	Upstream	Right
157	7301	Downstream	Right
158	7446	Upstream	Left
159	7678	Downstream	Left
160	7391	Upstream	Right
161	7481	Downstream	Right
162	7415	Upstream	Right
163	7367	Downstream	Right
164	7537	Upstream	Left
165	7531	Downstream	Left
166	7671	Upstream	Right
167	7588	Downstream	Right
168	7465	Upstream	Right
169	7484	Downstream	Right
170	7431	Upstream	Right
171	7351	Downstream	Left
172	7409	Upstream	Left
173	7600	Downstream	Left
174	7529	Upstream	Right
175	7586	Downstream	Left
176	7505	Upstream	Left
177	7592	Downstream	Left
178	7656	Upstream	Left
179	7578	Downstream	Right
180	7380	Upstream	Left
181	7607	Downstream	Left
182	7609	Upstream	Right
183	7528	Downstream	Left
184	7356	Upstream	Left
185	7476	Downstream	Left
186	7626	Upstream	Right
187	7638	Downstream	Left
188	7640	Upstream	Right
189	7660	Downstream	Left
190	7503	Upstream	Left
191	7652	Downstream	Right
192	7233	Upstream	Right
193	7362	Downstream	Left
194	7635	Upstream	Left
195	7611	Downstream	Right
196	7571	Upstream	Right
197	7373	Downstream	Right
198	7383	Upstream	Right
199	7462	Downstream	Left

200	7321	Downstream	Left
201	7287	Upstream	Left
202	7235	Downstream	Right
203	7364	Upstream	Right
204	7252	Downstream	Left
205	7560	Upstream	Left
206	7438	Downstream	Right
207	7488	Upstream	Right
208	7492	Downstream	Right
209	7422	Upstream	Right
210	7471	Downstream	Right
211	7634	Upstream	Right
212	7617	Downstream	Left
213	7648	Upstream	Right
214	7433	Downstream	Right
215	7283	Upstream	Left
216	7204	Downstream	Right
217	7372	Upstream	Left
218	7608	Downstream	Right
219	7339	Upstream	Left
220	7651	Downstream	Right
221	7663	Upstream	Left
222	7342	Downstream	Left
223	7449	Upstream	Left
224	7559	Downstream	Right
225	7668	Upstream	Right

200	7445	Upstream	Left
201	7532	Downstream	Right
202	7335	Upstream	Right
203	7289	Downstream	Left
204	7632	Upstream	Right
205	7641	Downstream	Left
206	7209	Upstream	Left
207	7259	Downstream	Right
208	7285	Upstream	Left
209	7247	Downstream	Right
210	7542	Upstream	Left
211	7548	Downstream	Right
212	7676	Upstream	Right
213	7337	Downstream	Left
214	7251	Upstream	Right
215	7458	Downstream	Left
216	7479	Upstream	Left
217	7384	Downstream	Left
218	7346	Upstream	Left
219	7477	Downstream	Right
220	7616	Upstream	Left
221	7318	Downstream	Left
222	7584	Upstream	Left
223	7304	Downstream	Right
224	7674	Upstream	Left
225	7557	Downstream	Right

For "X-Axis Orientation" column
"Right" stands for right-numbered surface should face to the undulator axis.
"Left" stands for left-numbered surface should face to the undulator axis.
This "Right", "Left" procedure applies for both Top and Bottom Jaw

For "Main-Field Orientation" column **(see Assembly Procedure Document)**
"Downstream" side corresponts to the direction of lower-numbered slot.
Arrow should point toward the lower numbered slots.
"Upstream" side corresponds to the direction of higher-numbered slot.
Arrow should point toward the higher numbered slots.

Spare magnets

serial No.	Reduced Magnetization
7555	33%
7680	80%
7352	
7649	
7472	
7637	
7457	
7410	

Sample magnets

serial No.	
7262	
7357	
7496	
7599	
7677	

7344
7295
7590
7227
7610
7591
7518
7519
7405
7509
7493
7596
7402
7378
7459
7469
7435

1. DISTRIBUTION: LCLS Undulator Ass'y Contractors, Tom Barsz, and Glen Lawrence

ARGONNE NATIONAL LABORATORY

ACCEPTANCE CRITERIA LISTING

2. PAGE ONE OF 1 3. ACL NO. E5-026046

4. ORIGINATOR'S NAME & DIVISION Glen Lawrence XFD 5. PHONE 2-9298 6. DATE 1-24-05

7. PART NO. & NAME L143-110107 Magnet Structure last Pole L143-110105 Magnet Structure Pole 8. QUANTITY 170 19030

9. FOR INSPECTION, DELIVER TO BLDG. NO. N/A DIVISION ATTN:

10. AFTER INSPECTION, DELIVER TO BLDG. NO. N/A DIVISION ATTN:

11. REFERENCES AND/OR REMARKS: The Magnet Poles are to be delivered to the Undulator Asembly Contractors by the Machining Contractor . Undulator Assembly Contractor shall inspect the Magnet Poles prior to acceptance. ANL shall review all Certifications and Machining Contractor's reported measurements & optionally perform on-site inspections.

12 STEP NO.	13 INSPECTION/TEST REQUIREMENT	14 INSPECTION TEST LOCATION	18 ACCEPTED BY OR NONCONFORMANCE REPORT NO.	19 DATE
1	Visual inspection of parts for shipping damage.	Undulator Ass'y Contractor	Thomas Beck	11-2-06
2	Check that parts were "bagged and Tagged" with serial no.'s and part no.'s (ANL & SLAC) per SOW L143-00031,	Undulator Ass'y Contractor	Thomas Beck	11-2-06
	Section 4.1.3.			
3	Check that parts were marked with serial numbers per SOW section 4.1.3.	Undulator Ass'y Contractor	Thomas Beck	11-2-06
4	Check that accompanying Certifications have correct part serial numbers.	Undulator Ass'y Contractor	N/A TEDD CAUDILL MTX QC 12	12-19-06
5.	Check the material certification for compliance with ASTM A801, Type 1.	Undulator Ass'y Contractor & ANL	N/A TEDD CAUDILL MTX QC 12	12-19-06
6	Check the anneal certification for compliance with AMS-A801, or a specified material supplier's annealing schedule.	Undulator Ass'y Contractor & ANL	N/A TEDD CAUDILL MTX QC 12	12-19-06
7	Check that the machining Contractor's certified dimensional measurements are in compliance with the drawing.	ANL		
8	Verify the critical dimensions as listed in the SOW, Section 4.5.2 are in compliance with the drawing	Undulator Ass'y Contractor	Thomas Beck	11-2-06
	L143-112000-05			
	SA-381-001-35			
	5A10359-16			

15. ORIGINATOR OF PLAN Glen Lawrence DATE 1-24-05

16. PLAN REVIEWED/APPROVED BY DATE

17. QAR CONCURRENCE WITH PLAN DATE

Metalex Manufacturing
L143-112000 BOM/ASSY Undulator
Purchase Order No. 5A10359

LCLS Undulator poles inspection per L143-00076 Assembly Procedure:

Inspection - Poles / Magnets / Magnet Structure Bases

1. *Obtain the QA inspection reports for the* ***poles (drawing L143-110105)*** *and magnets (drawing L143-110106 - See appendix A for blank inspection reports). Randomly select 10% of the delivered poles and magnets and inspect them to a minimum precision of .0025mm to verify that they meet the critical drawing specifications.*

Assembly:

ANL Part/Revision Number: L143-112000-05
SLAC Part Number: SA-381-001-35
Assembly Serial Number: 5A10359-16

Inspection/Acceptance report or components for as-built drawings:

Part: L143-110105 Poles

Completed By: Thomas P Becker **Date:** 11-2-06

5750 Cornell Road • Blue Ash Industrial Park • Cincinnati, OH 45242
Phone (513) 489-0507 • Fax (513) 489-1020

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 9008

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.97	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.97	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX111, MX1452, 587F, MX0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 9016

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.97	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.96	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 9182

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.96	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.97	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 10401

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.90	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.97	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width printed dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 8491

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.90	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.97	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 5983

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.94	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.96	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 7027

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.91	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.98	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 10017

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.90	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.96	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 5916

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.94	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.97	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX111, MX1452, 587F, MX0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 9038

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.96	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.97	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 8367

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.92	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.97	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: mx111, mx1452, 587F, mx0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 8511

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.92	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.96	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 5989

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.94	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.96	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 6095

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.93	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.97	Accept/Reject
Perpendicularity to A (both sides)	</= .01	N/A	<.01	Accept/Reject
Flatness of base	</= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 6484

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.95	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.97	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 9980

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.98	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.95	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 6280

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.96	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.97	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 8381

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.90	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.97	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 9231

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.93	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.98	Accept/Reject
Perpendicularity to A (both sides)	</= .01	N/A	<.01	Accept/Reject
Flatness of base	</= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 6313

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.92	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.98	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX111, MX1452, 587F, MX0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 7422

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.97	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.98	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 8666

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.98	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.96	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 6436

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.96	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.97	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 10395

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.90	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.96	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 6010

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.97	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.97	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 8363

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.90	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.97	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 8845

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.92	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.97	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 9729

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.90	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.96	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 7223

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.90	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.96	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 10374

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.98	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.98	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 7017

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.90	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.97	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 9514

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	44.00	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.96	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: mx 111, mx 1452, 587F, mx 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 6320

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.99	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.97	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX111, MX1452, 587F, MX0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 6999

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.90	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.97	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 9692

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.98	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.95	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 6530

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.97	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.97	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 10747

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.92	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.95	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 9157

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.91	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.96	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: mx 111, mx 1452, 587F, mx 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 7902

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	44.00	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.97	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 7645

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.90	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.98	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 8893

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.95	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.97	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 7652

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.97	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.97	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 8591

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.92	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.96	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 10045

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.95	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.96	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 8886

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.97	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.97	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 6285

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.93	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.97	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX111, MX1452, 587F, MX0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 8888

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.95	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.97	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX1452, 587F, MX0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 8714

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.98	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.96	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 10678

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.95	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.95	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: MX 111, MX 1452, 587F, MX 0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR AS-BUILT DRAWINGS

VENDOR: HI-Teck

PART NAME: LCLS Magnet Structure Pole

DRAWING #: L143-110105

SERIAL #: 9105

P.O. #: 5A-05150

DATE: 10.19.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Pole height	48.0	+0 / -.01	47.99	Accept/Reject
Pole Width	44.0	+0 / ~~-.01~~ -.1	43.99	Accept/Reject
Pole Thickness	6.00	+0 / -.05	5.96	Accept/Reject
Perpendicularity to A (both sides)	<= .01	N/A	<.01	Accept/Reject
Flatness of base	<= .01	N/A	<.01	Accept/Reject

INSPECTOR: Thomas P. Becker QA Supervisor:

TEST EQUIPMENT USED: mx111, mx1452, 587F, mx0256, 587B

COMMENTS:

Pole width print dim = $44^{+0}_{-.1}$

1. DISTRIBUTION: LCLS Undulator Ass'y Contractors, Tom Barsz, and Glen Lawrence

ARGONNE NATIONAL LABORATORY

ACCEPTANCE CRITERIA LISTING

2. PAGE ONE OF 1 3. ACL NO. E5-069069

4. ORIGINATOR'S NAME & DIVISION Glen Lawrence XFD 5. PHONE 2-9298 6. DATE 1-31-05

7. PART NO. & NAME L143-110106 Magnet Structure Magnet 8. QUANTITY 19200

9. FOR INSPECTION, DELIVER TO BLDG. NO. 401 DIVISION XFD ATTN: Glen Lawrence

10. AFTER INSPECTION, DELIVER TO BLDG. NO. 401 DIVISION XFD ATTN: Glen Lawrence

11. REFERENCES AND/OR REMARKS: Most of the magnets wil be drop shipped directly to the Undulator Assembly Contractor, who will only perform limited physical inspection of the parts as they are highly magnetized. A sampling from Each lot will be sent to ANL for verification of the magnetic field properties.

12 STEP NO.	13 INSPECTION/TEST REQUIREMENT	14 INSPECTION TEST LOCATION	18 ACCEPTED BY OR NONCONFORMANCE REPORT NO.	19 DATE
1	Visual inspection of parts for shipping damage..	Undulator Ass'y Contractor	Thomas P Beda	11-2-06
2	Visual inspection of parts for surface chips and pits.	Undulator Ass'y Contractor	Thomas P Beda	11-2-06
3	Dimensional check of part for conformance to the drawing.	Undulator Ass'y Contractor	Thomas P Beda	11-2-06
4	Review vendor certified test data agrees with SOW requirements	APS Bldg 401		
5	Review Vendor sort list for agreement with sort procedure.	APS Bldg 401		
6	On random sampling, inspect magnetic field with magnetic visualization film for magnetic defects.	APS Magnet Group		
7	On random sampling, confirm Magnetic Moment magnitude And vector components agree with vendor reports	APS Magnet Group		
8	On random sampling, verify the magnet's demagnetization and thermal stability	APS Magnet Group		
	L143-112000-05			
	SA-381-001-35			
	5A10359-16			

15. ORIGINATOR OF PLAN Glen Lawrence DATE 02-07-05

16. PLAN REVIEWED/APPROVED BY _____ DATE _____

17. QAR CONCURRENCE WITH PLAN _____ DATE _____

Metalex Manufacturing
L143-112000 BOM/ASSY Undulator
Purchase Order No. 5A10359

LCLS Undulator magnets inspection per L143-00076 Assembly Procedure:

Inspection - Poles / Magnets / Magnet Structure Bases

1. *Obtain the QA inspection reports for the poles (drawing L143-110105)* ***and magnets (drawing L143-110106 - See appendix A for blank inspection reports).*** *Randomly select 10% of the delivered poles and magnets and inspect them to a minimum precision of .0025mm to verify that they meet the critical drawing specifications.*

Assembly:

ANL Part/Revision Number: L143-112000-05
SLAC Part Number: SA-381-001-35
Assembly Serial Number: 5A10359-16

Inspection/Acceptance report or components for as-built drawings:

Part: L143-110106 Magnet

Completed By: Thomas P Becker **Date:** 11-2-06

5750 Cornell Road • Blue Ash Industrial Park • Cincinnati, OH 45242
Phone (513) 489-0507 • Fax (513) 489-1020

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7665

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	56.988	Accept/Reject
Magnet Width	66.00	+/- .25	66.025	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.95	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX1383, MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7363

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	56.988	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.95	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135 MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7654

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	56.975	Accept/Reject
Magnet Width	66.00	+/- .25	66.012	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.96	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135 MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7473

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.012	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.94	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX3
MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7461

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.02	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.95	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135, MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7389

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.01	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.96	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135 MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7475

P.O. #: 5A-06868

DATE: 10·18·06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.01	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.95	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135, MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7201

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.04	Accept/Reject
Magnet Width	66.00	+/- .25	66.012	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.94	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135 MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7486

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.012	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.95	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135 MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7536

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	56.988	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.95	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX138 MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7290

P.O. #: 5A-06868

DATE: 10·18·06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.025	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.94	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135
MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7299

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.045	Accept/Reject
Magnet Width	66.00	+/- .25	66.025	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.92	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135
MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7504

P.O. #: 5A-06868

DATE: 10·18·06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.00	Accept/Reject
Magnet Width	66.00	+/- .25	65.975	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.94	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135
MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7237

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.025	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.93	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX136
MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7675

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	56.975	Accept/Reject
Magnet Width	66.00	+/- .25	66.040	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.95	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135
MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7315

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.04	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.95	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX138 MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7439

P.O. #: 5A-06868

DATE: 10·18·06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.00	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.94	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135
MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7442

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.012	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.94	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135
MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7450

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.012	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.96	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135 MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7263

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.04	Accept/Reject
Magnet Width	66.00	+/- .25	65.988	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.940	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX139
MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7549

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.012	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.94	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX136
MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7645

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.00	Accept/Reject
Magnet Width	66.00	+/- .25	66.025	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.95	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135
MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7213

P.O. #: 5A-06868

DATE: 10·18·06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.04	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.94	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135 MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7565

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.00	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.94	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135
MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7327

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.012	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.96	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135
MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7583

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.00	Accept/Reject
Magnet Width	66.00	+/- .25	66.012	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.95	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135 MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7388

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.00	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.95	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135
MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7672

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	56.975	Accept/Reject
Magnet Width	66.00	+/- .25	66.012	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.95	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135, MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7585

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.00	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.94	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135 MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7229

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.04	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.95	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135 MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7277

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.025	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.93	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135 MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7329

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.00	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.94	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX138
MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7642

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.00	Accept/Reject
Magnet Width	66.00	+/- .25	66.04	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.96	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135 MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7216

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.04	Accept/Reject
Magnet Width	66.00	+/- .25	66.025	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.96	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135
MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7374

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.01	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.945	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135 MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7574

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.00	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.96	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135
MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7309

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.04	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.95	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX139 MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7545

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.012	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.95	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135
MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7323

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	56.988	Accept/Reject
Magnet Width	66.00	+/- .25	65.988	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.950	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135 MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7631

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.012	Accept/Reject
Magnet Width	66.00	+/- .25	65.988	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.94	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135
MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7332

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.012	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.94	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135 MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7606

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.01	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.95	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135
MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7524

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	56.988	Accept/Reject
Magnet Width	66.00	+/- .25	65.988	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.94	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135
MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7377

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.00	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.94	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135
MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7371

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.00	Accept/Reject
Magnet Width	66.00	+/- .25	66.012	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.96	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135
MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7506

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	56.99	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.94	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135
MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7407

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.01	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.95	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX135 MX2

COMMENTS:

INSPECTION / ACCEPTANCE REPORT OF COMPONENTS FOR LCLS MAGNET ASSEMBLIES

VENDOR: Shin-Etsu

PART NAME: LCLS Magnet

DRAWING #: L143-110106

SERIAL #: 7267

P.O. #: 5A-06868

DATE: 10.18.06

ACCEPTANCE CRITERIA

1. Visually inspect for shipping damage.	Accept/Reject

CRITICAL DIMENSIONS (mm)

FEATURE	TARGET	TOLERANCE	MEASURED VALUE	
Magnet height	57.00	+/- .05	57.04	Accept/Reject
Magnet Width	66.00	+/- .25	66.00	Accept/Reject
Magnet thickness	9.00	+0 / -.10	8.94	Accept/Reject

INSPECTOR: Thomas P. Becker
Thomas P. Becker

QA Supervisor:

TEST EQUIPMENT USED: 587K, MX1462, MX111, MX1452, MX851, MX138
MX2

COMMENTS:

CUSTOMER	SHIP DATE	GROSS WEIGHT	QUOTE		
55230	06/30/06 SHP	1500	05-1226592-	1 OF 1	PACKIN. TEST RESULTS
BILL TO: METALEX MFG INC		WORK ORDER **	ORDER DATE 05/30/06 ORD		

DELIVERY DATE	SHIP BRANCH	SELL BRANCH	WORK ORDER
07/05/06 DEL	02-GRR	05-DAY	2P1680

SHIP TO

METALEX MFG INC 01
5750 CORNELL
CINCINNATI OH 45242

1310 SCRIBNER NW, GRAND RAPIDS MI 49504-3287
Copper and Brass Sales
A ThyssenKrupp Materials NA company
ThyssenKrupp

CUSTOMER PO NUMBER	TERRITORY	ENTRY ID
64760-BL - 5681	03	05JWZ

BUYER	INSIDE SALES
~~BRIAN LAWSON, P.A.~~	JEFF W. ZELLERS
BUYER TELEPHONE	INSIDE SALES TELEPHONE
(513)489-0539	(937)415-2620 52631

CUSTOMER SIGNATURE: DATE:

QUANTITY	ORDERED	SHIPPED
INVENTORY	654 .23 LB	~~640.00~~
BILLING	654.23 LB	640.00
WAREHOUSE		

SHIP VIA

INTERNAL	COMPLETE	PARTIAL	CANCEL
POOL-TO 05-DAY	X		

SHIPPING STATUS

TO CUSTOMER	FOB
OUR TRUCK/OUR DEL-01	ORIG
BILL OF LADING	FREIGHT STATUS: PPD

PACKED WITH OTHER GOODS

FINISHED GOODS LOCATION: WARN LABEL:1013

PART DESCRIPTION 310373 6

ALUMINUM BRONZE PLATE AMPCO 8 C614/C613, .3125 (+-.019)
SAW 48" X 36" (+.064,-0), LINE ITEM#: 1.
Test Results Attn to: QA Department. , actual certs must be signed Item# 1

4pcs

METALEX
QA. DEPT.
ACCEPTED
DATE 7/10/06
BY KKB

SPECIAL INSTRUCTIONS

P/N L143-110104

FULL	SCRAP	FILLED BY	PACKED BY	Q/A AUDIT
		JM		

CUSTOMER RECEIVING HOURS	MAX SKID WEIGHT	LOADING INSTRUCTIONS	MAXIMUM BUNDLE WEIGHT
6:00 am - 12:00 pm	15000	CRANE, FORK	30000

BOXES	BARS	CASES	CLSHP	PKGS	SKIDS	BDLS	TUBES	CTNS	FLAT	COILS
					1					

INSPECTION RECORD

TEST RESULTS -----

CERTIFICATE OF COMPLIANCE
We hereby certify that mercury or any of its compounds are not used in the processing and distribution of our products. The products we distribute are not hazardous in their received state. For MSDS sheets go to www.copperandbrass.com/msds or call 248-233-5682. We hereby certify that the material above complies with the following specifications:
ASTM-B169

ROHS COMPLIANT

TAG NO	QUANTITY	UOM	VENDOR	VEND PO	HEAT/LOT	PCS	TAG NO	QUANTITY	UOM	VENDOR	VEND PO	HEAT/LOT	PCS
042931 00	640.00	LB	REVEREC	0CK5986	532/4386								

Del
RECEIVED
JUL 05 2006
METALEX MFG.
BY S.W

STEVEN J. FARACI - General Manager: GRAND RAPIDS PRINTED 06/30/06 01:39 PM CONTROL NO 00049

COPPER AND BRASS SALES IS A DIVISION OF THYSSENKRUPP MATERIALS, INC.

Revere Copper Products, Inc.

24 North Front Street New Bedford, MA 02740
Phone: (508) 999-5601 Fax: (508) 991-2115

CERTIFICATE OF TEST

PAGE 1

DATE CODE: 179

ORDER FROM:
COPPER AND BRASS SALES
ATTN: ACCOUNTS PAYABLE
P O BOX 5116
SOUTHFIELD MI 48086-5116

SHIPPED TO:
TMX/COPPER AND BRASS SALES
1310 SCRIBNER AVENUE NORTH WEST
GRAND RAPIDS MI 49504-3287

DATE: 6/28/06
REVERE NO: 33549 ITEM#: 01
CUSTOMER ORDER NUMBER:
CK5986

MATERIAL INFORMATION:

ALUMINUM BRONZE SHEET
C61300/C61400 / AMPCO 8
SOFT TEMPER
48" X 144" X .3125"

ASTM B 169-2001
P/N 310373-6
ROHS COMLIANT

CHEMICAL COMPOSITION

PIECES	LOT	HEAT	COPPER Cu	TIN Sn	LEAD Pb	IRON Fe	NICKEL Ni	MANGANESE Mn	PHOSPHORUS P	CARBON C	SULFUR S	ZINC Zn	SILICON Si	ALUMINUM Al	ARSENIC As
4	4386	532	90.00	.260	.00	2.58	.00	.16	.004			.03	.01	6.92	

NICKEL INCLUDES COBALT

PHYSICAL AND MECHANICAL PROPERTIES

LOT	HEAT	YIELD STRENGTH 0.5% Ext. Psi	TENSILE STRENGTH Psi	ELONGATION % in 2 inches	BEND in degrees	RESISTIVITY ohms/g/m2	ASTM F68 CLASS	ROCKWELL/ BRINELL
4386	532	38,000	83,500	50	120			
4386	532	37,900	82,600	48	120			

Job# 5681
Part# L143-110104
P.O# 64760-BL

METALEX Q.A. DEPT. ACCEPTED DATE 7/10/06 BY KKB MTX QC 18

Metalex
6-30-06
PO 64760-BL - 5681
Zp:1680
640#
CHB

WE HEREBY CERTIFY THAT EACH LOT HAS BEEN SAMPLED, TESTED, AND INSPECTED IN ACCORDANCE WITH THE ABOVE SPECIFICATIONS AND HAS MET THE REQUIREMENTS. THE MATERIAL HAS NOT BEEN WELD REPAIRED.

JORG SCHAFFSTEIN
Q.C. ADMINISTRATOR

ML2-1 02/01

08/30/2006 12:53 FAX 002

CERTIFICATE OF TEST

Certification Date
26-MAY-2006

CUSTOMER ORDER NUMBER
64752-BL-5681

CUSTOMER PART NUMBER
ITEM 1

EARLE M. JORGENSEN COMPANY
601 REDNA TERRACE
P.O. BOX 15100
CINCINNATI OH 45215

Invoice Number
S956531

SOLD TO: METALEX MANUFACTURING
5750 CORNELL RD
CINCINNATI OH 45242

SHIP TO: METALEX MFG
5750 CORNELL ROAD
CINCINNATI OH 45242

Description: 1018 CF BAR ASTM A108
3/16 X 1/2 FLATS X 12' R/L
HEAT: CL132712 ITEM: 502748

Line Total: 3.8 LB

Specifications:
ASTM A108 93

CHEMICAL ANALYSIS

C	MN	P	S	B	CR	CU	MO
0.16	0.71	0.008	0.029	0.0001	0.09	0.2	0.01

N	NI	SI	SN	TI	V
0.007	0.06	0.25	0.009	0.001	0.001

RCPT: R251728
MILL : CHARTER WIRE

COUNTRY OF ORIGIN : US

STRAND CAST REDUCTION RATIO 284.0 TO 1

COMMENTS
MELT SOURCE: STEEL DYNAMICS
HOT ROLL SOURCE: CHARTER STEEL
SILICON KILLED COARSE GRAIN

METALEX
QA. DEPT.
ACCEPTED
DATE 6/6/06
BY KKB

Job# 5681
PART# L143-110108
P.O# 64752

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination.

We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes.

Material did not come in contact with mercury while in our possession.

Paul Barnhart
MANAGER, QUALITY ASSURANCE

EMJ SID#:5956531 CUSTOMER:METALEX MFG P.O 64752-BL-5681 CUST. PART#:ITEM 1 QTY: 3 800 DATE:06-05-26 SIGNATURE:

CHARTER WIRE
A Division of Charter Manufacturing Co., Inc.
114 N. Jackson Street
Milwaukee, Wisconsin 53202-6297
(414) 390-3000
(414) 390-3031 Fax

R 251728

DATE: 11/12/2004

CERTIFICATE OF MATERIAL AND SPECIFICATION

CUSTOMER: EMJ
CUSTOMER'S P.O. NO: P743436001
Customer Item: 502748
SIZE: .1875 X .500
GRADE: AISI 1018
HEAT NO: cl132712

SALES ORDER NO: s37410
WORKORDER: 06100003
ITEM NO: 09043
SPEC 1: ASTM A108-93
SPEC 2:
SPEC 3:

CHEMICAL ANALYSIS: C: .1600 Mn .7100 P: .0080 S: .0290
B: .0001 Cr .0900 Cu .2000 Mo .0100
N: .0070 Ni .0600 Si .2500 Sn .0090
Ti .0010 V: .0010

MILL SPECIFICATIONS: Hot Roll Source: CHARTER STEEL (USA)
Melt Source: STEEL DYNAMICS (USA)
Casting Practice: STRAND
Killing Practice/Grainsize: SILICON KILLED COARSE GRAIN
Reduction Ratio: 284 TO 1

90b#5681
METALEX
QA. DEPT.
ACCEPTED
Date 6/6/06
BY KKB

P/N L143-110108
P.O.# 64752
Item# 1

HEAT ANALYSIS IS FROM THE PACKING LIST RECEIVED BY CHARTER FROM OUR RAW MATERIAL SUPPLIER.

QUALITY REPRESENTATIVE

ORIGINAL

CUSTOMER	SHIP DATE	GROSS WEIGHT	QUOTE	
55230	06/01/06 SHP	22	05-1226405-	3 OF 6

PACKING LIST
TEST RESULTS

BILL TO	WORK ORDER	ORDER DATE	
METALEX MFG INC	**	05/30/06 ORD	

DELIVERY DATE	SHIP BRANCH	SELL BRANCH	WORK ORDER
06/01/06 DEL	05-DAY	05-DAY	5R2157

SHIP TO

METALEX MFG INC 01
5750 CORNELL
CINCINNATI OH 45242

6700 POE AVENUE, DAYTON OH 45414-2590
Copper and Brass Sales
A ThyssenKrupp Materials NA company
ThyssenKrupp

CUSTOMER P.O. NUMBER	TERRITORY	ENTRY ID
64760 - BL- 5681	03	05JWZ

BUYER	INSIDE SALES
BRIAN LAWSON, P.A.	JEFF W. ZELLERS

BUYER TELEPHONE	INSIDE SALES TELEPHONE
(513)489-0539	(937)415-2620 52631

CUSTOMER SIGNATURE: DATE:

QUANTITY	ORDERED	SHIPPED
INVENTORY	21.17 LB	21.00
BILLING	2.00 PC	2.00
WAREHOUSE		2.00 PC

SHIP VIA	SHIPPING STATUS		
INTERNAL	COMPLETE X	PARTIAL	CANCEL

TO CUSTOMER	FOB	PACKED WITH OTHER GOODS
OUR TRUCK/OUR DEL-D1	ORIG	

BILL OF LADING	FREIGHT STATUS	FINISHED GOODS LOCATION
	PPD	WARN LABEL:1001

PART DESCRIPTION 019980-2

RECT 6061-T6511 EXTR ALUMINUM BAR, 1/2(+/-.009)X 1-1/2 (+/-.014) X 12 FT ML
NO PROCESSING - 144" ML, Test Results Attn to: QA Department.
actual certs must be signed

Item 4

SPECIAL INSTRUCTIONS

FULL	SCRAP	FILLED BY	PACKED BY	Q/A AUDIT
		KEN		

CUSTOMER RECEIVING HOURS	MAX SKID WEIGHT	LOADING INSTRUCTIONS	MAXIMUM BUNDLE WEIGHT
6:00 am - 12:00 pm	15000	CRANE, FORK	30000

BOXES	BAKS	CASES	CUSHP	PKGS	SKIDS	BDLS	TUBES	CTNS	FLAT	COILS
						1				

INSPECTION RECORD

TEST RESULTS -----

CERTIFICATE OF COMPLIANCE
We hereby certify that mercury or any of its compounds are not used in the processing and distribution of our products. The products we distribute are not hazardous in their received state. For MSDS sheets go to www.copperandbrass.com/msds or call 248-233-5682. We hereby certify that the material above complies with the following specifications:

ASTM-B221 AMS-QQ-A-200/8

ROHS COMPLIANT

P.P.d

TAG NO	QUANTITY	UOM	VENDOR	VEND PO	HEAT/LOT	PCS	TAG NO	QUANTITY	UOM	VENDOR	VEND PO	HEAT/LOT	PCS
N66940 00	2.00	PC	KAISER	0CI6601	348 057	2							

Dec

METALEX
QA. DEPT. MTX QC 18
ACCEPTED
DATE 6/22/06
BY KKB

W 6/2

RECEIVED
JUN 01 2006
METALEX MFG.
BY S.W

SCOTT T. MARLIN - General Manager: DAYTON PRINTED 05/30/06 09:31 PM CONTROL NO 00042

COPPER AND BRASS SALES IS A DIVISION OF THYSSENKRUPP MATERIALS, INC.

P/N 443-110115

KAISER ALUMINUM
MATERIAL CERTIFICATION
COPPER & BRASS SALES
CUSTOMER PICK-UP
6700 POE AVE
DAYTON, OH 45414

AISER ALUMINUM
111 S 74 E Ave

ulsa, OK 74145

OPPER & BRASS SALES
OUTHFIELD MI 48086 CI6601 01/19/06
OLD TO PURCHASE ORDER DATE PRINTED

OLD TO PURCHASE ORDER DATE PRINTED

019980-2 0.500 X 1.500 SQ COR RECT BAR
USTOMER PART NUMBER DESCRIPTION

803448-001 348 057 6061-T6511
RELEASE-ITEM LOT ALLOY/TEMPER

MECHANICAL PROPERTY RESULTS

EFERENCE		SAMPLE#	UTS(KSI)	YTS(KSI)	%Elong in 2"	HARDNESS	CONDUCT.	BEND
48	057	0001 0001	51.3	48.0	16.2		N/A	N/A
48	057	0001 0002	50.6	47.6	15.8		N/A	N/A
48	057	0001 0003	50.5	47.4	16.5		N/A	N/A

CHEMICAL COMPOSITION (WT%), ALUMINUM REMAINDER

061 LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Others Ea	Others Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00

P.O.# 64760 Item# 4

METALEX MTX QC 18
QA. DEPT.
ACCEPTED
DATE 6/22/06
BY KKB

PPLICABLE REQUIREMENTS:

STM-B221-02-STENCILED
SME-SB221 1998 SECT II
IS-QQ-A-200/8
IS#95061

Kaiser Aluminum & Chemical Corp. ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file, subject to examination.

P/N C143-110115

CERTIFICATE OF TEST

Certification Date
26-MAY-2006

CUSTOMER ORDER NUMBER
64752-BL-5681

CUSTOMER PART NUMBER
ITEM 2

EARLE M. JORGENSEN COMPANY
601 REDNA TERRACE
P.O. BOX 15100
CINCINNATI OH 45215

Invoice Number
S956534

SOLD TO: METALEX MANUFACTURING
5750 CORNELL RD
CINCINNATI OH 45242

SHIP TO: METALEX MFG
5750 CORNELL ROAD
CINCINNATI OH 45242

Description: 1018 CF BAR ASTM A108
1/4 X 3/4 FLATS X 12' R/L
HEAT: CI134628 ITEM: 502781

Line Total: 7.6 LB

Specifications:
ASTM A108 93

CHEMICAL ANALYSIS

C	MN	P	S	AL	B	CR	CU
0.18	0.67	0.011	0.027	0.007	0.0002	0.09	0.17

MO	N	NI	SI	SN	V
0.02	0.009	0.07	0.15	0.011	0.002

RCPT: R636656
MILL : CHARTER WIRE

COUNTRY OF ORIGIN : USA

STRAND CAST REDUCTION RATIO 145.0 TO 1

COMMENTS
MELT SOURCE ALTON STEEL USA
SILICON KILLED COARSE GRAIN

METALEX
QA. DEPT.
ACCEPTED
DATE 6/6/06
BY KKB
OC 18

Job# 5681
Part# L143-11012
P.O# 64752-BL

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination.

We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes.

Material did not come in contact with mercury while in our possession.

Paul Barnhart
MANAGER, QUALITY ASSURANCE

Eattie M. Jorgenson Co. Original test report for the order shown below

EMJ SID# S056534 CUSTOMER:METALEX MFG P.O:64752-BL-5681 CUST. PART#:ITEM 2 QTY: 7,657 DATE:06-05-26 SIGNATURE:

CHARTER WIRE
A Division of Charter Manufacturing Co., Inc.
114 N. Jackson Street
Milwaukee, Wisconsin 53202-6297
(414) 390-3000
(414) 390-3031 Fax

R 636656

DATE: 01/18/2006

CERTIFICATE OF MATERIAL AND SPECIFICATION

CUSTOMER: EMJ
CUSTOMER'S P.O. NO: P849582002
Customer Item: 502781
SIZE: .250 X .750
GRADE: AISI 1018
HEAT NO: cl134628

SALES ORDER NO: S42327
WORKORDER: 11011631
ITEM NO: 11070
SPEC 1: ASTM A108-93
SPEC 2:
SPEC 3:

CHEMICAL ANALYSIS: C: .1800 Mn .6700 P: .0110 S: .0270
AL .0070 B: .0002 Cr .0900 Cu .1700
Mo .0200 N: .0090 Ni .0700 Si .1500
Sn .0110 V: .0020

MILL SPECIFICATIONS: Hot Roll Source: CHARTER STEEL (USA)
Melt Source: ALTON STEEL (USA)
Casting Practice: STRAND
Killing Practice/Grainsize: SILICON KILLED COARSE GRAIN
Reduction Ratio: 145 TO 1

job# 5681

METALEX
QA. DEPT.
ACCEPTED
DATE 6/6/06
BY KKB
JUN 06 '06

P/N L143-110112
P.O.# 64752
Item# 2

HEAT ANALYSIS IS FROM THE PACKING LIST RECEIVED BY CHARTER FROM OUR RAW MATERIAL SUPPLIER.

QUALITY ASSURANCE/CONTINUOUS IMPROVEMENT MANAGER

ORIGINAL

CERTIFICATE OF TEST

Certification Date
26-MAY-2006

CUSTOMER ORDER NUMBER
64752-BL-5681
CUSTOMER PART NUMBER
ITEM 3

EARLE M. JORGENSEN COMPANY
601 REDNA TERRACE
P.O. BOX 15100
CINCINNATI OH 45215

Invoice Number
S956533

SOLD TO: METALEX MANUFACTURING
5750 CORNELL RD
CINCINNATI OH 45242

SHIP TO: METALEX MFG
5750 CORNELL ROAD
CINCINNATI OH 45242

Description: 1018 CF BAR ASTM A108
3/16 X 8 FLATS X 12' R/L
HEAT: 571622 ITEM: 502771

Line Total: 61.2 LB

Specifications:
ASTM A108 93

CHEMICAL ANALYSIS

C	MN	P	S	SI	AL	TI	CR
0.19	0.65	0.006	0.008	0.03	0.041	0.001	0.1

MO	CU	NI	N	B
0.028	0.21	0.07	0.007	0.0001

RCPT: R568656
MILL : CLINGAN STEEL INC COUNTRY OF ORIGIN : USA

MECHANICAL PROPERTIES

DESCRIPTION	YLD STR	ULT TEN	%ELONG	%RED IN AREA	HARDNESS RB
					83

METALEX
QA. DEPT. 81.30
ACCEPTED
DATE 6/6/06
BY KKB

Job# 5681
PART# L143-11014
P.O# 64752-BL

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination.

We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes.

Material did not come in contact with mercury while in our possession.

Paul Barnhart
MANAGER, QUALITY ASSURANCE

PML017

Earle M. Jorgensen Co. Original test report for the order shown below.

EMJ SID#:5956533 CUSTOMER:METALEX MFG P.O:64752-BL-5681 CUST. PART# ITEM 3 QTY: 61,260 DATE:06-05-26 SIGNATURE:

CLINGAN STEEL, INC.
CERTIFIED TEST REPORT

R 568656

11/10/05

TO:
EMJ CORPORATION CHICAGO
1900 MITCHELL BLVD.
SCHAUMBURG, IL 60193

SHIP TO:
EMJ CORPORATION CHICAGO
1900 MITCHELL BLVD.
SCHAUMBURG, IL 60193

Cust. P/O#: P032728-423 Part No.: 502771

STEEL, .1875 X 8.00 X 144.00

GRADE: C1018 PER ASTM A108-93 SQUARE EDGE

B/L Date 11/10/05

Bill/Ladng# 093368
Sales Ordr: 078583 01

Tag# 924451 01 Heat# 571622 MasterTag# 922078 01

C : .190	Mn: .650	P : .006	S : .008
Si: .030	Al: .041	Ti: .001	
Cr: .100	Mo: .028	Cu: .210	
Ni: .070	N : .007		B : .0001

Rockwell: B83

MELTED & MFG IN U.S.A.

Sales Ordr: 078583 01

Tag# 924452 01 Heat# 571622 MasterTag# 922078 01

C : .190	Mn: .650	P : .006	S : .008
Si: .030	Al: .041	Ti: .001	
Cr: .100	Mo: .028	Cu: .210	
Ni: .070	N : .007		B : .0001

Rockwell: B83

MELTED & MFG IN U.S.A.

Job# 5681

METALEX
QA. DEPT
ACCEPTED
DATE 6/6/06
BY KKB

P/N L143-110114
P.O.# 64752

Continued...

Earle M. Jorgensen Co. Original test report for the order shown below.

EMJ SID#:5956533 CUSTOMER:METALEX MFG P.O.64752-BL-5681 CUST. PART#:ITEM 3 QTY: 61 260 DATE:06-05-26 SIGNATURE:

CLINGAN STEEL, INC.
CERTIFIED TEST REPORT

11/10/05

TO:
EMJ CORPORATION CHICAGO
1900 MITCHELL BLVD.
SCHAUMBURG, IL 60193

SHIP TO:
EMJ CORPORATION CHICAGO
1900 MITCHELL BLVD.
SCHAUMBURG, IL 60193

Cust. P/O#: PB32728-423 Part No.: 502771

STEEL,.1875 X 8.00 X 144.00

GRADE: C1018 PER ASTM A108-93 SQUARE EDGE

B/L Date 11/10/05 Bill/Ladng# 093368

Job#5681

METALEX
QA. DEPT. 81.30
ACCEPTED
DATE 6/6/06
BY KKB

P/N L143-110114
P.O.# 64752
Item# 3

WE HEREBY CERTIFY THE ABOVE FIGURES ARE ACCURATELY STATED, MEET YOUR MATERIAL REQUIREMENTS AND ARE TRACEABLE IN OUR RECORDS.

CLINGAN STEEL, INC.
QUALITY ASSURANCE MANAGER

QMF 17

CERTIFICATE OF TEST

Certification Date
26-MAY-2006

CUSTOMER ORDER NUMBER
64752-BL-5681

CUSTOMER PART NUMBER
501059

EARLE M. JORGENSEN COMPANY
601 REDNA TERRACE
P.O. BOX 15100
CINCINNATI OH 45215

Invoice Number
S956532

SOLD TO: METALEX MANUFACTURING
5750 CORNELL RD
CINCINNATI OH 45242

SHIP TO: METALEX MFG
5750 CORNELL ROAD
CINCINNATI OH 45242

Description: 1018 CF BAR ASTM A108
1/2 RD X 12' R/L
HEAT: 745271 ITEM: 501059

Line Total: 8 LB

Specifications:
ASTM A108 99

CHEMICAL ANALYSIS

C	MN	SI	S	P
0.19	0.79	0.22	0.04	0.01

RCPT: R261809
MILL : NUCOR COLD FINISH

COUNTRY OF ORIGIN : USA

Item#4
METALEX QA. DEPT. ACCEPTED DATE 6/12/06 BY KKB

Job# 5681
Part# L143-110119
P.O# 64752-BL

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination.

We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes.

Material did not come in contact with mercury while in our possession.

Paul Barnhart
MANAGER, QUALITY ASSURANCE

MILL TEST REPORT

NUCOR COLD FINISH
A DIVISION OF NUCOR CORPORATION
2800 N. GOVERNOR WILLIAMS HIGHWAY
DARLINGTON, SOUTH CAROLINA 29540
FAX 843-395-8759
TELEPHONE 843-395-8689

PAGE - 1

CUSTOMER P.O.
BILL OF LADING P746700001-126
002587

DATE 12/01/04

SOLD TO

EARLE M. JORGENSEN STEEL
601 REDNA TERRACE
BOX 15100
CINCINNATI, OH
45215

SHIP TO

EARLE M. JORGENSEN STEEL
601 REDNA TERRACE
BOX 15100
CINCINNATI, OH
45215

GRADE	SIZE	PROD	HEAT NO.	C	Mn	Si	S	P	V	Cu	Ni	Cr	Mo	Pb	CUST. PART #
1018	1/2	RD	742923	.19	.84	.27	.030	.010							501059
1018	1/2	RD	745271	.19	.79	.22	.040	.010							501053
														R261809	

PHYSICAL PROPERTIES

GRADE	SIZE	PROD	HEAT NO.	YIELD (ksi)	TENSILE (ksi)	El% (in 2")	ROA %	HARDNESS (SCALE)	COMMENTS

SPECIAL INSTRUCTIONS:

ROUNDS UP TO & INCLUDING 2.5" ARE 100% EDDY CURRENT TESTED
COUNTRY OF ORIGIN FOR 12L14 MATERIAL:

P/N LL43-110119
P.O. # 64752
Item# 4

QA. DEPT. MET ALEX
ACCEPTED 81.30
DATE 6/14/05
BY KRB

Job#5081

TERRY CIESLINSKI

QUALITY ASSURANCE METALLURGIST

ALL COLD DRAWN CARBON STEEL LISTED ABOVE MEETS ASTM A108-99 SPECIFICATIONS.
ALL COLD DRAWN ALLOY STEEL LISTED ABOVE MEETS ASTM A331-95 (REAPP2000) SPECIFICATIONS.
ALL COLD DRAWN STRESS RELIEVED STEEL LISTED ABOVE MEETS ASTM A311-B95 (REAPP2000) SPECIFICATIONS.

DATE: 5-7-03 / REVISION: 4 / APPROVED: TLC

CUSTOMER COPY

06-02-2006 12:42 SARA KANE 513-771-1767 PAGE:2

PRECISION BRAND

ISO 9001:2000 Certified Company

PRECISION BRAND PRODUCTS, INC.
2250 CURTISS STREET
DOWNERS GROVE, IL 60515 USA
PHONE: (630) 969-7200 FAX: (630) 969-0310

PO # 6583-BL
J & L Industrial
Michelle Lafferty

Wednesday, 07/26/2006

This is to certify that to the best of our knowledge and belief, all values shown below are correct and true and the material complies with the specifications shown.

J&L Part Number
PBP-44505M
BL 7-26-06
Job#5681/5725

METALEX
QA. DEPT
ACCEPTED
DATE 8/9/06
BY KKB

COLOR CODED SHIM

.0005 - .005 POLYESTER
.0075 - .060 POLYVINYL CHLORIDE (PVC)

	.0005 - .005	.0075 - .030	.040 - .060
TENSILE STRENGTH	30,000 PSI	6,600 PSI	14,000 PSI
ULTIMATE ELONGATION	90%	180%	180%
FOLDING ENDURANCE (MIT)	>100,000	37,000	37,000
TEAR STRENGTH (ELMENDORF)	20 g/mil	--	--
MOISTURE ABSORPTION	0.8%	0.15%	0.15%
THICKNESS TOLERANCE	+/- 5%	+/- 5%	+/- 5%
COMPRESSION @ 5,000 PSI	1.0%	0.7%	0.7%
SERVICE TEMPERATURE	-90ΘF - 300ΘF	-10ΘF - 155ΘF	-10ΘF - 155ΘF
MEETS SPECIFICATION:	L-P-377	L-P-535	L-P-535

P/N L143-110704

www.precisionbrand.com

CUSTOMER	SHIP DATE	GROSS WEIGHT	QUOTE		PACKING LIST
55230	05/31/06 SHP	180	05-1226405-	4 OF 6	
BILL TO: METALEX MFG INC		WORK ORDER **	ORDER DATE 05/30/06 ORD		
			DELIVERY DATE 06/01/06 DEL	SHIP BRANCH 31-ELK / SELL BRANCH 05-DAY	WORK ORDER VM2796

SHIP TO

METALEX MFG INC 01
5750 CORNELL
CINCINNATI OH 45242

58144 CHARLOTTE AVE, ELKHART IN 46517

Copper and Brass Sales
A ThyssenKrupp Materials NA company
ThyssenKrupp

CUSTOMER P.O. NUMBER	TERRITORY	ENTRY ID
64760 - BL- 5681	03	05JWZ

BUYER	INSIDE SALES
BRIAN LAWSON, P.A.	JEFF W. ZELLERS
BUYER TELEPHONE	INSIDE SALES TELEPHONE
(513)489-0539	(937)415-2620 52631

CUSTOMER SIGNATURE: DATE:

QUANTITY	ORDERED	SHIPPED
INVENTORY	159.42 LB	160.00
BILLING	15.00 PC	~~15.00~~
WAREHOUSE		15.00 PC

SHIP VIA				SHIPPING STATUS
INTERNAL	COMPLETE	PARTIAL	CANCEL	
POOL-TO 05-DAY	X			

TO CUSTOMER	FOB	PACKED WITH OTHER GOODS
OUR TRUCK/OUR DEL-D1	ORIG	
BILL OF LADING	FREIGHT STATUS: PPD	FINISHED GOODS LOCATION

PART DESCRIPTION 088407-2

CAST ALUMINUM TOOLING PLATE, 2.500 (+-.005)
SAW 5.25" (+.064,-0) X 7.937" (+.064,-0), actual certs must be signed

Item 5

METALEX MTX OC 18
QA. DEPT.
ACCEPTED
DATE 6/22/06
BY KKB

SPECIAL INSTRUCTIONS

FULL	SCRAP	FILLED BY	PACKED BY	Q/A AUDIT
		DW		

CUSTOMER RECEIVING HOURS	MAX SKID WEIGHT	LOADING INSTRUCTIONS	MAXIMUM BUNDLE WEIGHT
6:00 am - 12:00 pm	15000	CRANE, FORK	30000

BOXES	BARS	CASES	CUSHP	PKGS	SKIDS	BDLS	TUBES	CTNS	FLAT	COILS
					1					

INSPECTION RECORD

CERTIFICATE OF COMPLIANCE
We hereby certify that mercury or any of its compounds are not used in the processing and distribution of our products. The products we distribute are not hazardous in their received state. For MSDS sheets go to www.copperandbrass.com/msds or call 248-233-5682. We hereby certify that the material above complies with the following specifications:

ROHS COMPLIANT

P.P.d

TAG NO	QUANTITY	UOM	VENDOR	VEND PO	HEAT/LOT	PCS	TAG NO	QUANTITY	UOM	VENDOR	VEND PO	HEAT/LOT	PCS
J03190 11	3.00	PC	ALCOA M	0CF9934	#9249		D72291 11	3.00	PC	ALCOA M	0C96029	9096	
G62814 02	2.00	PC	ALCOA M	0CC7051	9182		H60667 20	3.00	PC	ALCOA M	0CE6083	9217	
F69530 15	2.00	PC	ALCOA M	0CB9428	9148		N08971 14	2.00	PC	ALCOA M	0CJ9757	9284	

Del

Job# 5681
Part# L143-110801
& L143-110901

RECEIVED
JUN 01 2006
METALEX MFG.
BY S.C.

STEVEN J. FARACI - General Manager: ELKHART PRINTED 05/30/06 03:32 PM CONTROL NO 00050

COPPER AND BRASS SALES IS A DIVISION OF THYSSENKRUPP MATERIALS, INC.

P.O# 64760-BL

CUSTOMER	SHIP DATE	GROSS WEIGHT	QUOTE	
55230	05/31/06 SHP	2421	05-1226405-	6 OF 6

PACKING LIST

ORDER DATE	
05/30/06 ORD	

BILL TO:	WORK ORDER
METALEX MFG INC	**

DELIVERY DATE	SHIP BRANCH	SELL BRANCH	WORK ORDER
06/01/06 DEL	31-ELK	05-DAY	VM2798

58144 CHARLOTTE AVE, ELKHART IN 46517

Copper and Brass Sales

A ThyssenKrupp Materials NA company

ThyssenKrupp

SHIP TO

METALEX MFG INC 01
5750 CORNELL
CINCINNATI OH 45242

CUSTOMER P.O. NUMBER	TERRITORY	ENTRY ID
64760 - BL- 5681	03	05JWZ

BUYER	INSIDE SALES
BRIAN LAWSON, P.A.	JEFF W. ZELLERS

BUYER TELEPHONE	INSIDE SALES TELEPHONE
(513)489-0539	(937)415-2620 52631

CUSTOMER SIGNATURE: DATE:

QUANTITY	ORDERED	SHIPPED
INVENTORY	2391.31 LB	2381.00
BILLING	45.00 PC	45.00
WAREHOUSE		45.00 PC

SHIP VIA	SHIPPING STATUS		
INTERNAL POOL-TO 05-DAY	COMPLETE X	PARTIAL	CANCEL

TO CUSTOMER	FOB	PACKED WITH OTHER GOODS
OUR TRUCK/OUR DEL-D1	ORIG	

BILL OF LADING	FREIGHT STATUS	FINISHED GOODS LOCATION
	PPD	

PART DESCRIPTION 088407-2

CAST ALUMINUM TOOLING PLATE, 2.500 (+-.005)
SAW 5.25" (+.064,-0) X 39.812", (+.064,-0)
actual certs must be signed

Item 7

METALEX QA. DEPT. MTX QC 18 ACCEPTED DATE 6/22/06 BY KKB

SPECIAL INSTRUCTIONS

FULL	SCRAP	FILLED BY	PACKED BY	Q/A AUDIT
		HS		

CUSTOMER RECEIVING HOURS	MAX SKID WEIGHT	LOADING INSTRUCTIONS	MAXIMUM BUNDLE WEIGHT
6:00 am - 12:00 pm	15000	CRANE, FORK	30000

BOXES	BARS	CASES	CUSHP	PKGS	SKIDS	BDLS	TUBES	CTNS	FLAT	COILS
					1					

INSPECTION RECORD

CERTIFICATE OF COMPLIANCE
We hereby certify that mercury or any of its compounds are not used in the processing and distribution of our products. The products we distribute are not hazardous in their received state. For MSDS sheets go to www.copperandbrass.com/msds or call 248-233-5682. We hereby certify that the material above complies with the following specifications:

P.P.D

ROHS COMPLIANT

TAG NO	QUANTITY	UOM	VENDOR	VEND PO	HEAT/LOT	PCS	TAG NO	QUANTITY	UOM	VENDOR	VEND PO	HEAT/LOT	PCS
N43922 01	33.00	PC	ALCOA M	0CK5444	9283		N55627 01	6.00	PC	ALCOA M	0CK7268	9283	
N55627 02	6.00	PC	ALCOA M	0CK7268	9283								

Job# 5681
Part# L143-111001
&
L143-111101
P.O# 64760-BL

Del

RECEIVED
JUN 01 2006
METALEX MFG.
BY S.W

STEVEN J. FARACI - General Manager: ELKHART PRINTED 05/30/06 03:32 PM CONTROL NO 00052

COPPER AND BRASS SALES IS A DIVISION OF THYSSENKRUPP MATERIALS, INC.

CUSTOMER	SHIP DATE	GROSS WEIGHT	QUOTE		PACKING LIST
55230	05/31/06 SHP	164	05-1226405-	5 OF 6	
BILL TO: METALEX MFG INC		WORK ORDER **	ORDER DATE 05/30/06 ORD		
			DELIVERY DATE 06/01/06 DEL	SHIP BRANCH 31-ELK / SELL BRANCH 05-DAY	WORK ORDER VM2797

SHIP TO

METALEX MFG INC 01
5750 CORNELL
CINCINNATI OH 45242

58144 CHARLOTTE AVE, ELKHART IN 46517

Copper and Brass Sales
A ThyssenKrupp Materials NA company
ThyssenKrupp

CUSTOMER P.O. NUMBER	TERRITORY	ENTRY ID
64760 - BL- 5681	03	05JWZ

BUYER	INSIDE SALES
BRIAN LAWSON, P.A.	JEFF W. ZELLERS
BUYER TELEPHONE	INSIDE SALES TELEPHONE
(513)489-0539	(937)415-2620 52631

CUSTOMER SIGNATURE: DATE:

QUANTITY	ORDERED	SHIPPED
INVENTORY	154.42 LB	154.00
BILLING	15.00 PC	15.00
WAREHOUSE		15.00 PC

SHIP VIA	SHIPPING STATUS		
INTERNAL POOL-TO 05-DAY	COMPLETE X	PARTIAL	CANCEL

TO CUSTOMER	FOB
OUR TRUCK/OUR DEL-D1	ORIG
BILL OF LADING	FREIGHT STATUS: PPD

PACKED WITH OTHER GOODS

FINISHED GOODS LOCATION

PART DESCRIPTION 088407-2

CAST ALUMINUM TOOLING PLATE, 2.500 (+-.005)
SAW 5.25" (+.064,-0) X 7.687" (+.064,-0), actual certs must be signed

Item 6

METALEX MTX
QA. DEPT. OC 18
ACCEPTED
DATE 6/22/06
BY KKB

SPECIAL INSTRUCTIONS

FULL	SCRAP	FILLED BY	PACKED BY	Q/A AUDIT
		DW		

CUSTOMER RECEIVING HOURS	MAX SKID WEIGHT	LOADING INSTRUCTIONS	MAXIMUM BUNDLE WEIGHT
6:00 am - 12:00 pm	15000	CRANE, FORK	30000

BOXES	BARS	CASES	CUSHP	PKGS	SKIDS	BDLS	TUBES	CTNS	FLAT	COILS
					1					

INSPECTION RECORD

CERTIFICATE OF COMPLIANCE
We hereby certify that mercury or any of its compounds are not used in the processing and distribution of our products. The products we distribute are not hazardous in their received state. For MSDS sheets go to www.copperandbrass.com/msds or call 248-233-5682. We hereby certify that the material above complies with the following specifications:

ROHS COMPLIANT

P.P.D
DeL

TAG NO	QUANTITY	UOM	VENDOR	VEND PO	HEAT/LOT	PCS	TAG NO	QUANTITY	UOM	VENDOR	VEND PO	HEAT/LOT	PCS
D60958 14	2.00	PC	ALCOA M	0C96028	9096		C54216 07	1.00	PC	PECHINE	0C38989	145800	
C54216 08	1.00	PC	PECHINE	0C38989	145800		D05456 13	4.00	PC	PECHINE	0C84984	148201	
D08802 07	4.00	PC	ALCOA M	0C88592	9061		E13235 12	3.00	PC	ALCOA [illegible]			

Job# 5681
PART# L143-111301
&
L143-111201

RECEIVED
JUN 01 2006
METALEX MFG.
BY S.W.

STEVEN J. FARACI - General Manager: ELKHART

P.O# 64760-BL

PRINTED 05/30/06 03:32 PM CONTROL NO 00051

COPPER AND BRASS SALES IS A DIVISION OF THYSSENKRUPP MATERIALS, INC

CUSTOMER	SHIP DATE	GROSS WEIGHT	QUOTE	PACKING LIST
55230	06/01/06 SHP	35	05-1226405-	1 OF 6 TEST RESULTS
			ORDER DATE 05/30/06 ORD	

BILL TO: METALEX MFG INC

WORK ORDER: **

DELIVERY DATE	SHIP BRANCH	SELL BRANCH	WORK ORDER
06/01/06 DEL	05-DAY	05-DAY	5R2156

SHIP TO

METALEX MFG INC 01
5750 CORNELL
CINCINNATI OH 45242

6700 POE AVENUE, DAYTON OH 45414-2590

Copper and Brass Sales
A ThyssenKrupp Materials NA company
ThyssenKrupp

CUSTOMER P.O. NUMBER	TERRITORY	ENTRY ID
64760 - BL- 5681	03	05JWZ

BUYER	INSIDE SALES
BRIAN LAWSON, P.A.	JEFF W. ZELLERS

BUYER TELEPHONE	INSIDE SALES TELEPHONE
(513)489-0539	(937)415-2620 52631

CUSTOMER SIGNATURE: DATE:

QUANTITY	ORDERED	SHIPPED
INVENTORY	35.28 LB	35.00
BILLING	1.00 PC	1.00
WAREHOUSE		1.00 PC

SHIP VIA: INTERNAL

SHIPPING STATUS: COMPLETE X | PARTIAL | CANCEL

TO CUSTOMER: OUR TRUCK/OUR DEL-D1

FOB: ORIG

BILL OF LADING:

FREIGHT STATUS: PPD

PACKED WITH OTHER GOODS:

FINISHED GOODS LOCATION: WARN LABEL:1001

PART DESCRIPTION 020354-7

RECT 6061-T6511 EXTR ALUMINUM BAR, 1-1/4 (+/-.012) X 2 (+/.024) X 12 FT ML
NO PROCESSING - 144" ML, Test Results Attn to: QA Department.
actual certs must be signed

Item 2

METALEX MTX QC 18
QA. DEPT.
ACCEPTED
DATE 6/22/06
BY KKB

SPECIAL INSTRUCTIONS

FILL	SCRAP	FILLED BY	PACKED BY	Q/A AUDIT
		KEN		

CUSTOMER RECEIVING HOURS	MAX SKID WEIGHT	LOADING INSTRUCTIONS	MAXIMUM BUNDLE WEIGHT
6:00 am - 12:00 pm	15000	CRANE, FORK	30000

BOXES	BARS	CASES	CUSHP	PKGS	SKIDS	BDLS	TUBES	CTNS	FLAT	COILS
	1									

INSPECTION RECORD

TEST RESULTS -----

CERTIFICATE OF COMPLIANCE
We hereby certify that mercury or any of its compounds are not used in the processing and distribution of our products. The products we distribute are not hazardous in their received state. For MSDS sheets go to www.copperandbrass.com/msds or call 248-233-5682. We hereby certify that the material above complies with the following specifications:

ASTM-B221 AMS-QQ-A-200/8

ROHS COMPLIANT

TAG NO	QUANTITY	UOM	VENDOR	VEND PO	HEAT/LOT	PCS	TAG NO	QUANTITY	UOM	VENDOR	VEND PO	HEAT/LOT	PCS
N84745 00	1.00	PC	KAISER	0CJ8649	686 181	1							

P.A.d

Del

Job # 5687
PART # L143-110109
L143-110110
P.O # 64760-

6/12

RECEIVED
JUN 01 2006
METALEX MFG.
BY S-W

SCOTT T. MARLIN - General Manager: DAYTON PRINTED 05/30/06 09:27 PM CONTROL NO 00047

COPPER AND BRASS SALES IS A DIVISION OF THYSSENKRUPP MATERIALS, INC.

P/N L143-110109
-110110

KAISER ALUMINUM
FABRICATED PRODUCTS

CERTIFIED TEST REPORT

http://www.KaiserAluminum.com

KAISER ALUMINUM
FABRICATED PRODUCTS
9700 SOUTH HARLEM AVE
BRIDGEVIEW, IL 60455

CUSTOMER PO NUMBER	CUSTOMER PART NUMBER	PRODUCT DESCRIPTION:			
CJ8649	020354-7/STK	1.250 X 2.000 RECT BAR			
KAISER ORDER NUMBER	LINE ITEM	SHIP DATE	KAISER LOT NUMBER	ALLOY	TEMPER
983437	001	06/01/2006	686 181	6061	T6511
WEIGHT SHIPPED	QUANTITY	B/L NUMBER	DIAM/DAF/THKNS	WIDTH	LENGTH
2116.000 LB	80.000 PCS	932309			12.000 FT

SHIP TO:	SOLD TO:
COPPER & BRASS SALES 6700 POE AVENUE DAYTON, OH 45414 USA	COPPER & BRASS SALES PO BOX 5116 SOUTHFIELD, MI 48086-5116 USA

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS(KSI)	YTS(KSI)	%Elong in 2	HARDNESS	CONDUCT.	BEND
XTR045096	0001	0001	55.3	51.7	12.6		N/A	N/A
XTR045096	0001	0002	54.1	50.6	12.5		N/A	N/A
XTR045096	0001	0003	55.2	51.6	12.6		N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.8	0.7	0.40	0.15	1.2	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40		0.15		0.8	0.04			NA	NA	NA		

APPLICABLE REQUIREMENTS:

ASTM-B221-02-STENCILED ASME-SB221 1998 SECT II AMS-QQ-A-200/8 UNS#96061

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

METALEX MTX
QA. DEPT. QC 18
ACCEPTED
DATE 6/22/06
BY KKB

CERTIFICATION

Kaiser Aluminum & Chemical Corp. ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file, subject to examination.

Frank E. Watson, Quality Assurance Manager

Plant Serial: 00139734

Kaiser Order Number: 983437

Line Item: 001

P/N 443-110108
-110110

CUSTOMER	SHIP DATE	GROSS WEIGHT	QUOTE	PACKING LIST
55230	05/31/06 SHP	3	05-1226405-	2 OF 6 TEST RESULTS

BILL TO: METALEX MFG INC

WORK ORDER: **

ORDER DATE: 05/30/06 ORD

DELIVERY DATE	SHIP BRANCH	BILL BRANCH	WORK ORDER
06/01/06 DEL	02-GRR	05-DAY	2P1686

SHIP TO:
METALEX MFG INC
5750 CORNELL
CINCINNATI OH 45242

01

1320 SCRIBNER NW, GRAND RAPIDS MI 49504-3287

Copper and Brass Sales

A Thyssenkrupp Materials NA company

Thyssenkrupp

CUSTOMER P.O. NUMBER	TERRITORY	ENTRY ID
64760 - BL- 5681	03	05JWZ

BUYER	INSIDE SALES
BRIAN LAWSON, P.A.	JEFF W. ZELLERS

BUYER TELEPHONE	INSIDE SALES TELEPHONE
(513)489-0539	(937)415-2620 52631

CUSTOMER SIGNATURE: DATE:

QUANTITY	ORDERED	SHIPPED
INVENTORY	0.72 LB	1.00
BILLING	1.00 PC	1.00
WAREHOUSE		1.00 PC

SHIP VIA: INTERNAL POOL-TO 05-DAY

SHIPPING STATUS: COMPLETE X | PARTIAL | CANCEL

TO CUSTOMER: OUR TRUCK/OUR DEL-CHUC

FOB: ORIG

BILL OF LADING:

FREIGHT STATUS: PPD

PACKED WITH OTHER GOODS:

FINISHED GOODS LOCATION: WARN LABEL:1012

PART DESCRIPTION: 209591-7

RD SM DIA HH BRASS ROD C36000, 1/4 (+-.0015)
NO PROCESSING - 48" ML, Test Results Attn to: QA Department.
actual certs must be signed

METALEX
QA DEPT.
ACCEPTED
DATE 8/11/06
BY KKB
MTX 06 18
Job#5681

SPECIAL INSTRUCTIONS:

FILE	SCRAP	FILLED BY	PACKED BY	Q/A AUDIT
		WEB		

CUSTOMER RECEIVING HOURS	MAX SKID WEIGHT	LOADING INSTRUCTIONS	MAXIMUM BUNDLE WEIGHT
6:00 am - 12:00 pm	15000	CRANE, FORK	30000

BOXES	BARS	CASES	CLSHP	PKGS	SKIDS	BOLS	TUBES	CTNS	FLAT	COILS
							1			

INSPECTION RECORD

TEST RESULTS -----

CERTIFICATE OF COMPLIANCE
We hereby certify that mercury or any of its compounds are not used in the processing and distribution of our products. The products we distribute are not hazardous in their received state. For MSDS sheets go to www.copperandbrass.com/msds or call 248-[illegible]-5682. We hereby certify that the material above complies with the following specifications:
ASTM-B16
ACTUAL CHEMICAL NOM PHYSICAL ROHS EXEMPT

TAG NO	QUANTITY	UOM	VENDOR	VEND PO	HEAT/LOT	PCS	TAG NO	QUANTITY	UOM	VENDOR	VEND PO	HEAT/LOT	PCS
[illegible]	1.00	LB	COMMONW	OCE3763	437811								

P/N 443-110113

[illegible] T. [illegible] - General Manager, GRAND RAPIDS PRINTED 05/30/06 09:05 AM CONTROL NO 00362

COPPER AND BRASS SALES IS A DIVISION OF THYSSENKRUPP MATERIALS, INC.

• COPPER AND BRASS MILLS SEVOJNO •

SEVOJNO
SERBIA & MONTENEGRO

CERTIFICATE

No 766

DATE _____

CUSTOMER: METALCO CORP. New York

FORM: Brass C360 rods Quantity 40.034 lbs.

STANDARD: ASTM-B Material _____ Temper _____

CUSTOMER'S REF: 1027-5 Export ref. BY 9855-4

Sample No	CHEMICAL COMPOSITION (%) Cu	Pb	Fe	Zn		MECHANICAL, METALLOGRAPHICAL AND TECHNOLOGICAL PROPERTIES Tensile strength Rm PSI	Yield strength Rp0,2 PSI	Elong after A5 %	Hardness scale HB	Average grain size (mm)	Hg2 (NO3)2
	C360 Ø0,1875"x12' Ø4,762x3658mm H02 CE3773										
436311	60,00	2,80	0,23	Rest.		72000	59735	23,2			
/2						73000	60000	22,0			
	C360 Ø1/4"x12' Ø6,35x3658mm H02 CE3763										
437811	62.70	2,55	0,20	Rest.		62000	52000	26,7			
/2						61158	49280	25,3			
/3						62000	49000	23,3			
/4						64000	50000	21,3			
	C360 Ø5/16"x12' Ø7,937x3658mm H02 CE3764										
4386/1	62,00	2,95	0,25	Rest		64000	55468	17,6			
/2						58313	52000	18,9			

job#5681

METALCO QA. DEPT. ACCEPTED DATE 8/11/06 BY KKB

P/N L143-110113
P.O.# 64760
Item# 2

O:629

CONTROL'S DEPARTMENT

FO KK 10.119

7 METALEX MANUFACTURING INC
5750 CORNELL RD
CINCINNATI OH 45242

(CALLER) BRIAN LAWSON

YOUR PURCHASE ORDER NUMBER
64792-BL-5681
Today's Date: 6/02/06

MCMASTER-CARR
200 AURORA INDUSTRIAL PKWY
AURORA OH 44202
IF THERE ARE ANY QUESTIONS ABOUT THIS SHIPMENT CONTACT OUR SALES DEPARTMENT
(330)995-5500

MCM NUMBER
8294515-02

Warehouse Location	McMaster Carr Part Number	Fill Quantity	Item Description	Your Line	Your Order	This Shipment
1-295-01 05-82	91290 A330	3 PK	METRIC CLASS 12.9 ALLOY SOCKET HEAD CAP SCREW M6 THREAD,25 MM LENGTH,1 MM PITCH PKG= 100 EA/PK 5 L143-110111	7	3 PK	3
		*****	Information about the rest of your order		*****	
	92185 A151		316 STAINLESS STEEL SOCKET HEAD CAP SCREW Shipped 80 PK today from this McMaster-Carr warehouse Shipped 173 PK today from another McMaster-Carr warehouse	8	253 PK	
	92146 A545		18-8 STAINLESS STEEL SPRING LOCK WASHER Shipped 32 PK today from this McMaster-Carr warehouse	9	32 PK	
	92196 A197		18-8 STAINLESS STEEL SOCKET HEAD CAP SCREW Shipped 32 PK today from this McMaster-Carr warehouse	10	32 PK	
	98437 A104		18-8 SS SPRING WASHER FOR SCKT-HEAD CAP SCREW Shipped 64 PK today from this McMaster-Carr warehouse	11	64 PK	
	98017 A690		18-8 STAINLESS STEEL AN 960 FLAT WASHER Shipped 9 PK today from this McMaster-Carr warehouse CERTIFICATE OF COMPLIANCE -This is to certify the above item(s) on your purchase order was supplied in accordance with the description and as illustrated in the catalog. Compliance Manager- Alberto Valedon	12	9 PK	

RECEIVED
JUN 05 2006
METALEX MFG.
BY CD

METALEX
QA. DEPT.
ACCEPTED
DATE 6/13/06
BY KKB

WEIGHT 70 | 7 8294515-02 1 METALEX MANUFACTURING INC | MCMASTER-CARR WAREHOUSE INSTRUCTIONS LNS | PURCHASE ORDER 64792-BL-5681

CYCLE 020

PRT523 6/02/06 09:08 159 00004 CCP

METALEX MANUFACTURING INC
5750 CORNELL RD
CINCINNATI OH 45242

(CALLER) BRIAN LAWSON

YOUR PURCHASE ORDER NUMBER
64792-BL-5681

Today's Date: 6/02/06

MCMASTER-CARR
200 AURORA INDUSTRIAL PKWY
AURORA OH 44202

IF THERE ARE ANY QUESTIONS ABOUT THIS SHIPMENT CONTACT OUR SALES DEPARTMENT
(330)995-5500

MCM NUMBER
8294515-01

Warehouse Location	McMaster Carr Part Number	Fill Quantity	Item Description	Your Line	Your Order	This Shipment
	91292 A156		METRIC 18-8 SS SOCKET HEAD CAP SCREW Shipped 92 PK today from another McMaster-Carr warehouse	6	92 PK	
	91290 A330		METRIC CLASS 12.9 ALLOY SOCKET HEAD CAP SCREW Shipped 3 PK today from another McMaster-Carr warehouse	7	3 PK	
	92146 A545		18-8 STAINLESS STEEL SPRING LOCK WASHER Shipped 32 PK today from another McMaster-Carr warehouse	9	32 PK	
	92196 A197		18-8 STAINLESS STEEL SOCKET HEAD CAP SCREW Shipped 32 PK today from another McMaster-Carr warehouse	10	32 PK	
	98437 A104		18-8 SS SPRING WASHER FOR SCKT-HEAD CAP SCREW Shipped 64 PK today from another McMaster-Carr warehouse	11	64 PK	
	98017 A690		18-8 STAINLESS STEEL AN 960 FLAT WASHER Shipped 9 PK today from another McMaster-Carr warehouse CERTIFICATE OF COMPLIANCE -This is to certify the above item(s) on your purchase order was supplied in accordance with the description and as illustrated in the catalog. Compliance Manager- Alberto Valedon	12	9 PK	

METALEX
QA. DEPT.
ACCEPTED
DATE 6/13/06
BY KKB

RECEIVED
JUN 0 5 2006
METALEX MFG.
BY

WEIGHT 19

1 8294515-01 3
METALEX MANUFACTURING INC

MCMASTER-CARR
WAREHOUSE INSTRUCTIONS
LNS

PURCHASE ORDER
64792-BL-5681

CYCLE
017

PRTAK
PT001PR

6/02/06 09:15 514 00021

CCP

5 METALEX MANUFACTURING INC
5750 CORNELL RD
CINCINNATI OH 45242

(CALLER) BRIAN LAWSON

YOUR PURCHASE ORDER NUMBER
64792-BL-5681
Today's Date: 6/02/06

MCMASTER-CARR
200 AURORA INDUSTRIAL PKWY
AURORA OH 44202
IF THERE ARE ANY QUESTIONS ABOUT THIS SHIPMENT CONTACT OUR SALES DEPARTMENT
(330)995-5500

MCM NUMBER
8294515-03

Warehouse Location	McMaster Carr Part Number	Fill Quantity	Item Description	Your Line	Your Order	This Shipment
		*****	Information about the rest of your order		*****	
	91292 A122		METRIC 18-8 SS SOCKET HEAD CAP SCREW Shipped 1 PK today from this McMaster-Carr warehouse	1	1 PK	
	91292 A135		METRIC 18-8 SS SOCKET HEAD CAP SCREW Shipped 1 PK today from this McMaster-Carr warehouse	2	1 PK	
	91292 A136		METRIC 18-8 SS SOCKET HEAD CAP SCREW Shipped 5 PK today from this McMaster-Carr warehouse	3	5 PK	
	91292 A139		METRIC 18-8 SS SOCKET HEAD CAP SCREW Shipped 2 PK today from this McMaster-Carr warehouse	4	2 PK	
	91292 A147		METRIC 18-8 SS SOCKET HEAD CAP SCREW Shipped 2 PK today from this McMaster-Carr warehouse	5	2 PK	
	91292 A156		METRIC 18-8 SS SOCKET HEAD CAP SCREW Shipped 92 PK today from this McMaster-Carr warehouse	6	92 PK	
	91290 A330		METRIC CLASS 12.9 ALLOY SOCKET HEAD CAP SCREW Shipped 3 PK today from this McMaster-Carr warehouse CERTIFICATE OF COMPLIANCE -This is to certify the above item(s) on your purchase order was supplied in accordance with the description and as illustrated in the catalog. Compliance Manager- Alberto Valedon	7	3 PK	

METALEX
QA. DEPT.
ACCEPTED
DATE 6/13/06
BY KKB
MTX OC 18

RECEIVED
JUN 0 5 2006
METALEX MFG.
BY CD

WEIGHT 32

5 8294515-03 9
METALEX MANUFACTURING INC

MCMASTER-CARR
WAREHOUSE INSTRUCTIONS
LNS

PURCHASE ORDER
64792-BL-5681

CYCLE
020

PRT545

6/02/06 09:08 916 00014

CCP

5 METALEX MANUFACTURING INC
5750 CORNELL RD
CINCINNATI OH 45242

(CALLER) BRIAN LAWSON

YOUR PURCHASE ORDER NUMBER
64792-BL-5681
Today's Date: 6/02/06

MCMASTER-CARR
200 AURORA INDUSTRIAL PKWY
AURORA OH 44202
IF THERE ARE ANY QUESTIONS ABOUT THIS SHIPMENT CONTACT OUR SALES DEPARTMENT
(330)995-5500

MCM NUMBER
8294515-03

WAREHOUSE INSTRUCTIONS

VERIFIED LARGE QTYS

METALEX
QA. DEPT
ACCEPTED
DATE 6/13/06
BY KKB

916

008973400 6/02/06 09:08 8294515-03 9 LNS
METALEX MANUFACTURING INC
6015732704276

REFER TO:
CCP
LNS

PACKER	Number of CARTONS	FILLER

916 LNS: 5 WEIGHT 1 32

CYCLE
020

MCM NO. 8294515-03 9 06

LEX

PURCHASE ORDER
64792-BL-5681

FROM:
MCMASTER-CARR
200 AURORA INDUSTRIAL PKWY
AURORA OH 44202 USA

SHIP TO:

METALEX MANUFACTURING INC
BLUE ASH INDUSTRIAL PARK
5750 CORNELL RD
CINCINNATI OH
45242-2010

PRT545
00015

CCP

UPSG-D

Reid Supply Company®
A Division of Reid Entities
2265 Black Creek Road • Muskegon, MI 49444-2684
www.reidsupply.com mail@reidsupply.com
Phone: 800-253-0421
231-777-3951
Fax: 800-438-1145
231-773-4485

RECEIVED
JUN 0 1 2006
METALEX MFG.
BY

3586600
P.O. #: 64754-BL-5681
Shipper No 03586600-1

Bill To: METALEX MFG INC
5750 CORNELL RD
CINCINNATI, OH 45242-2010

Ship To: METALEX MFG INC
5750 CORNELL RD
CINCINNATI, OH 45242-2083

Phone

Attn:

Customer No	Your P.O. No	Sched Date	Ship Via	Ship Date	Shipper No
29204	64754-BL-5681	05/25/06	U.P.S.	05/30/06	03586600-1

Line	Order Qty	Item	Description	Qty Shipped	Back Order
1	668	KLI-66353	INSERT M8X1.25 X M12X1.25 THINWALL - SS	668	0
		4718		HS Tariff Code:	820510
				Country of Origin:	United States

Total Number of items: 1

Estimated Weight 7 lb 1.61 oz 3.224 kg

Opr: JMH Branch: 11 SLSM: 801

Picker:

METALEX
QA. DEPT.
ACCEPTED
DATE 6/6/06
BY KKB
MTX
QC 18

All sales of products by Reid Supply Company are made on the terms contained in Reid Supply Company's standard Terms of Sale, which are incorporated by reference. If buyer has not otherwise agreed to those terms, then buyer's Acceptance of Delivery of, or Payment For, the goods will constitute buyer's agreement to the standard Terms of Sale. Reid Supply Company's standard Terms of Sale are available at www.reidsupply.com or by calling 800-253-0421 and requesting a copy.

KLI-66353

X1.25 X M12X1.25
SS

Qty 668

METALEX MFG INC

3586600 - 1 - 1

Bag Size
SB
Qty/Bag
10

PACK REID

RLM 05-30-200
SHIP

CERTIFICATION OF COMPLIANCE

Reid Supply Company and it's divisions being ISO-9002 compliant does certify that according to our records the above material purchased was supplied in accordance with the description as illustrated in our catalog.

ALL ITEMS MANUFACTURED IN THE U.S.A UNLESS OTHERWISE NOTED.
THANK YOU VERY MUCH FOR YOUR ORDER

Packing List

Cathy Reid, Document Control Supervisor

Packing List

Reid Supply Company®
A Division of Reid Entities
2265 Black Creek Road • Muskegon, MI 49444-2684
www.reidsupply.com mail@reidsupply.com
Phone: 800-253-0421
231-777-3951
Fax: 800-438-1145
231-773-4485

METALEX
QA. DEPT.
ACCEPTED
DATE 6/6/06
BY KKB

* 3 5 8 6 6 0 0 *

P.O. # : 64754-BL-5681

Shipper No 03586600-0

Bill To: METALEX MFG INC
5750 CORNELL RD
CINCINNATI, OH 45242-2010

Ship To: METALEX MFG INC
5750 CORNELL RD
CINCINNATI, OH 45242-2083

Phone

Attn:

Customer No	Your P.O. No	Sched Date	Ship Via	Ship Date	Shipper No
09204	64754-BL-5681	05/25/06	U.P.S.	05/25/06	03586600-0

Line	Order Qty	Item	Description	Qty Shipped	Back Order
1	950	KLI-66353	INSERT M8X1.25 X M12X1.25 THINWALL - SS	282	668
		4718		HS Tariff Code:	820510
				Country of Origin:	United States

Total Number of items: 1

UPS GND Estimated Weight 2 lb 15.96 oz 1.361 kg

Opr: JMH Branch: 11 SLSM: 801

Picker: PCH

RECEIVED
MAY 30 2006
METALEX MFG.
BY RB

5/31

All sales of products by Reid Supply Company are made on the terms contained in Reid Supply Company's standard Terms of Sale, which are incorporated by reference. If buyer has not otherwise agreed to those terms, then buyer's Acceptance of Delivery of, or Payment For, the goods will constitute buyer's agreement to the standard Terms of Sale. Reid Supply Company's standard Terms of Sale are available at www.reidsupply.com or by calling 800-253-0421 and requesting a copy.

CERTIFICATION OF COMPLIANCE

Reid Supply Company and it's divisions being ISO-9002 compliant does certify that according to our records the above material purchased was supplied in accordance with the description as illustrated in our catalog.

ALL ITEMS MANUFACTURED IN THE U.S.A UNLESS OTHERWISE NOTED.
THANK YOU VERY MUCH FOR YOUR ORDER

Cathy Reid, Document Control Supervisor

Packing List **Packing List**

Reid Supply Company®
A Division of Reid Entities
2265 Black Creek Road • Muskegon, MI 49444-2684
www.reidsupply.com mail@reidsupply.com
Phone: 800-253-0421
231-777-3951
Fax: 800-438-1145
231-773-4485

3605238
P.O. #: 65182-RB
Shipper No 03605238-0

job#5681

METALEX
QA. DEPT
ACCEPTED
DATE 7/13/06
BY KKB

Bill To: METALEX MFG INC
5750 CORNELL RD
CINCINNATI, OH 45242-2083

Ship To: METALEX MFG INC
5750 CORNELL RD
CINCINNATI, OH 45242-2083

Phone

Attn: JOB #5681

Customer No	Your P.O. No	Sched Date	Ship Via	Ship Date	Shipper No
29204	65182-RB	07/07/06	U.P.S.	07/07/06	03605238-0

Line	Order Qty	Item	Description	Qty Shipped	Back Order
1	60	KLI-66353	INSERT M8X1.25 X M12X1.25 THINWALL - SS	60	0
		4718		HS Tariff Code:	820510
				Country of Origin:	United States

Total Number of items: 1

Estimated Weight 0 lb 10.20 oz 0.290 kg

Opr: MAC Branch: 11 SLSM: 801

Picker:

All sales of products by Reid Supply Company are made on the terms contained in Reid Supply Company's standard Terms of Sale, which are incorporated by reference. If buyer has not otherwise agreed to those terms, then buyer's Acceptance of Delivery of, or Payment For, the goods will constitute buyer's agreement to the standard Terms of Sale. Reid Supply Company's standard Terms of Sale are available at www.reidsupply.com or by calling 800-253-0421 and requesting a copy.

UPS Gnd

RECEIVED
JUL 11 2006
METALEX MFG.
BY CD

CERTIFICATION OF COMPLIANCE
Reid Supply Company and it's divisions being ISO-9002 compliant does certify that according to our records the above material purchased was supplied in accordance with the description as illustrated in our catalog.

ALL ITEMS MANUFACTURED IN THE U.S.A UNLESS OTHERWISE NOTED.
THANK YOU VERY MUCH FOR YOUR ORDER

Packing List

Cathy Reid, Document Control Supervisor

Packing List

Job#5681/5/25

METALEX
QA. DEPT.
ACCEPTED
DATE 8/7/06
BY KKB

CRAFTS TECHNOLOGY
Precision Fabrication of Ultra-Hard Materials

Crafts Technology
91 Joey Drive
Elk Grove Village, IL 60007
UPS ACCT# 4E3-E38

Ph: 847-758-3100
Fax: 847-758-0162

Pack List

Number: 8358 Date: 20-Jul-06

To

Metalex Manufacturing, Inc.
5750 Cornell Road
Cincinnati, OH 45242
USA

Ph: 513-489-0507 Fax: 513-489-1020

Ship To

Metalex Manufacturing, Inc.
5750 Cornell Road
Cincinnati, OH 45242
USA

Ph: 513-489-0507 Fax: 513-489-1020

Terms	Ship Via
Net 21 days	UPS RED

Quantity	Description
297 each	Part: L143-110702 Rev: 01 TAPER SHIM Job: 2717 PO: 64975-BL Line:
	Thank you for your order This is to certify that the materials, parts and/or processes furnished against the above referenced purchase order were manufactured in accordance with the customer drawing and revision level shown Crafts Technology/Quality Control Department Daryl Barlow

Crafts Technology, Inc.

FINAL INSPECTION REPORT

DATE 7-20-06

INSPECTOR [illegible]

JOB NUMBER 2717

PART NUMBER L143-110702

DESCRIPTION TAPER SHIM

CUSTOMER METALEX

DATE	SEQ	OPN		INSP CLK#	DRAWING DIM./TOLERANCE	ACTUAL MEASUREMENT NO 1	NO 2	NO 3	NO 4
					.394	.397	.3982		
					5.118 ±.007	5.124	5.125		
					RAD. .079 ±.008 2PL	.075	.082		
					.500 ±.008	.5032	.5045		
					.008	.009	.010		
					.004	.0045	.0061		
					.075 ±.008	.0752	.0756		
					.087 ±.008	.0872	.0876		
					▱ .003	.0006	.0025		

OK TO SHIP AS 7-20-06

ANCHOR METAL FINISHING, INC.

BLACK OXIDE ON STEEL

"Specialists in the Field"

9355 BERNICE • SCHILLER PARK, ILLINOIS 60176 • PHONE: (708) 678-4304 • FAX: (708) 678-7331

Crafts technology

METALEX
QA. DEPT.
ACCEPTED
DATE 8/7/06
BY KKB

Gentlemen:

This is to certify that parts listed below have been black oxided in accordance with AMS 2485J (Aerospace) specifications.

Very truly yours,

Alex

ANCHOR METAL FINISHING, INC.

Shipping Ticket No. 264262

Your P.O. NO. 7473

Date 07-31-06

Part NO. L143-110702

Quantity 300 pcs

PO 64975 - BC - 5681

Stripco Inc.

- STEEL SLITTING AND EDGE CONDITIONING
- PRECISION COLD ROLLING

58575 Magnolia Drive • Mishawaka, IN 46545
Phone: (574) 258-7800 • Fax: (574) 258-7813

PACKING LIST

PACKING SLIP NUMBER
GLED
D** 187483

~~617-445-9900~~

DUE DATE 3/24/05 TT

LD TO:
Alro Steel Jackson
3100 East High Street
P.O. Box 927
Jackson, MI 49203

SHIP TO:
Alro Steel Potterville
5059 Alro Park Drive
Potterville, MI 48876

E OF ORDER	DATE SHIPPED	CUSTOMER ORDER NO.	SHIPPED VIA	DEPT.	TERMS
3/08/05	3/30/05	PO PO 5077044	HILLTOP FARMS	90	1/2-10 NET 30

QTY. ORD.	JOB NUMBER	DESCRIPTION	QTY. SHIPPED	QTY. B.O.
	BILL-OF-LADING-->	TRK DRIVER--> HILLTOP	PREPAID/S	
2,000	6355301	1/8 X .437" X 144.00" CR 1018		
	OSS WGT	2,199		
	TAG#	337369	2,199	
	LOCATION	CKA		
	PCS/COIL	990		CNT TOTAL 990

CERTIFIED RECORD OF METALLURGICAL PROPERTIES

STRID#	Carb	Mang	Phos	Sulf	Sil	Alum	Chrm	Moly	Heat#
147220	.150	.61	.006	.007	.030	.029	.08	.027	H3689
Yld=	66,899	Ten=	77,437	ElgX=22.45	Bls=	0			

RECEIVED
MAR 30 2005
BY

ALRO STEEL/METAL
RT04483400

REJECTIONS WILL BE HONORED ONLY IF RETURNED IN ORIGINAL FORM SOLD.

A Service Charge of 1½% per month (18% per year) will be added to all invoices that are 30 days past the Date of Invoice. Title to merchandise does not pass until goods are fully paid for.
Claims for errors, deficiencies, or imperfections must be made within 10 days after receipt of goods. The Seller's responsibility for material in transit ceases when it passes into the hands of the transportation company. "We hereby certify that we have complied with all requirements of the Fair Labor Standards Act of 1938, as amended."

CHECK BOX IF COLLECT ☐
Load Approved: Cpt
Load must be secured and weather protected
Driver: [signature]

RECEIVED BY: X

DATE RECEIVED: 3-30-05

NSF 10.4.1.1 Rev1

CUSTOMER COPY

Job#5681/5725

CRAFTS TECHNOLOGY
Precision Fabrication of Ultra-Hard Materials

Crafts Technology
91 Joey Drive
Elk Grove Village, IL 60007
UPS ACCT# 4E3-E38

Ph: 847-758-3100
Fax: 847-758-0162

METALEX
QA. DEPT.
ACCEPTED
DATE 8/7/06
BY KKB

Pack List

Number: 8377 Date: 24-Jul-06

To

Metalex Manufacturing, Inc.
5750 Cornell Road
Cincinnati, OH 45242
USA

Ph: 513-489-0507 Fax: 513-489-1020

Ship To

Metalex Manufacturing, Inc.
5750 Cornell Road
Cincinnati, OH 45242
USA

Ph: 513-489-0507 Fax: 513-489-1020

Terms	Ship Via
Net 21 days	UPS

Quantity	Description
314 each	Part: L143-110702 Rev: 01 TAPER SHIM Job: 2717 PO: 64975-BL Line:
	Thank you for your order This is to certify that the materials, parts and/or processes furnished against the above referenced purchase order were manufactured in accordance with the customer drawing and revision level shown Crafts Technology/Quality Control Department

Crafts Technology, Inc.

FINAL INSPECTION REPORT

DATE 7-20-06

INSPECTOR [illegible]

JOB NUMBER 2717

PART NUMBER L143-110702

DESCRIPTION TAPER SHIM

CUSTOMER METALEX

DATE	SEQ	OPN		INSP CLK#	DRAWING DIM./TOLERANCE	ACTUAL MEASUREMENT NO 1	NO 2	NO 3	NO 4
					.394	.3971	.3982		
					5.118 ±.007	5.1241	5.125		
					RAD .079 ±.008 2PL	.075	.082		
					.500 ±.008	.5032	.5045		
					.008	.009	.010		
					.004	.0045	.0061		
					.015 ±.0008	.0752	.0756		
					.087 ±.0008	.0872	.0876		
					⊡ .003	.0006	.0025		

OK TO SHIP DS 7-20-06

ANCHOR METAL FINISHING, INC.

BLACK OXIDE ON STEEL

"Specialists in the Field"

5355 FERNICE • SCHILLER PARK, ILLINOIS 60176 • PHONE: (708) 678-4304 • FAX: (708) 678-7331

Crafts Technology

METALEX QA. DEPT. ACCEPTED DATE 8/7/06 BY KKB

Gentlemen:

This is to certify that parts listed below have been black-oxided in accordance with AMS 2485J (Aerospace) specifications.

Very truly yours,

Alex

ANCHOR METAL FINISHING, INC.

Shipping Ticket No. 264279

Your P.O. NO. 7480

Date 07-31-06

Part NO. L143-110702

Quantity 314 pcs

PO 64975 - BC - 5681

Stripco Inc.

- STEEL SLITTING AND EDGE CONDITIONING
- PRECISION COLD ROLLING

50555 Magnetic Drive • Milwaukee, WI 53245
Phone: (674) 256-7800 • Fax: (674) 250-7812

PACKING LIST

PACKING SLIP NUMBER: 187483

SLED
D**

~~PH-7-445-9966~~

SOLD TO:
Alro Steel Jackson
3100 East High Street
P.O. Box 927
Jackson, MI 49203

SHIP TO:
Alro Steel Pottersville
5059 Alro Park Drive
Pottersville, MI 48876

DUE DATE 3/24/05 TT

DATE OF ORDER	DATE SHIPPED	CUSTOMER ORDER NO.	SHIPPED VIA	DEPT.	TERMS
3/08/05	3/30/05	PO PO 5077044	HILLTOP FARMS	90	1/2-10 NET 30

QTY. ORD.	JOB NUMBER	DESCRIPTION	QTY. SHIPPED	QTY. B.O.
	BILL-OF-LADING#->	FRE DRIVER-> HILLTOP	PREPAID/S	
2,000	6355301	1/8 X .437" X 144.00" CR 1018		
	OBS WGT	2,199		
	TAG#	337369	2,199	
	LOCATION	DKA		
	PCS/COIL	990		CNT TOTAL 990

CERTIFIED RECORD OF METALLURGICAL PROPERTIES

STRIP#	Carb	Mang	Phos	Sulf	Sil	Alum	Chrm	Moly	Heat#
147220	.150	.61	.006	.007	.030	.029	.08	.027	H3689
Yld=	66,899 Ten=		77,437	Elg%=22.45	Dia=	0			

RECEIVED MAR 30 2005 BY

ALRO STEEL/METAL RT04483400

REJECTIONS WILL BE HONORED ONLY IF RETURNED IN ORIGINAL FORM SOLD.

A Service Charge of 1½% per month (18% per year) will be added to all invoices that are 30 days past the Date of Invoice. Title to merchandise does not pass until goods are fully paid for.
Claims for errors, deficiencies, or imperfections must be made within 10 days after receipt of goods. The Seller's responsibility for material in transit ceases when it passes into the hands of the transportation company. "We hereby certify that we have complied with all requirements of the Fair Labor Standards Act of 1938, as amended."

CHECK BOX IF COLLECT ☐
Load Approved: Cpt
Load must be secured and weather protected
Driver:

RECEIVED BY: X

DATE RECEIVED: 3-30-05

CUSTOMER COPY

YUD#308 15725

METALEX
QA. DEPT. 01 JD
ACCEPTED
DATE 8/7/06
BY KKB

CRAFTS TECHNOLOGY
Precision Fabricator of Ultra-Hard Materials

Crafts Technology
91 Joey Drive
Elk Grove Village, IL 60007
UPS ACCT# 4E3-E38

Ph: 847-758-3100
Fax: 847-758-0162

Pack List

Number: 8434 Date: 03-Aug-06

To

Metalex Manufacturing, Inc.
5750 Cornell Road
Cincinnati, OH 45242
USA

Ph: 513-489-0507 Fax: 513-489-1020

Ship To

Metalex Manufacturing, Inc.
5750 Cornell Road
Cincinnati, OH 45242
USA

Ph: 513-489-0507 Fax: 513-489-1020

Terms	Ship Via
Net 21 days	UPS

Quantity	Description
300 each	Part: L143-110702 Rev: 01 TAPER SHIM Job: 2717 PO: 64975-BL Line:
	Thank you for your order This is to certify that the materials, parts and/or processes furnished against the above referenced purchase order were manufactured in accordance with the customer drawing and revision level shown Crafts Technology/Quality Control Department Manufactured in the USA

Crafts Technology, Inc.

FINAL INSPECTION REPORT

DATE 08-02-04

INSPECTOR John D.

JOB NUMBER 2717

PART NUMBER L143-110702

DESCRIPTION TAPER SHIM

CUSTOMER METALEX

DATE	SEQ	OPN		INSP CLK#	DRAWING DIM./TOLERANCE	ACTUAL MEASUREMENT NO 1	NO 2	NO 3	NO 4
					.394	.395	.397	.396	.396
					5.118 ±.007	5.124	5.124	5.125	5.123
					RAD .079 ±.008 2PL	.075	.078	.080	.082
					.500 ±.008	.5025	.5042	.5035	.5035
					.008	.0102	.010	.0102	.010
					.004	.0045	.006	.006	.0045
					.075 ±.0008	.0758	.0754	.0750	.0752
					.087 ±.0008	.0869	.0872	.0876	.0872
					⏥ .003	.0005	.0015	.002	.0015
						5	6	7	8
					.394	.395	.396	.395	.395
					5.118 ±.007	5.125	5.125	5.124	5.125
					RAD .079 ±.008 2PL	.082	.083	.080	.082
					.500 ±.008	.5035	.5030	.5045	.5020
					.008	.0102	.010	.0103	.010
					.004	.0049	.005	.0042	.0062
					.075 ±.0008	.0749	.0754	.0755	.0746
					.087 ±.0008	.0870	.0871	.0872	.0872
					⏥ .003	.0005	.0023	.001	.0015
						9			
					.394	.396			
					5.118 ±.007	5.124			
					RAD .079 ±.008 2PL	.083			
					.500 ±.008	.5035			
					.008	.010			
					.004	.0045			
					.075 ±.0008	.0751			
					.087 ±.0008	.0869			
					⏥ .003	.0005			

ANCHOR METAL FINISHING, INC.

BLACK OXIDE ON STEEL

"Specialists in the Field"

9355 FERNICE • SCHILLER PARK, ILLINOIS 60176 • PHONE: (708) 678-4304 • FAX: (708) 678-7331

Crafts Technology

METALEX
QA. DEPT.
ACCEPTED
DATE 8/7/06
BY KKB

Gentlemen:

This is to certify that parts listed below have been black-oxided in accordance with AMS 2485J (Aerospace) specifications.

Very truly yours,

Alex

ANCHOR METAL FINISHING, INC.

Shipping Ticket No. 269872

Your P.O. NO. 7525

Date 07-31-06

Part NO. L143-110702

Quantity 300 pcs

PO 64975 - BC - 5681

Stripco Inc.

- STEEL SLITTING AND EDGE CONDITIONING
- PRECISION COLD ROLLING

50598 Alexandria Drive • Milshawaka, IN 46545
Phone: (574) 258-7800 • Fax: (574) 258-7813

PACKING LIST

PACKING SLIP NUMBER
SLED D** 187483

DUE DATE 3/24/05 TT

LD TO:
Alro Steel Jackson
3100 East High Street
P.O. Box 927
Jackson, MI 49203

SHIP TO:
Alro Steel Potterville
5859 Alro Park Drive
Potterville, MI 48876

S OF ORDER	DATE SHIPPED	CUSTOMER ORDER NO.	SHIPPED VIA	DEPT.	TERMS
3/08/05	3/30/05	PU PU 5077044	HILLTOP FARMS	90	1/2-10 NET 30

QTY. ORD.	JOB NUMBER	DESCRIPTION	QTY. SHIPPED	QTY. B.O.
	BILL-OF-LADING=>	TRK DRIVER=> HILLTOP	PREPAID/S	
2,000	6355301	1/8 X .437" X 144.00" CR 1018		
	GRS WGT	2,199		
	TAG#	337369	2,199	
	LOCATION	DKA		
	PCS/COIL	990		CNT TOTAL 990

CERTIFIED RECORD OF METALLURGICAL PROPERTIES

STRID#	Carb	Mang	Phos	Sulf	Sil	Alum	Chrm	Moly	Heat#
147220	.150	.61	.006	.007	.030	.029	.08	.027	H3689
Yld=	66,899	Ten=	77,427	ElgX=22.45	Dia=	0			

RECEIVED MAR 30 2005 By

ALRO STEEL/METAL RT04483400

REJECTIONS WILL BE HONORED ONLY IF RETURNED IN ORIGINAL FORM SOLD.

A Service Charge of 1½% per month (18% per year) will be added to all invoices that are 30 days past the Date of Invoice. Title to merchandise does not pass until goods are fully paid for.
Claims for errors, deficiencies, or imperfections must be made within 10 days after receipt of goods. The Seller's responsibility for material in transit ceases when it passes into the hands of the transportation company. "We hereby certify that we have complied with all requirements of the Fair Labor Standards Act of 1938, as amended."

CHECK BOX IF COLLECT ☐
Load Approved: Cpt
Load must be secured and weather protected
Driver: [signature]

RECEIVED BY: X
NSF 10.4.1.1 Rev1

DATE RECEIVED: 3-30-05

CUSTOMER COPY

KKB 8/22/06

CRAFTS

CRAFTS TECHNOLOGY
Precision Fabrication of Ultra-Hard Materials

Crafts Technology
91 Joey Drive
Elk Grove Village, IL 60007
UPS ACCT# 4E3-E38

Ph: 847-758-3100
Fax: 847-758-0162

METALEX MFG
QA. DEPT. DEC 18
ACCEPTED
DATE 8/22/06
BY KKB

Job# 5681

Pack List

5725

Number: 8455 Date: 09-Aug-06

To

Metalex Manufacturing, Inc.
5750 Cornell Road
Cincinnati, OH 45242
USA

Ph: 513-489-0507 Fax: 513-489-1020

Ship To

Metalex Manufacturing, Inc.
5750 Cornell Road
Cincinnati, OH 45242
USA

Ph: 513-489-0507 Fax: 513-489-1020

Terms	Ship Via
Net 21 days	UPS

Quantity	Description
300 each	Part: L143-110702 Rev: 01 TAPER SHIM Job: 2717 PO: 64975-BL Line:
	Thank you for your order This is to certify that the materials, parts and/or processes furnished against the above referenced purchase order were manufactured in accordance with the customer drawing and revision level shown Crafts Technology/Quality Control Department Manufactured in the USA

Crafts Technology, Inc.

FINAL INSPECTION REPORT

DATE 08-8-06

INSPECTOR [illegible]

JOB NUMBER 2717

PART NUMBER L143-110702

DESCRIPTION TAPER SHIM

CUSTOMER METALEX

DATE	SEQ	OPN		INSP CLK#	DRAWING DIM./TOLERANCE	ACTUAL MEASUREMENT NO 1	NO 2	NO 3	NO 4
					.394	.3935	.3976	.3965	.3975
					5.118 ±.007	5.123	5.125	5.125	5.125
					RAD .079 ±.008 2PL	.0720	.079	.082	.081
					.500 ±.008	.501	.503	.502	.501
					.008	.010	.011	.010	.010
					.004	.006	.005	.006	.005
					.075 ±.0008	.0754	.0757	.0755	.0758
					.087 ±.0008	.0875	.0872	.0871	.0872
					⏥ .003	.0006	.001	.0015	.0015
						5	6	7	8
					.394	.3962	.3961	.3959	.3968
					5.118 ±.007	5.126	5.125	5.123	5.126
					RAD .079 ±.008 2PL	.082	.079	.081	.082
					.500 ±.008	.502	.503	.503	.504
					.008	.010	.011	.009	.011
					.004	.006	.005	.006	.005
					.075 ±.0008	.0755	.0757	.0751	.0756
					.087 ±.0008	.0877	.0872	.0870	.0872
					⏥ .003	.0017	.002	.0015	.0020
						9			
					.394	.3975			
					5.118 ±.007	5.125			
					RAD .079 ±.008 2PL	.084			
					.500 ±.008	.503			
					.008	.010			
					.004	.006			
					.075 ±.0008	.0752			
					.087 ±.0008	.0871			
					⏥ .003	.0015			

QTY 300 P/S# 9455

Stripco Inc.

• STEEL SLITTING AND EDGE CONDITIONING
• PRECISION COLD ROLLING

35598 Magnolia Drive • Millsboro, DE 19966
Phone: (874) 258-7800 • Fax: (874) 258-7813

PACKING LIST

PACKING SLIP NUMBER
GLED
D** 182493

617 445 9904

D TO:
Alro Steel Jackson
3100 East High Street
P.O. Box 927
Jackson, MI 49203

SHIP TO:
Alro Steel Potterville
5059 Alro Park Drive
Potterville, MI 48876

DUE DATE 3/24/05 TT

E OF ORDER	DATE SHIPPED	CUSTOMER ORDER NO.	SHIPPED VIA	DEPT.	TERMS
3/08/05	3/30/05	PU PU 5077044	HILLTOP FARMS	90	1/2-10 NET 30

QTY. ORD.	JOB NUMBER	DESCRIPTION	QTY. SHIPPED	QTY. B.O.
BILL-OF-LADING#->		FRE DRIVER-> HILLTOP	PREPAID/S	
2,000	8355301	1/8 X .437" X 144.00" CR 1018		
	DES WGT	2,199		
	TAG#	337369	2,199	
	LOCATION	CKA		
	PCS/COIL	990		CNT TOTAL 990

CERTIFIED RECORD OF METALLURGICAL PROPERTIES

STRID#	Carb	Mang	Phos	Sulf	Sil	Alum	Chrm	Moly	Heat#
147220	.150	.61	.006	.007	.030	.029	.08	.027	K3689
Yld=	66,899 Tens=		77,427 Elg%=22.46 Dia= 0						

RECEIVED
MAR 30 2005
BY

ALRO STEEL/METAL
RT04483400

REJECTIONS WILL BE HONORED ONLY IF RETURNED IN ORIGINAL FORM SOLD.

A Service Charge of 1½% per month (18% per year) will be added to all invoices that are 30 days past the Date of Invoice. Title to merchandise does not pass until goods are fully paid for.
Claims for errors, deficiencies, or imperfections must be made within 10 days after receipt of goods. The Seller's responsibility for material in transit ceases when it passes into the hands of the transportation company. "We hereby certify that we have complied with all requirements of the Fair Labor Standards Act of 1938, as amended."

CHECK BOX IF COLLECT ☐
Load Approved: Scott
Load must be secured and weather protected
Driver: [signature]

RECEIVED BY: X
DATE RECEIVED: 3-30-05

NSF 154 1/2 Rev7

CUSTOMER COPY

ANCHOR METAL FINISHING, INC.

BLACK OXIDE ON STEEL

"Specialists in the Field"

6355 BERNICE • SCHILLER PARK, ILLINOIS 60176 • PHONE: (708) 678-4304 • FAX: (708) 678-7331

Crafts Technology

P.O# 64975

METALEX QA. DEPT. ACCEPTED DATE 8/22/06 BY KKB

AUG 18 MTX

P/L# 8455

Gentlemen:

This is to certify that parts listed below have been black-oxided in accordance with AMS 2485J (Aerospace) specifications.

Very truly yours,

Jonathan

ANCHOR METAL FINISHING, INC.

Shipping Ticket No. 269615

Your P.O. NO. 7530

Date 8-4-06

Part NO. L143-110702

Quantity 300

CRAFTS TECHNOLOGY
Precision Fabricator of Ultra-Hard Materials

Crafts Technology
91 Joey Drive
Elk Grove Village, IL 60007
UPS ACCT# 4E3-E38

Ph: 847-758-3100
Fax: 847-758-0162

Pack List

Number: 8536 Date: 28-Aug-06

To

Metalex Manufacturing, Inc.
5750 Cornell Road
Cincinnati, OH 45242
USA

Ph: 513-489-0507 Fax: 513-489-1020

Ship To

Metalex Manufacturing, Inc.
5750 Cornell Road
Cincinnati, OH 45242
USA

Ph: 513-489-0507 Fax: 513-489-1020

Terms	Ship Via
Net 21 days	UPS

Quantity	Description
300 each	Part: L143-110702 Rev: 01 TAPER SHIM Job: 2717 PO: 64975-BL Line:
	Thank you for your order This is to certify that the materials, parts and/or processes furnished against the above referenced purchase order were manufactured in accordance with the customer drawing and revision level shown Crafts Technology/Quality Control Department Manufactured in the USA

Job# 5725
5681

METALEX
QA. DEPT. MTX QC 18
ACCEPTED
DATE 9/11/06
BY KKB

8-28-06

ANCHOR METAL FINISHING, INC.

BLACK OXIDE ON STEEL

"Specialists in the Field"

9355 BERNICE • SCHILLER PARK, ILLINOIS 60176 • PHONE: (708) 678-4304 • FAX: (708) 678-7331

METALCOMTX
QA. DEPT. QC 18
ACCEPTED
DATE 9/11/06
BY KKB

P.O.# 64975
P/L# 8534

Gentlemen:

This is to certify that parts listed below have been black-oxided in accordance with AMS 2485J (Aerospace) specifications.

Very truly yours,

Alex

ANCHOR METAL FINISHING, INC.

Shipping Ticket No. 269453

Your P.O. NO. 7633

Date 08/25/06

Part NO. L143-110702

Quantity 300

Crafts Technology, Inc.

FINAL INSPECTION REPORT

DATE 08-25-06

INSPECTOR John

JOB NUMBER 2717

PART NUMBER L143-110702

DESCRIPTION TAPER SHIM

CUSTOMER METALEX

DATE	SEQ	OPN		INSP CLK#	DRAWING DIM./TOLERANCE	ACTUAL MEASUREMENT NO 1	NO 2	NO 3	NO 4
					.394	.396	.396	.3955	.3932
					5.118 ±.007	5.125	5.126	5.124	5.125
					RAD .079 ±.008 2PL	.076	.074	.080	.082
					.500 ±.008	.501	.4999	.4996	.5015
					.008	.0102	.0108	.0109	.0106
					.004	.0053	.005	.0057	.0056
					.075 ±.0008	.0755	.0755	.0752	.0755
					.087 ±.0008	.0872	.0873	.0872	.0875
					⏥ .003	.0025	.003	.004	.0025
						5	6		
					.394	.3955	.3955		
					5.118 ±.007	5.125	5.126		
					RAD .079 ±.008 2PL	.075	.073		
					.500 ±.008	.5011	.5022		
					.008	.0092	.011		
					.004	.0039	.004		
					.075 ±.0008	.0756	.0755		
					.087 ±.0008	.0876	.087		
					⏥ .003	.003	.003		

Stripco Inc.

- STEEL SLITTING AND EDGE CONDITIONING
- PRECISION COLD ROLLING

5898 Magnetic Drive • Mishawaka, IN 46545
Phone: (574) 258-7800 • Fax: (574) 258-7812

PACKING LIST

PACKING SLIP NUMBER
GLED D** 187483

~~317-445-9904~~

DUE DATE 3/24/05 TT

SOLD TO:	SHIP TO:
Alro Steel Jackson 3100 East High Street P.O. Box 927 Jackson, MI 49203	Alro Steel Potterville 5059 Alro Park Drive Potterville, MI 48876

DATE OF ORDER	DATE SHIPPED	CUSTOMER ORDER NO.	SHIPPED VIA	DEPT.	TERMS
3/08/05	3/30/05	PV PV 5077044	HILLTOP FARMS	90	1/2-10 NET 30

QTY. ORD.	JOB NUMBER	DESCRIPTION	QTY. SHIPPED	QTY. B.O.
	BILL-OF-LADING(=)	TRK DRIVER(=) HILLTOP	PREPAID/S	
2,000	6355301	1/8 X .437" X 144.00" CR 1018		
	OKS WGT	2,199		
	TAG#	337369	2,199	
	LOCATION	CKA		
	PCS/COIL	990		CNT TOTAL 990

CERTIFIED RECORD OF METALLURGICAL PROPERTIES

STRIB#	Carb	Mang	Phos	Sulf	Sil	Alum	Chrm	Moly	Heat#
147220	.150	.61	.006	.007	.030	.029	.08	.027	H3699
Yld=	66,899	Ten=	77,427	Elg%=22.45	Bls=	0			

RECEIVED MAR 30 2005 By

ALRO STEEL/METAL RT04483400

REJECTIONS WILL BE HONORED ONLY IF RETURNED IN ORIGINAL FORM SOLD.

A Service Charge of 1½% per month (18% per year) will be added to all invoices that are 30 days past the Date of Invoice. Title to merchandise does not pass until goods are fully paid for.
Claims for errors, deficiencies, or imperfections must be made within 10 days after receipt of goods. The Seller's responsibility for material in transit ceases when it passes into the hands of the transportation company. "We hereby certify that we have complied with all requirements of the Fair Labor Standards Act of 1938, as amended."

CHECK BOX IF COLLECT ☐
Load Approved: CPT
Load must be secured and weather protected
Driver: [signature]

RECEIVED BY: X

DATE RECEIVED: 3-30-05

MSF 10.4.1.1 Rev.7

CUSTOMER COPY

CRAFTS TECHNOLOGY
Precision Fabricator of Ultra-Hard Materials

Crafts Technology
91 Joey Drive
Elk Grove Village, IL 60007
UPS ACCT# 4E3-E39

Ph: 847-758-3100
Fax: 847-758-0162

Pack List

Number: 8579 Date: 01-Sep-06

To	Ship To
Metalex Manufacturing, Inc. 5750 Cornell Road Cincinnati, OH 45242 USA	Metalex Manufacturing, Inc. 5750 Cornell Road Cincinnati, OH 45242 USA
Ph: 513-489-0507 Fax: 513-489-1020	Ph: 513-489-0507 Fax: 513-489-1020

Terms	Ship Via
Net 21 days	UPS

Quantity	Description
420 each	Part: L143-110702 Rev: 01 TAPER SHIM Job: 2717 PO: 64975-BL Line:
	Thank you for your order This is to certify that the materials, parts and/or processes furnished against the above referenced purchase order were manufactured in accordance with the customer drawing and revision level shown Crafts Technology/Quality Control Department Manufactured in the USA

8-31-06

Job#5681/5725

METALEX
QA. DEPT.
ACCEPTED
DATE 10/12/06
BY KKB

ANCHOR METAL FINISHING, INC.

BLACK OXIDE ON STEEL

"Specialists in the Field"

9355 BERNICE · SCHILLER PARK, ILLINOIS 60176 · PHONE: (708) 678-4364 · FAX: (708) 678-[illegible]

Gentlemen:

This is to certify that parts listed below have been black-oxided in accordance with AMS 2485J (Aerospace) specifications.

Very truly yours,

Alex

ANCHOR METAL FINISHING, INC.

Shipping Ticket No. 269295

Your P.O. NO. 7654

Date 8/31/06

Part NO. L193-110702

Quantity 421

Stripco Inc.

• STEEL SLITTING AND EDGE CONDITIONING
• PRECISION COLD ROLLING

[illegible] Magnetic Drive • Mishawaka, IN 46545
Phone: (574) 258-7800 • Fax: (574) 258-7812

PACKING LIST

PACKING SLIP NUMBER
GLED D** 187483

[illegible]

DUE DATE 3/24/05 TI

SOLD TO:	SHIP TO:
Alro Steel Jackson 3100 East High Street P.O. Box 927 Jackson, MI 49203	Alro Steel Pottenville 5059 Alro Park Drive Pottenville, MI 48876

S OF ORDER	DATE SHIPPED	CUSTOMER ORDER NO.	SHIPPED VIA	DEPT.	TERMS
1/28/05	3/30/05	PV PV 5077044	HILLTOP FARMS	90	1/2-10 NET 30

QTY. ORD.	JOB NUMBER	DESCRIPTION	QTY. SHIPPED	QTY. B.O.
	BILL-OF-LADING=>	TRK DRIVER=> HILLTOP	PREPAID/S	
2,000	6355301	1/8 X .437" X 144.00" CR 1018		
	OKS WGT	2,199	2,199	
	TAG#	337369		
	LOCATION	CKA		CNT TOTAL
	PCS/COIL	990		990

CERTIFIED RECORD OF METALLURGICAL PROPERTIES

STRID#	Carb	Mang	Phos	Sulf	Sil	Alum	Chrm	Moly	Heat#
147230	.150	.61	.006	.007	.030	.029	.08	.027	H3689
Yld=	66,899 Ten=		77,427 Elg%=22.45 Bla=		0				

RECEIVED MAR 30 2005 By

ALRO STEEL/METAL RT04483400

REJECTIONS WILL BE HONORED ONLY IF RETURNED IN ORIGINAL FORM SOLD.

A Service Charge of 1½% per month (18% per year) will be added to all invoices that are 30 days past the Date of Invoice. Title to merchandise does not pass until goods are fully paid for.
Claims for errors, deficiencies, or imperfections must be made within 10 days after receipt of goods. The Seller's responsibility for material in transit ceases when it passes into the hands of the transportation company. "We hereby certify that we have complied with all requirements of the Fair Labor Standards Act of 1938, as amended."

CHECK BOX IF COLLECT ☐
Load Approved: [signature]
Load must be secured and weather protected
Driver: [signature]

RECEIVED BY: X

DATE RECEIVED: 3-30-05

MSF 10/4.1.1 Rev.1

CUSTOMER COPY

Crafts Technology, Inc.

FINAL INSPECTION REPORT

DATE 08-25-06

INSPECTOR [illegible]

JOB NUMBER 2717

PART NUMBER L143-110702

DESCRIPTION TAPER SHIM

CUSTOMER METALEX

DATE	SEQ	OPN		INSP CLK#	DRAWING DIM./TOLERANCE	ACTUAL MEASUREMENT NO 1	NO 2	NO 3	NO 4
					.394	.396	.396	.3955	.3952
					5.118 ±.007	5.125	5.126	5.124	5.125
					RAD .079 ±.008 2PL	.076	.074	.080	.082
					.500 ±.008	.501	.4999	.4996	.5015
					.008	.0102	.0108	.0109	.0106
					.004	.0053	.005	.0057	.0056
					.075 ±.0008	.0755	.0755	.0752	.0755
					.087 ±.0008	.0872	.0873	.0872	.0875
					⏥ .003	.0025	.003	.001	.0025
						5	6		
					.394	.3955	.3955		
					5.118 ±.007	5.125	5.126		
					RAD .079 ±.008 2PL	.075	.073		
					.500 ±.008	.5011	.5022		
					.008	.0092	.011		
					.004	.0039	.004		
					.075 ±.0008	.0756	.0755		
					.087 ±.0008	.0876	.087		
					⏥ .003	.003	.003		

Date.08/15/06

Job#5681/5725

METALEX MTX
QA. DEPT. QC 18
ACCEPTED
DATE 8/22/06
BY KKB

Certificate of Compliance

METALEX
5750 CORNELL RD.
CINCINNATI, OH 45242

To METALEX Quality Assurance,

This is to certify that ***321*** pieces of Part No. ***L143-110703*** covered by your P.O. No. ***65852-BL*** have been manufactured and inspected to the highest standards in accordance with all specifications stated on supplied print and P.O.

Hi-Tech Manufacturing
4637 North 25th Avenue
Schiller Park, Illinois 60176
JOSEPH J. BOURKE

HI-TECH Manufacturing Inc.

INSPECTION REPORT

PART# L143-110703 REV# — DESCRIPTION: PEAK FILED SHIM

JOB # 52669 CUSTOMER : ARGONNE DATE 08-08-06

QUANTITY: 300 PCS INSPECTED BY: ILYA SAMPLE SIZE 10 Pcs

Inspection Report First Article

Inspected Criteria		Inspection Results	Disposition	
#	Inspected Dimension	Range	Accepted	Rejected
1	9. 0 +0 /-0.1	8.915 – 8.9948	✓	
2	6.2 +0.1 / -0	6.108 -6.0706	✓	
3	2X156.5 +0.5 /-0 DEGREE	2X158.0 – 158.5	✓	
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				

Remarks : Decimal:. Accepted by Emil Trachtenberg

Form IR Rev. 08/98

CINCINNATI BLACK OXIDE CERTIFICATION

THIS IS TO CERTIFY THAT THE FOLLOWING PARTS HAVE BEEN PROCESSED AND INSPECTED TO MEET AMS 2485 J CERTIFICATION

COMPANY NAME: METALEX
PURCHASE ORDER NUMBER: 65536-JS
PARTS PROCESSED:

QUANTITY	PART NUMBER	DESCRIPTION
44.	L143-110112	

906#5681

METALEX
QA. DEPT MTX QC 16
ACCEPTED
DATE 7/31/06
BY KKB

SIGNATURE Maria Vitale

DATE CERTIFIED: 07.20.06

CERTIFICATION NO. 072006-003

CINCINNATI BLACK OXIDE
4510 MUHLHAUSER ROAD
CINCINNATI, OHIO 45011
PHONE 513-874-1333
FAX 513-874-4846

CINCINNATI BLACK OXIDE CERTIFICATION

THIS IS TO CERTIFY THAT THE FOLLOWING PARTS HAVE BEEN PROCESSED AND INSPECTED TO MEET AMS 2485 J CERTIFICATION

COMPANY NAME: METALEX
PURCHASE ORDER NUMBER: 65500-JS
PARTS PROCESSED:

QUANTITY	PART NUMBER	DESCRIPTION
32	L143-110108-**	

906#5681
METALEX
QA. DEPT
ACCEPTED
DATE 8/7/06
BY KKB

SIGNATURE Marie Vitale

DATE CERTIFIED: 07.12.06

CERTIFICATION NO. 071206-003

CINCINNATI BLACK OXIDE
4510 MUHLHAUSER ROAD
CINCINNATI, OHIO 45011
PHONE 513-874-1333
FAX 513-874-4846

"REVISED CERTIFICATION"

RECEIVED AUG 04 2006

CINCINNATI BLACK OXIDE CERTIFICATION

THIS IS TO CERTIFY THAT THE FOLLOWING PARTS HAVE BEEN PROCESSED AND INSPECTED TO MEET AMS 2485 J CERTIFICATION

COMPANY NAME: METALEX
PURCHASE ORDER NUMBER: 65553-JS
PARTS PROCESSED:

Job# 5681

METALEX MTX QC 18
QA. DEPT
ACCEPTED
DATE 8/7/06
BY KKB

QUANTITY	PART NUMBER	DESCRIPTION
282	L143-110111	
14	L143-110114	REV#01
100	L143-110119	

SIGNATURE Maria Vitolo

DATE CERTIFIED: 07-24-06

CERTIFICATION NO. 072406-002

CINCINNATI BLACK OXIDE
4510 MUHLHAUSER ROAD
CINCINNATI, OHIO 45011
PHONE 513-874-1333
FAX 513-874-4846

TECHMETALS, INC.

REVISED *Metal Finishing Certification*

To: METALEX MANUFACTURING INC
5750 CORNELL ROAD
CINCINNATI, OH 45242

United States

From: Techmetals Incorporated
2200 EAST FIRST STREET
Dayton, OH 45403

Packing List No: 21092
Shipping Date: 07/19/06

Today's Date: 08/10/06
PO Number: 65381 - JS - 5681

116 EA L413-110115-01 STOPPER
2 X 1.375 X 0.50
6061-T651 ALUMINUM
CERT CLEAR ANODIZE

METALEX
QA. DEPT.
ACCEPTED
DATE 8/11/06
BY KKB

17202-02

CRITICAL PART**HANDLE VERY CAREFULLY
CLEAR ANODIZE PER AMS-2471, REV F
SODIUM DICHROMATE SEAL REQUIRED
CERTIFICATION REQUIRED
OPERATION# 40
BOX 1
LOC# 5-090

THIS CERTIFIES THAT THE ABOVE PARTS, METAL FINISHED BY TECHMETALS, INC., WERE PLATED/PROCESSED IN ACCORDANCE WITH THE PURCHASE ORDER SHOWN ABOVE.

OBJECTIVE EVIDENCE FOR THIS ORDER IS ON FILE AT OUR FACILITY AND AVAILABLE FOR CUSTOMER/GOVERNMENT REVIEW.

Mark D. Phillips

Inspector's Initials
Techmetals Incorporated

Techmetals Incorporated

TECHMETALS, INC.

2200 EAST FIRST STREET
Dayton, OH 45403
Phone: 937-253-5311
Fax: 937-253-1982

METALEX
QA. DEPT. MTX QC 18
ACCEPTED
DATE 8/7/06
BY KKB

REVISED Metal Finishing Certification

To: METALEX MANUFACTURING INC
5750 CORNELL ROAD
CINCINNATI, OH 45242

United States

From: Techmetals Incorporated
2200 EAST FIRST STREET
Dayton, OH 45403

Packing List No: 21280
Shipping Date: 07/21/06

Today's Date: 07/28/06
PO Number: 65535-JS-6681

74 EA L143-110109 BRACKET 1
2.625 X 1.25 X 0.625
6061-T651 ALUMINUM
CERT CLEAR ANODIZE

02V 18191-01
KKB 8/7/06 MTX QC 18

CRITICAL PART**HANDLE VERY CAREFULLY
WRAP TO PROTECT & KEEP CLEAN
CLEAR ANODIZE PER AMS-2471 REV F
SODIUM DICHROMATE SEAL REQUIRED
CERTIFICATION REQUIRED
OPERATION# 60
1 SKID / 2 BOXES
LOC# 5-164

KKB 8/7/06
02V MTX QC 18 18191-02

75 EA L143-110110 BRACKET 2
2.625 X 1.25 X 0.625
6061-T651 ALUMINUM
CERT CLEAR ANODIZE

CRITICAL PART**HANDLE VERY CAREFULLY
WRAP TO PROTECT & KEEP CLEAN
CLEAR ANODIZE PER AMS-2471 REV F
SODIUM DICHROMATE SEAL REQUIRED
CERTIFICATION REQUIRED
OPERATION# 60
1 SKID / 2 BOXES

S/N :
-04
F 10/10/06

3	EA	LOC# 5-164 L143-111001 HOLDER MAGNET STRUCT 39.50 X 5 X 2.50 MIC-6 ALUMINUM CERT CLEAR ANODIZE	01	18191-03

MTX QC 12

METALLIX
QA. DEPT.
ACCEPTED
DATE 8/7/06
BY KKB
MTX QC 19

CRITICAL PART**HANDLE VERY CAREFULLY
WRAP TO PROTECT & KEEP CLEAN
CLEAR ANODIZE PER AMS-2471 REV F
SODIUM DICHROMATE SEAL REQUIRED
CERTIFICATION REQUIRED
OPERATION# 70
1 SKID / 2 BOXES
LOC# 5-164

S/N: -04 MTX QC 12 TL 10/10/06

3	EA	L143-111101 HOLDER MAGNET STRUCT 39.50 X 5 X 2.50 MIC-6 ALUMINUM CERT CLEAR ANODIZE	01	18191-04

CRITICAL PART**HANDLE VERY CAREFULLY
WRAP TO PROTECT & KEEP CLEAN
CLEAR ANODIZE PER AMS-2471 REV F
SODIUM DICHROMATE SEAL REQUIRED
CERTIFICATION REQUIRED
OPERATION# 70
1 SKID / 2 BOXES
LOC# 5-164

1	EA	510EXP NEXT DAY EXPEDITE	18191-05

THIS CERTIFIES THAT THE ABOVE PARTS, METAL FINISHED BY TECHMETALS, INC., WERE PLATED/PROCESSED IN ACCORDANCE WITH THE PURCHASE ORDER SHOWN ABOVE.

OBJECTIVE EVIDENCE FOR THIS ORDER IS ON FILE AT OUR FACILITY AND AVAILABLE FOR CUSTOMER/GOVERNMENT REVIEW.

Thomas A Stahl
Inspector's Initials
Techmetals Incorporated

METALS
QA. DEPT. MTX QC 18
ACCEPTED
DATE
BY

S/N(S): -04, -06, -08, -10, -12, -14, & -16

TC 10/2/06

MTX QC 12

FOR ALL THREE ITEMS BELOW

TECHMETALS, INC.

METALEX QA. DEPT. ACCEPTED DATE 8/11/06 BY KKB MTX QC 18

REVISED *Metal Finishing Certification*

To: METALEX MANUFACTURING INC
5750 CORNELL ROAD
CINCINNATI, OH 45242

United States

From: Techmetals Incorporated
2200 EAST FIRST STREET
Dayton, OH 45403

Packing List No: 21176
Shipping Date: 07/20/06

Today's Date: 08/10/06
PO Number: 65526-JS-5681

7	EA	L143-110801 BASE, HOLDER MAGNET STRUCT 7.75 X 5 X 2 MIC-6 CAST ALUMINUM CERT CLEAR ANODIZE ***CRITICAL PART**HANDLE VERY CAREFULLY*** CLEAR ANODIZE PER AMS-2471, REV F SODIUM DICHROMATE SEAL REQUIRED CERTIFICATION REQUIRED OPERATION# 70 1 CRATE LOC# 5-107	18114-01
7	EA	L143-111201 BASE, HOLDER MAGNET STRUCT 7.75 X 5 X 2 MIC-6 CAST ALUMINUM CERT CLEAR ANODIZE ***CRITICAL PART**HANDLE VERY CAREFULLY*** CLEAR ANODIZE PER AMS-2471, REV F SODIUM DICHROMATE SEAL REQUIRED CERTIFICATION REQUIRED OPERATION# 70 1 CRATE LOC# 5-107	18114-02
7	EA	L143-111301 BASE, HOLDER MAGNET STRUCT 7.75 X 5 X 2 MIC-6 CAST ALUMINUM CERT CLEAR ANODIZE	18114-03

CRITICAL PART**HANDLE VERY CAREFULLY
CLEAR ANODIZE PER AMS-2471, REV F
SODIUM DICHROMATE SEAL REQUIRED
CERTIFICATION REQUIRED
OPERATION# 70
1 CRATE
LOC# 5-107

7 EA L143-110901 BASE, HOLDER MAGNET STRUCT 18114-04
7.75 X 5 X 2
MIC-6 CAST ALUMINUM
CERT CLEAR ANODIZE

CRITICAL PART**HANDLE VERY CAREFULLY
CLEAR ANODIZE PER AMS-2471, REV F
SODIUM DICHROMATE SEAL REQUIRED
CERTIFICATION REQUIRED
OPERATION# 70
1 CRATE
LOC# 5-107

METALEX
QA. DEPT.
ACCEPTED
DATE 8/11/06
BY KKB

THIS CERTIFIES THAT THE ABOVE PARTS, METAL FINISHED BY TECHMETALS, INC., WERE PLATED/PROCESSED IN ACCORDANCE WITH THE PURCHASE ORDER SHOWN ABOVE.

OBJECTIVE EVIDENCE FOR THIS ORDER IS ON FILE AT OUR FACILITY AND AVAILABLE FOR CUSTOMER/GOVERNMENT REVIEW.

Mark O. Phillips TM QA 95
Inspector's Initials
Techmetals Incorporated

S/N(S): -112, -212, -312
-114, -214, -314
-116 -216, -316
FOR BOTH
PARTS TC
10/10/06

MTX
OC 12

Techmetals Incorporated

TECHMETALS, INC.

2200 EAST FIRST STREET
Dayton, OH 45403
Phone: 937-253-5311
Fax: 937-253-1982

METALEX
QA. DEPT
ACCEPTED
DATE 10/12/06
BY KKB

Revised Metal Finishing Certification

To: METALEX MANUFACTURING INC
5750 CORNELL ROAD
CINCINNATI, OH 45242

United States

From: Techmetals Incorporated
2200 EAST FIRST STREET
Dayton, OH 45403

Packing List No: 24533
Shipping Date: 09/20/06

Today's Date: 10/11/06
PO Number: 66464-JS

Quantity Shipped	Unit	Description	Revision	Job Number
9	EA	L143-111101 HOLDER MAGNET STRUCT 39.50 X 5 X 2.50 MIC-6 ALUMINUM CERT CLEAR ANODIZE / SODIUM DICHROMATE SEAL ***CRITICAL PART**HANDLE VERY CAREFULLY*** **WRAP TO PROTECT & KEEP CLEAN** CLEAR ANODIZE PER AMS-2471 F, SODIUM DICHROMATE SEAL REQUIRED CERTIFICATION REQUIRED OPERATION# 70 JO# 5681 3 BOXES LOC# 5-183	01	20759-01
9	EA	L143-111001 HOLDER MAGNET STRUCT 39.50 X 5 X 2.50 MIC-6 ALUMINUM CERT CLEAR ANODIZE / SODIUM DICHROMATE SEAL ***CRITICAL PART**HANDLE VERY CAREFULLY*** **WRAP TO PROTECT & KEEP CLEAN** CLEAR ANODIZE PER AMS-2471 F, SODIUM DICHROMATE SEAL REQUIRED CERTIFICATION REQUIRED OPERATION# 70 JO# 5681 3 BOXES LOC# 5-183	01	20759-02

FROM :BIG 5 PRODUCTION TECHMETALS FAX NO. :9372531982 Oct. 11 2006 02:55PM P6

Quantity Shipped	Unit	Description	Revision	Job Number
6	EA	L143-111301 BASE, HOLDER MAGNET STRUCT 7.75 X 5 X 2 MIC-6 CAST ALUMINUM CERT CLEAR ANODIZE / SODIUM DICHROMATE SEAL	00	20759-03

CRITICAL PART**HANDLE VERY CAREFULLY
CLEAR ANODIZE PER AMS-2471, REV F
SODIUM DICHROMATE SEAL REQUIRED
CERTIFICATION REQUIRED
OPERATION# 70
JO# 5725
3 BOXES
LOC# 5-183

METALEX
QA. DEPT.
ACCEPTED
DATE 10/11/06
BY KKB

THIS CERTIFIES THAT THE ABOVE PARTS, METAL FINISH BY TECHMETALS INCORPERATED WERE PLATED/PROCESSED IN ACCORDANCE WITH THE PURCHASE ORDER SHOWN ABOVE. OBJECTIVE QUALITY EVIDENCE FOR THIS ORDER IS ON FILE AT OUR FACILITY AND AVAILIBLE FOR CUSTOMER/GOVERMENT REVIEW.

CERTIFING THE PROCESS ONLY

Thomas A. Stabile

Inspector's Initials
Techmetals Incorporated

FROM :BIA S PRODUCTION TECHMETALS FAX NO. :9372531982 Oct. 11 2006 02:55PM P7

Metalex Customized Machinery and Parts CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006-5681	Qty 451

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ■ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-110104	REV XX	P.O. Number 5A13059
	Date Rec'd N/A	P.O. No. N/A	Part Name UPPER LEFT MAGNET STRUCTURE MAGNET CLAMP		
At Oper. N/A	Serial Numbers/ N/A		Customer Name ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
ALL DIMENSIONS ARE IN MILLIMETERS, SURFACE FINISH IN MICRONS.	NOTE #1		CONFORMS	451	
REMOVE ALL BURRS AND BREAK SHARP EDGES 0.3mm MAX.	NOTE #2		CONFORMS	451	
UNLESS OTHERWISE SPECIFIED, SURFACE FINISH TO BE 6.3 MICRONS.	NOTE #3		CONFORMS	451	
MATERIAL 5/16 AMPCO 8 ALUMINUM BRONZE PLATE			CONFORMS	451	
7.94			7.86 - 8.02	451	
3.97			3.89 - 4.05	451	
23.00			22.92 - 23.08	451	
⌀4.20 THRU			4.17 - 4.20	451	
⌀			CONFORMS	451	
⌀			CONFORMS	451	
2X 45°			2X 45°	451	
54.00			53.92 - 55.08	451	
6.50			6.42 - 6.58	451	
6.50			6.42 - 6.58	451	
12.00			11.92 - 12.08	451	
1.00			9.92 - 1.08	451	
2X R.20			2X .20	451	
2X R3.00			2X .30	451	
3.2√			3.2√ OR BETTER	451	

STAMP	INSPECTED BY	DATE	PAGE 1 OF 1	QTY ACC	QTY REJ
	James [signature]	7-24-06		451	—

MX1010 (7/98)

Metalex Customized Machinery and Parts — CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006-5681	Qty 454

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ■ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-110104	REV ~~XX~~	P.O. Number 5A10359
	Date Rec'd N/A	P.O. No. N/A	Part Name UPPER LEFT MAGNET STRUCTURE MAGNET CLAMP		
At Oper. N/A	Serial Numbers: N/A		Customer Name ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
ALL DIMENSIONS ARE IN MILLIMETERS, SURFACE FINISH IN MICRONS.	NOTE #1		CONFORMS	454	
REMOVE ALL BURRS AND BREAK SHARP EDGES 0.3mm MAX.	NOTE #2		CONFORMS	454	
UNLESS OTHERWISE SPECIFIED, SURFACE FINISH TO BE 6.3 MICRONS.	NOTE #3		CONFORMS	454	
MATERIAL 5/16 AMPCO 8 ALUMINUM BRONZE PLATE			CONFORMS	454	
7.94			7.94 - 8.02	454	
3.97			3.93 - 4.00	454	
23.00			22.981 - 23.04	454	
⌀4.20 THRU			4.20 - 4.24	454	
⌀			CONFORMS	454	
⌀			CONFORMS	454	
2X 45°			45°	454	
54.00			53.975 - 54.0356	454	
6.50			6.48 - 6.520	454	
6.50			6.470 - 6.530	454	
12.00			11.970 - 12.030	454	
1.00			1.00	454	
2X R.20			R.2	454	
2X R3.00			R.3	454	
3.2 ✓			3.2 ✓ OR BETTER	454	

STAMP	INSPECTED BY	DATE	PAGE 1 OF 1	QTY ACC	QTY REJ
MTX	[signature]	8/1/06		454	Ø

MX1010 (7/98)

Metalex Customized Machinery and Parts CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006 5681	Qty 70

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ■ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-110109	REV 02V	P.O. Number 5A10359
	Date Rec'd N/A	P.O. No. N/A	Part Name UNDULATOR UNIT ASSEMBLY BRACKET 1		
At Oper. 50	Serial Numbers: N/A		Customer Name ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
CLEAR ANODIZE	NOTE		CONFORMS	70	MTX QC 12
MATERIAL: AL CAST TOOL & JIG PLATE 1.25 PLATE	A2		CONFORMS	70	
36.5			36.449 - 36.514	70	
4			3.962 - 4.013	70	
8			7.988 - 8.013	70	
16			15.989 - 16.017	70	
7			6.979 - 7.048	70	
8			7.961 - 8.024	70	
10			9.936 - 10.051	70	
⌴ Ø5 ↧22 3.5 DRILL ↧ THRU M4x.5 ISO – H TAP ↧ THRU 1 PLACE			CONFORMS	70	
⌴ Ø7 ↧ 18 5 DRILL ↧ THRU M6x1 ISO – H TAP ↧ THRU 2 PLACES			CONFORMS	70	
Ø7 THRU			6.985 - 7.00 THRU	70	
14			13.914 - 14.036	70	
4			3.954 - 4.072	70	
1.5 (CUT AFTER FINAL MACHINING)			1.4960 - 1.559	70	
⌀			CONFORMS	70	
⌀			CONFORMS	70	
(31.75 [1.250])			REFERENCE	70	
27.5			27.477 - 27.548	70	

STAMP	INSPECTED BY	DATE	PAGE 1 OF 2	QTY ACC	QTY REJ
	James Giffen	7-19-06		70	

MX1010 (7/98)

Metalex Customized Machinery and Parts CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006 5681	Qty 70

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ■ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-110109	REV 02V	P.O. Number 5A1 0359
	Date Rec'd N/A	P.O. No. N/A	Part Name UNDULATOR UNIT ASSEMBLY BRACKET 1		
At Oper. 50	Serial Numbers: N/A		Customer Name ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
16.5			16.484 - 16.526	70	
20.75			20.726 - 20.772	70	
16.5			16.491 - 16.507	70	
27.4			27.387 - 27.404	70	
20.45			20.431 - 20.452	70	
25.45			25.446 - 25.459	70	
(45°)			REFERENCE	70	
45° X 4.5			4.5 x 45°	70	
43			42.990 - 43.326	70	

STAMP	INSPECTED BY	DATE	PAGE 2 OF 2	QTY ACC	QTY REJ
	James [illegible]	7-19-06		70	—

MX1010 (7/98)

Metalex Customized Machinery and Parts CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006 5681	Qty 7075

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ■ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-110110	REV 02V	P.O. Number 5A10359
	Date Rec'd N/A	P.O. No. N/A	Part Name UNDULATOR UNIT ASSEMBLY BRACKET 2		
At Oper. 50	Serial Numbers: N/A		Customer Name ARGONNE		

Sample 10 out of 70

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
CLEAR ANODIZE	NOTE		CONFORMS	75	MTX QC 1
MATERIAL: AL CAST TOOL & JIG PLATE 1.25 PLATE			CONFORMS	10	
36.5			36.424 - 36.510	10	
8			7.991 - 8.000	10	
4			3.978 - 4.026	10	
16			15.953 - 16.060	10	
7			6.988 - 7.018	10	
3.5 R			3.473 - 3.50 R	10	
7			6.947 - 7.000	10	
10			9.995 - 10.076	10	
⌴ Ø5 ↧22 3.3 DRILL ↧ THRU M4x.5 ISO – H TAP ↧ THRU 1 PLACE			⌴ 5.156Ø ↧ 22.0 3.404 ↧ Thru Conforms to Gage	10	
⌴ Ø7 ↧ 18 5 DRILL ↧ THRU M6x1 ISO – H TAP ↧ THRU 2 PLACES			⌴ 7.163Ø ↧ 17.983/18.0594 4.902Ø ↧ Thru Conforms to Gage	10	
Ø7 THRU			6.934 - 6.960Ø Thru	10	
14			13.97	10	
4			3.861 - 4.013	10	
1.5 (CUT AFTER FINAL MACHINING)			1.524 - 1.606	10	

STAMP	INSPECTED BY	DATE	PAGE 1 OF 2	QTY ACC	QTY REJ
	THOMAS G COOK	7/20/06		10	

MX1010 (7/98) Thomas A. Tully 7/20/06

Metalex Customized Machinery and Parts CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006 5681	Qty 1075

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ☒ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-110110	REV 02✓	P.O. Number 5A10359
	Date Rec'd N/A	P.O. No. N/A	Part Name UNDULATOR UNIT ASSEMBLY BRACKET 2		
At Oper. 50	Serial Numbers: N/A		Customer Name ARGONNE		

Sample 10 out of 70

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
✓			Conform	10	
✓			Conform	10	
31.75			31.648 - 31.801	10	
27.5			27.330 - 27.483	10	
2.5			2.540 - 2.667	10	
16.5			16.383 - 16.637	10	
20.75			20.625 - 20.879	10	
(45 DEGREES.)			REFERENCE	10	
1.5			1.5	10	
20.45			20.396 - 20.498	10	
25.45			25.349 - 25.5016	10	
10 DEGREES			10°	10	
16.5			16.4338 - 16.535	10	
26.5			26.492 - 26.543	10	
45 DEGREES X 4.5			45° x 4.5	10	
8			7.950 - 8.052	10	
43			43.002 - 43.053	10	

STAMP	INSPECTED BY	DATE	PAGE2 OF2	QTY ACC	QTY REJ
	THOMAS G COOK	7/20/06		10	

MX1010 (7/98) Thomas A. Tully 7/20/06

DATE 5/24/06 METALEX INSPECTION RECORD JCRJ2

Job# 2006- 5681
Drawing/part# L143-110114
Drw.rev.# 01
Description SCREEN
Serial# _____
Rtg.rev.# 0 by _____
Originated by ROB SCHUERMAN 11/07/05

Customer Argonne Nat'l Laboratory
Proc.Eng.
Expeditor MIKE LORENZ
Cust. PO# 5A10359
Qty. Required 14
Approved by: _____
V.S.E. reqd. (Y/N) _

Geometric characteristics & tolerances must be recorded if they fall within the following ranges:

* Form, orientation, or profile characteristics less than .002
* Positional tolerances less than +/-.0025 linear or .005 true position
* Size, concentricity, or runout tolerances less than:
  - +/- .001 for features less than 8.00
  - +/- .002 for features 8.00 to 24.00
  - +/- .005 for features greater than 24.00

*NOTE: NONCONFORMING DIMENSIONS ARE ONLY RECORDED ON BLUE CARDS

< < < Serial Numbers > > >

Drawing Dimension						Operator Sign/Date
Plate Thk .197	.183-.185					
(7x) .276Ø	.276-.286Ø					
Ø.006 Ⓜ A B	Ø.006					
All other Dim.	Acceptable to Print					

Final Inspection Verification: JA Tull 7-20-06
Q.E. Sign./Date

MX1035B (7/94)

Metalex Customized Machinery and Parts — CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006-5681	Qty 7

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ■ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-110801	REV **	P.O. Number 5A-10369
	Date Rec'd N/A	P.O. No. N/A	Part Name UPPER LEFT MAGNET STRUCTURE BASE		
At Oper. 60	Serial Numbers: 121416 04-06-0815 NA-TE 8/1/06		Customer Name ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
AL CAST TOOL & JIG PLATE 2.5" PLATE	A2		CONFORMS	7	
NOTE: CLEAR ANODIZE	A1		CONFORMS	7	MTX QC 12
128 0 / -0.1	A3		5.0367 - 5.0371	7	
60	B3		60	7	
⌀4.1 THRU ⌀6.35 ↧ 17 26 PLACES	A3		4.1 6.35 x 17 (x 26)	7	
⌖ 0.04 A	A3		W/IN .04	7	
195 0 / -0.1	A4		194.9374 - 194.9501	7	
165.6 ±0.1	A4		165.011 - 165.008	7	
82.8 ±0.1	A4		82.773 - 82.809	7	
12.7 ±0.1	A5		12.686 - 12.719	7	
10.8 DRILL ↧ 20.500 M12x1.25 ISO – H TAP ↧ 13.5 6 PLACES	A5		CONFORMS	7	
26 ±0.1	A5		25.996 - 26.047	7	
56 ±0.1	A6		55.973 - 56.024	7	
32 ±0.1	B6		31.973 - 32.044	7	
47 ±0.1	B5		46.941 - 47.019	7	
2X 6.35	B5		6.359 - 6.371	7	
126.9 ±0.1	B4		126.871 - 126.899	7	
20 ±0.08	B3		19.984 - 20.030	7	
5	B3		5	7	
5	B3		5	7	

STAMP	INSPECTED BY	DATE	PAGE 1 OF 3	QTY ACC	QTY REJ
	James Siffen	7-18-06		7	

MX1010 (7/98)

Metalex Customized Machinery and Parts CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2004 5681	Qty 7

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ■ Final ☐ Rework/Repair ☐ First Article	Vendor Name: N/A		Part No.: L143-110801	REV: **	P.O. Number: 5A 10359
	Date Rec'd: N/A	P.O. No.: N/A	Part Name: UPPER LEFT MAGNET STRUCTURE BASE		
At Oper. 60	Serial Numbers: 14-16 04-06-0870-12' ~~N/A~~ R 6/1/06		Customer Name: ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
5 HIGH CHARACTER ENGRAVE ASSEMBLY NO. AND SERIAL NO.	B3		CONFORMS	7	
5 DRILL ↓ 15 M6x1 ISO – H TAP ↓ 12.7 8 PLACES	C3		CONFORMS	7	
2X 60 ±0.1	C4		59.9948 – 60.015	7	
3X 15 ± 0.1	C5		15.001 – 15.079	7	
33 ± 0.1	C5		32.999 – 32.989	7	
10	B5		9.997 – 10.014	7	
15	B5		14.998 – 15.001	7	
10.5 ± 0.1	D5		10.55 – 10.502	7	
15 ± 0.1	D5		15.006 – 15.074	7	
12X 9.5	D5		9.438 – 9.458	7	
10X 15 ± 0.1= 150 ± 0.1	D4		14.998 – 15.001 149.991 – 150.002	7	
22X 45° X .2 FOUR SIDES	D4		.2 X 45°	7	
29 DRILL ↓ THRU 8-32 UNC-2B TAP ↓ 10 12 PLACES	D3		CONFORMS	7	
4X 45° X .2 THREE SIDES	D3		12 X 45°	7	
12	C3		12	7	
5 HIGH CHARACTER ENGRAVE MAGNET NO.	C3		CONFORMS	7	
11 X 15 ± 0.05 = 165 ± 0.05	C4		14.999 165.001	7	
15 ± 0.05	C5		14.998 – 15.003	7	
3 ± 0.05	C5		.118 – .120	7	
4.2 0 / -0.1	D2		4.150	7	

STAMP	INSPECTED BY	DATE	PAGE 2 OF 3	QTY ACC	QTY REJ
	James Giffen	7-18-06		7	

MX1010 (7/98)

Metalex Customized Machinery and Parts — CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2004 51681	Qty 7

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ☒ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-110801	REV **	P.O. Number SA 10359
	Date Rec'd N/A	P.O. No. N/A	Part Name UPPER LEFT MAGNET STRUCTURE BASE		
At Oper. 60	Serial Numbers: 04-06-08-10-12-14-16-18-19 K 6/7/06		Customer Name ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
45°	D2		45°	7	
(63.5)	D1		REFERENCE	7	
45° X 10	D1		10 x 45°	7	
0.5	D1		.480 - .460	7	
2X 7.94	D1		7.912 - 7.924	7	
48 ± 0.1	D1		47.904 - 48.016	7	
5/16 DRILL ⇓ 21 3/8 -16 UNC-2B TAP ⇓ 17 2 PLACES	C1		CONFORMS	7	
-A-	C1		DATUM	7	
/ / 0.04	C1		.014	7	
29 ±0.1	C1		29.009 - 29.022	7	
10 ± 0.1	C2		9.999 - 10.025	7	
3X 29	C2		28.997 - 29.021	7	
30 0 / -0.03	C1		29.987 - 30.015	7	
49 0 / -0.1	C1		48.961 - 48.986	7	
10 ± 0.1	C2		9.999 - 10.025	7	
27 0 / -0.1	C2		26.964 26.984	7	
67 +0.1 / 0	D2		67.010 - 67.030	7	
32	D2		31.955 32.016	7	
8 0 / -0.1	D2		7.926 - 7.975	7	
SECTION A-A					
24X 9.5 +0.05 / 0	D6		9.50 - 9.512		

STAMP	INSPECTED BY	DATE	PAGE 3 OF 3	QTY ACC	QTY REJ
	James Kiff	7-18-06		7	

MX1010 (7/98)

Metalex Customized Machinery and Parts CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006 5681	Qty 7

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ☒ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-110901	REV XX	P.O. Number 5A10389
	Date Rec'd N/A	P.O. No. N/A	Part Name LOWER LEFT MAGNET STRUCTURE BASE		
At Oper. 60	Serial Numbers: 04-06-08-10-12-14-16 ~~TOTA~~ TC 8/7/06		Customer Name ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
AL CAST TOOL & JIG PLATE 2.5" PLATE	A2		CONFORMS	7	
NOTE: CLEAR ANODIZE	A1		CONFORMS	7	MTX DC 12
128 0 / -0.1	A5		127.965 - 128.024	7	
60	B2		59.945 - 60.077	7	
⌀4.1 THRU ⌀6.35 ↓ 17 26 PLACES	A4		4.1 6.35 X 17 (26x)	7	
0.04 A	A4		.012	7	
195 0 / -0.1	A3		194.945 - 195.055	7	
165.6 ±0.1	A3		165.525 - 165.571	7	
82.8 ±0.1	A3		82.719 - 82.804	7	
12.7 ±0.1	A3		12.672 - 12.744	7	
10.8 DRILL ↓ 20.500 M12x1.25 ISO - H TAP ↓ 13.5 6 PLACES	A4		CONFORMS	7	
26 ±0.1	A4		25.999 - 26.084	7	
56 ±0.1	A5		56.003 - 56.043	7	
32 ±0.1	B5		31.987 - 32.004	7	
47 ±0.1	B4		46.981 - 47.017	7	
2X 6.35	B3		6.349 - 6.358	7	
126.9 ±0.1	B3		126.811 - 126.901	7	
20 ±0.1	B3		19.994 - 20.019	7	
5	B4		5	7	
5	B4		5	7	

STAMP	INSPECTED BY	DATE	PAGE 1 OF 3	QTY ACC	QTY REJ
	James [signature]	7-18-06		7	

MX1010 (7/98)

Metalex Customized Machinery and Parts — CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No.	Qty 7

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ☒ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-110901	REV	P.O. Number
	Date Rec'd N/A	P.O. No. N/A	Part Name LOWER LEFT MAGNET STRUCTURE BASE		
At Oper.	Serial Numbers: 04-06-08-10-12-14-16		Customer Name ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
5 HIGH CHARACTER ENGRAVE ASSEMBLY NO. AND SERIAL NO.	B4		CONFORMS	7	
5 DRILL ⇓ 15 M6x1 ISO – H TAP ⇓ 12.7 8 PLACES	C4		CONFORMS	7	
2X 60 ±0.1	C4		60.004 - 60.036	7	
3X 15 ± 0.1	C2		14.991 - 15.021	7	
33 ± 0.1	C2		32.971 - 33.006	7	
10	C4		10.001 - 10.020	7	
15	B4		15.007 - 15.009	7	
10.5 ± 0.1	D2		10.477 - 10.567	7	
15 ± 0.1	D2		15.007 - 15.074	7	
12X 9.5	D2		9.479 - 9.531	7	
10X 15 ± 0.1= 150 ± 0.1	D3		14.995-15.000 = 149.995 - 150.000	7	
22X 45° X .2 FOUR SIDES	D3		.2 X 45°	7	
29 DRILL ⇓ THRU 8-32 UNC-2B TAP ⇓ 10 12 PLACES	D4		CONFORMS	7	
4X 45° X .2 THREE SIDES	D4		.2 X 45°	7	
15.5	C4		15.5	7	
5 HIGH CHARACTER ENGRAVE MAGNET NO.	C4		CONFORMS	7	
11 X 15 ± 0.05 = 165 ± 0.05	C3		15.001-15.006 165.019-165.027	7	
15 ± 0.05	C3		14.991 - 15.014	7	
3 ± 0.05	C3		2.97 - 3.01	7	
4.2 0 / -0.1	D5		4.141 - ~~4.193~~ 4.193	7	

STAMP	INSPECTED BY	DATE	PAGE 2 OF 3	QTY ACC	QTY REJ
	James [signature]	7-18-04		7	

MX1010 (7/98)

Metalex Customized Machinery and Parts — CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006 5681	Qty 7

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ☒ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-110901	REV A*	P.O. Number SA403 59
	Date Rec'd N/A	P.O. No. N/A	Part Name LOWER LEFT MAGNET STRUCTURE BASE		
At Oper. 60	Serial Numbers: 04-06-08-10-12-14-16		Customer Name ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
45°	D6		45°	7	
(63.5)	D6		REFERENCE	7	
45° X 10	D6		10X45°	7	
0.5	D6		.469 - .490	7	
2X 7.94	D6		7.949 - 7.996	7	
48 ± 0.1	D6		48.009 - 48.027	7	
5/16 DRILL ⇓ 21 3/8 -16 UNC-2B TAP ⇓ 17 2 PLACES	C6		CONFORMS	7	
-A-	C6		DATUM	7	
// 0.04	C6		W/IN .030	7	
29 ±0.1	C6		29.006 - 29.082	7	
10 ± 0.1	C5		9.991 - 10.032	7	
3X 29	C5		28.916 - 29.201	7	
30 0 / -0.03	C6		29.988 - 29.999	7	
49 0 / -0.1	B6		48.971 - 48.995	7	
10 ± 0.1	C5		9.941 - 10.013	7	
27 0 / -0.1	C5		26.923 - 26.964	7	
67 +0.1 / 0	D5		67.014 - 67.046	7	
32	D5		32.014 - 32.031	7	
8 0 / -0.1	D5		7.954 - 7.983	7	
SECTION A-A					
24X 9.5 +0.05 / 0	D1		9.50 - 9.509	7	

STAMP	INSPECTED BY	DATE	PAGE 3 OF 3	QTY ACC	QTY REJ
	James [signature]	7-18-06		7	

MX1010 (7/98)

Metalex Customized Machinery and Parts — CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006 – 5681	Qty 9

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ■ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-111001	REV 01	P.O. Number 5A10359
	Date Rec'd N/A	P.O. No. N/A	Part Name UPPER MIDDLE MAGNET STRUCTURE BASE		
At Oper. N/A	Serial Numbers: L143-111000 / -112,-212,-312,-114,-214,-314,-116,-216,-316		Customer Name ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
AL CAST TOOL & JIG PLATE 2.5" PLATE	A2		CONFORMS	MTX QC 16	
NOTE: 1. CLEAR ANODIZE	A1		CONFORMS	MTX QC 12	
NOTE 2. ONE THIRD OF THE PARTS SHOULD HAVE NUMBERS FROM 13 TO 79. ONE THIRD OF THE PARTS SHOULD HAVE NUMBERS FROM 80 TO 146. ONE THIRD OF THE PARTS SHOULD HAVE NUMBERS FROM 147 TO 213.	A2		CONFORMS ↓	MTX QC 16	
128 0 / -0.1	B2		127.925 - 128	MTX QC 16	
60	C3		59.982 - 60.03	MTX QC 16	
⌀4.1 THRU ↧ ⌀6.35 ⇓ 17 132 PLACES	B3		4.07 - 4.13 6.34 - 6.39 X 16.97 - 16.99	MTX QC 16	
⌖ 0.04 A	B3		W/in .04	MTX QC 16	
1005 0 / -0.1	A3		1004.94 - 1005	MTX QC 16	
979.6 ±0.1	B5		979.56 - 979.63	MTX QC 16	
132.55 ±0.1	B6		132.51 - 132.59	MTX QC 16	
6X 120 ±0.1	B6		119.963 - 120.035	MTX QC 16	
12.7 ±0.1	B7		12.64 - 12.725	MTX QC 16	
10.8 DRILL ⇓ 20.5 M12x1.25 ISO – H TAP ⇓ 13.5 18 PLACES	A4		CONFORMS	MTX QC 16	
26 ±0.1	B7		25.96 - 26.03	MTX QC 16	
56 ±0.1	B8		55.94 - 56.04	MTX QC 16	
32 ±0.1	C8		31.96 - 32.04	MTX QC 16	

STAMP	INSPECTED BY	DATE	PAGE 1 OF 4	QTY ACC	QTY REJ
MTX QC 16	[signature]	9/13/06		9	∅

MX1010 (7/98)

Metalex Customized Machinery and Parts — CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006 – 5681	Qty 9

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ■ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-111001	REV 01	P.O. Number 5A10359
	Date Rec'd N/A	P.O. No. N/A	Part Name UPPER MIDDLE MAGNET STRUCTURE BASE		
At Oper. N/A	Serial Numbers: L143-111000 / -112,-212,-312,-114,-214,-314,-116,-216,-316		Customer Name ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
47 ±0.1	C7		46.962 - 47.00	MTX QC 16	
2X 6.35	C7		6.317 - 6.39	MTX QC 16	
75.5 ±0.1	C6		75.47 - 75.53	MTX QC 16	
20 ±0.1	C6		19.98 - 20.01	MTX QC 16	
909.5 ± 0.1	C5		909.455 - 909.5	MTX QC 16	
20 ±0.1	C3		19.975 - 20.023	MTX QC 16	
5	C3		5	MTX QC 16	
5	C3		5	MTX QC 16	
5 HIGH CHARACTER ENGRAVE ASSEMBLY NO. AND SERIAL NO.	C3		CONFORMS	MTX QC 16	
5 DRILL ↓ 15 M6x1 ISO – H TAP ↓ 12.7 38 PLACES	D3		CONFORMS	MTX QC 16	
16X 60 ±0.1	D7		59.97 - 60.03	MTX QC 16	
17X 15 ± 0.1	D7		14.975 - 15.04	MTX QC 16	
18 ± 0.1	D7		17.93 - 18.035	MTX QC 16	
10	D7		9.97 - 10.04	MTX QC 16	
15	C7		14.93 - 15.05	MTX QC 16	
10.5 ± 0.1	E7		10.46 - 10.53	MTX QC 16	
15 ± 0.1	E7		14.972 - 15.023	MTX QC 16	
66X 9.5	E7		9.456 - 9.545	MTX QC 16	
65X 15 ± 0.1 = 975 ± 0.1	E5		14.973 - 15.032 = 974.98 - 975.04	MTX QC 16	
132X 45° X .2 FOUR SIDES	E7		45° X .2 FOUR SIDES	MTX QC 16	

STAMP	INSPECTED BY	DATE	PAGE 2 OF 4	QTY ACC	QTY REJ
MTX QC 16	[signature]	9/13/06		9	0

MX1010 (7/98)

Metalex Customized Machinery and Parts — CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006 – 5681	Qty 9

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ■ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-111001	REV 01	P.O. Number 5A10359
	Date Rec'd N/A	P.O. No. N/A	Part Name UPPER MIDDLE MAGNET STRUCTURE BASE		
At Oper. N/A	Serial Numbers: L143-111000 / -112,-212,-312,-114,-214,-314,-116,-216,-316		Customer Name ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
29 DRILL ⇓ THRU 8-32 UNC-2B TAP ⇓ 10 67 PLACES	E5		CONFORMS	MTX QC 16	
2X 45° X .2 THREE SIDES	E7		45° X .2	MTX QC 16	
12	E3		12	MTX QC 16	
5 HIGH CHARACTER ENGRAVE MAGNET NO.	D3		CONFORMS	MTX QC 16	
65 X 15 ± 0.05 = 975 ± 0.05	D5		14.953-15.032 = 974.955-975.04	MTX QC 16	
15 ± 0.05	D7		14.97-15.02	MTX QC 16	
3 ± 0.05	D7		2.981-3.043	MTX QC 16	
4.2 0 / -0.1	E2		4.14-4.20	MTX QC 16	
45°	E1		45°	MTX QC 16	
(63.5)	E1		REFERENCE	MTX QC 16	
45° X 10	E1		45°X10	MTX QC 16	
0.5	E1		.457-.538	MTX QC 16	
2X 7.94	E1		7.917-7.993	MTX QC 16	
48 ± 0.1	E1		47.97-48.043	MTX QC 16	
5/16 DRILL ⇓ 21 3/8 -16 UNC-2B TAP ⇓ 17 2 PLACES	D1		CONFORMS	MTX QC 16	
-A-	D1		DATUM	MTX QC 16	
/ / 0.04	D1		w/in .04 RESTRAINED	MTX QC 16	
29 ±0.1	D1		28.935-29.045	MTX QC 16	
10 ± 0.1	D2		9.975-10.023	MTX QC 16	
3X 29	D2		28.94-29.03	MTX QC 16	
30 0 / -0.03	D1		29.97-30	MTX QC 16	

STAMP	INSPECTED BY	DATE	PAGE 3 OF 4	QTY ACC	QTY REJ
MTX QC 16	[signature]	9/13/06		9	∅

MX1010 (7/98)

Metalex Customized Machinery and Parts — CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006 – 5681	Qty 9

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ☒ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-111001	REV 01	P.O. Number 5A10359
	Date Rec'd N/A	P.O. No. N/A	Part Name UPPER MIDDLE MAGNET STRUCTURE BASE		
At Oper. N/A	Serial Numbers: L143-111000 / -112,-212,-312,-114,-214,-314,-116,-216,-316		Customer Name ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
49 0 / -0.1	D1		48.946 - 48.981	MTX QC 16	
10 ± 0.1	D2		9.982 - 10.04	MTX QC 16	
27 0 / -0.1	E2		26.932 - 26.990	MTX QC 16	
67 +0.1 / 0	E2		67.0 - 67.075	MTX QC 16	
32	E2		31.958 - 32.065	MTX QC 16	
8 0 / -0.1	E2		7.947 - 8.00	MTX QC 16	
SECTION A-A					
134X 9.5 +0.05 / 0	E8		9.512 - 9.545	MTX QC 16	

STAMP	INSPECTED BY	DATE	PAGE4 OF4	QTY ACC	QTY REJ
MTX QC 16	[signature]	9/13/06		9	0

MX1010 (7/98)

Metalex Customized Machinery and Parts — CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006-5681	Qty 6

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ■ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-111101	REV 01	P.O. Number 5A10359
	Date Rec'd N/A	P.O. No. N/A	Part Name LOWER MIDDLE MAGNET STRUCTURE BASE		
At Oper. N/A	Serial Numbers: -108 / -208 / -308 --------- -110 / -210 / -310		Customer Name ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
AL CAST TOOL & JIG PLATE 2.5" PLATE	A2		CONFORMS	MTX QC 16	
NOTE: 1. CLEAR ANODIZE	A1		CONFORMS	MTX QC 12	
NOTE 2. ONE THIRD OF THE PARTS SHOULD HAVE NUMBERS FROM 13 TO 79. ONE THIRD OF THE PARTS SHOULD HAVE NUMBERS FROM 80 TO 146. ONE THIRD OF THE PARTS SHOULD HAVE NUMBERS FROM 147 TO 213.	A2		CONFORMS ↓	MTX QC 16	
128 0 / -0.1	B1		127.927 - 128.00	MTX QC 16	
60	C2		59.94 - 60.03	MTX QC 16	
⌀4.1 THRU ⌀6.35 ↓ 17 132 PLACES	B2		4.058 - 4.140 6.38 - 6.40 X 16.942 - 17 DP.	MTX QC 16	
⊥ 0.04 A	B6		w/in .04	MTX QC 16	
1005 0 / -0.1	B4		1004.93 - 1004.99	MTX QC 16	
979.6 ±0.1	B4		979.56 - 979.63	MTX QC 16	
132.55 ±0.1	B3		132.504 - 132.61	MTX QC 16	
6X 120 ±0.1	B4		119.936 - 120.05	MTX QC 16	
12.7 ±0.1	B2		12.618 - 12.723	MTX QC 16	
10.8 DRILL ↓ 20.5 M12x1.25 ISO – H TAP ↓ 13.5 18 PLACES	B6		10.76 - 10.85 X 20.45 - 20.55 DP CONFORMS	MTX QC 16	
26 ±0.1	B7		25.979 - 26.099	MTX QC 16	
56 ±0.1	B7		55.969 - 56.045	MTX QC 16	
32 ±0.1	C7		31.97 - 32.07	MTX QC 16	

STAMP	INSPECTED BY	DATE	PAGE 1 OF 4	QTY ACC	QTY REJ
MTX QC 16	[signature]	8/15/06		6	Ø

MX1010 (7/98)

Metalex Customized Machinery and Parts CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006-5681	Qty 6

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ■ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-111101	REV 01	P.O. Number 5A10359
	Date Rec'd N/A	P.O. No. N/A	Part Name LOWER MIDDLE MAGNET STRUCTURE BASE		
At Oper. N/A	Serial Numbers: -108 / -208 / -308 -------- -110 / -210 / -310		Customer Name ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
47 ±0.1	C7		46.98 - 47.05	MTX QC 16	
2X 6.35	C2		6.35 - 6.346	MTX QC 16	
75.5 ±0.1	C3		75.4 - 75.52	MTX QC 16	
20 ±0.1	C3		19.975 - 20.02	MTX QC 16	
909.5 ± 0.1	C4		909.46 - 909.56	MTX QC 16	
20 ±0.1	C6		19.959 - 20.025	MTX QC 16	
5	C6		5	MTX QC 16	
5	C6		5	MTX QC 16	
5 HIGH CHARACTER ENGRAVE ASSEMBLY NO. AND SERIAL NO.	C6		CONFORMS	MTX QC 16	
5 DRILL ⇓ 15 M6x1 ISO – H TAP ⇓ 12.7 38 PLACES	D4		4.971 - 5.054 X 15 DP CONFORMS	MTX QC 16	
16X 60 ±0.1	D2		59.95 - 60.07	MTX QC 16	
17X 15 ± 0.1	D2		14.95 - 15.054	MTX QC 16	
18 ± 0.1	D2		17.953 - 18.054	MTX QC 16	
10	D6		9.995 - 10.06	MTX QC 16	
15	C7		14.915 - 15.00	MTX QC 16	
10.5 ± 0.1	E2		10.46 - 10.526	MTX QC 16	
15 ± 0.1	E2		14.976 - 15.037	MTX QC 16	
66X 9.5	E2		9.469 - 9.548	MTX QC 16	
65X 15 ± 0.1= 975 ± 0.1	E4		14.93 - 15.07 = 974.96 - 975.037	MTX QC 16	
132X 45° X .2 FOUR SIDES	E2		45° X .2 FOUR SIDES	MTX QC 16	

STAMP	INSPECTED BY	DATE	PAGE 2 OF 4	QTY ACC	QTY REJ
MTX QC 16	[signature]	8/15/06		6	Ø

MX1010 (7/98)

Metalex Customized Machinery and Parts CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006-5681	Qty 6

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ■ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-111101	REV 01	P.O. Number 5A10359
	Date Rec'd N/A	P.O. No. N/A	Part Name LOWER MIDDLE MAGNET STRUCTURE BASE		
At Oper. N/A	Serial Numbers: -108 / -208 / -308 -------- -110 / -210 / -310		Customer Name ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
29 DRILL ⇓ THRU 8-32 UNC-2B TAP ⇓ 10 67 PLACES	E5		CONFORMS	MTX QC 16	
2X 45° X .2 THREE SIDES	E2		45° X .2 THREE SIDES	MTX QC 16	
15.5	E3		15.45 - 15.53	MTX QC 16	
5 HIGH CHARACTER ENGRAVE MAGNET NO.	D6		CONFORMS	MTX QC 16	
65 X 15 ± 0.05 = 975 ± 0.05	D5		14.95 - 15.05 = 974.95 - 975.05	MTX QC 16	
15 ± 0.05	D2		14.95 - 15.05	MTX QC 16	
9.25	E6		9.19 - 9.276	MTX QC 16	
3 ± 0.05	D2		2.952 - 3.045	MTX QC 16	
4.2 0 / -0.1	E7		4.12 - 4.2	MTX QC 16	
45°	E8		45°	MTX QC 16	
(63.5)	E8		REFERENCE		
45° X 10	E8		45° X 10	MTX QC 16	
0.5	E8		B.H 8/15/06 ~~.045 - .5~~ .45 - .52	MTX QC 16	
2X 7.94	E8		7.919 - 7.99	MTX QC 16	
48 ± 0.1	E8		47.93 - 48.02	MTX QC 16	
5/16 DRILL ⇓ 21 3/8 -16 UNC-2B TAP ⇓ 17 2 PLACES	D7		CONFORMS	MTX QC 16	
-A-	D8		DATUM		
⌭ 0.04	D8		w/in .04	MTX QC 16	
29 ±0.1	D8		28.96 - 29.035	MTX QC 16	
10 ± 0.1	D7		9.945 - 10.05	MTX QC 16	
3X 29	D7		28.95 - 29.07	MTX QC 16	

STAMP	INSPECTED BY	DATE	PAGE 3 OF 4	QTY ACC	QTY REJ
MTX QC 16	[signature]	8/15/06		6	ø

MX1010 (7/98)

Metalex Customized Machinery and Parts — CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006-5681	Qty 6

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ■ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-111101	REV 01	P.O. Number 5A10359
	Date Rec'd N/A	P.O. No. N/A	Part Name LOWER MIDDLE MAGNET STRUCTURE BASE		
At Oper. N/A	Serial Numbers: -108 / -208 / -308 ---------- -110 / -210 / -310		Customer Name ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
30 0 / -0.03	D8		29.97 - 30.00	MTX QC 16	
49 0 / -0.1	D8		48.945 - 48.99	MTX QC 16	
10 ± 0.1	E8		9.995 - 10.07	MTX QC 16	
27 0 / -0.1	E7		26.942 - 27.00	MTX QC 16	
67 +0.1 / 0	E7		67 - 67.1	MTX QC 16	
32	E7		31.94 - 32.07	MTX QC 16	
8 0 / -0.1	E7		7.9953 - 8	MTX QC 16	
SECTION A-A					
134X 9.5 +0.05 / 0	E1		9.5 - 9.55	MTX QC 16	

STAMP MTX QC 16	INSPECTED BY	DATE	PAGE 4 OF 4	QTY ACC	QTY REJ
	[signature]	8/15/06		6	Ø

MX1010 (7/98)

Metalex Customized Machinery and Parts — CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006 – 5681	Qty 9

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ☒ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-111101	REV 01	P.O. Number 5A10359
	Date Rec'd N/A	P.O. No. N/A	Part Name LOWER MIDDLE MAGNET STRUCTURE BASE		
At Oper. N/A	Serial Numbers: L143-111100 / -112,-212,-312,-114,-214,-314,-116,-216,-316		Customer Name ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
AL. CAST TOOL & JIG PLATE 2.5" PLATE	A2		CONFORMS	MTX QC 16	
NOTE: 1. CLEAR ANODIZE	A1		CONFORMS	MTX QC 12	
NOTE 2. ONE THIRD OF THE PARTS SHOULD HAVE NUMBERS FROM 13 TO 79. ONE THIRD OF THE PARTS SHOULD HAVE NUMBERS FROM 80 TO 146. ONE THIRD OF THE PARTS SHOULD HAVE NUMBERS FROM 147 TO 213.	A2		CONFORMS	MTX QC 16	
128 0 / -0.1	B1		127.93 - 127.99	MTX QC 16	
60	C2		59.97 - 60.02	MTX QC 16	
⌀4.1 THRU ⌀6.35 ↧ 17 132 PLACES	B2		4.018 - 4.140 6.325 - 6.370 X 16.962 - 17.031	MTX QC 16	
⌖ 0.04 A	B6		WITH .04	MTX QC 16	
1005 0 / -0.1	B4		1004.94 - 1005	MTX QC 16	
979.6 ±0.1	B4		979.54 - 979.63	MTX QC 16	
132.55 ±0.1	B3		132.48 - 132.62	MTX QC 16	
6X 120 ±0.1	B4		119.97 - 120.04	MTX QC 16	
12.7 ±0.1	B2		12.67 - 12.74	MTX QC 16	
10.8 DRILL ↧ 20.5 M12x1.25 ISO – H TAP ↓ 13.5 18 PLACES	B6		CONFORMS	MTX QC 16	
26 ±0.1	B7		25.97 - 26.03	MTX QC 16	
56 ±0.1	B7		55.98 - 56.04	MTX QC 16	
32 ±0.1	C7		31.95 - 32.04	MTX QC 16	

STAMP	INSPECTED BY	DATE	PAGE 1 OF 4	QTY ACC	QTY REJ
MTX QC 16	[signature]	9/13/06		9	Ø

MX1010 (7/98)

Metalex Customized Machinery and Parts CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006 – 5681	Qty 9

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ■ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-111101	REV 01	P.O. Number 5A10359
	Date Rec'd N/A	P.O. No. N/A	Part Name LOWER MIDDLE MAGNET STRUCTURE BASE		
At Oper. N/A	Serial Numbers: L143-111100 / -112,-212,-312,-114,-214,-314,-116,-216,-316		Customer Name ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
47 ±0.1	C7		46.97 - 47.025	MTX QC 16	
2X 6.35	C2		6.32 - 6.37	MTX QC 16	
75.5 ±0.1	C3		75.47 - 75.552	MTX QC 16	
20 ±0.1	C3		19.955 - 20.042	MTX QC 16	
909.5 ± 0.1	C4		909.473 - 909.535	MTX QC 16	
20 ±0.1	C6		19.945 - 20.038	MTX QC 16	
5	C6		5	MTX QC 16	
5	C6		5	MTX QC 16	
5 HIGH CHARACTER ENGRAVE ASSEMBLY NO. AND SERIAL NO.	C6		Conforms	MTX QC 16	
5 DRILL ⇓ 15 M6x1 ISO – H TAP ⇓ 12.7 38 PLACES	D4		Conforms	MTX QC 16	
16X 60 ±0.1	D2		59.972 - 60.035	MTX QC 16	
17X 15 ± 0.1	D2		14.983 - 15.048	MTX QC 16	
18 ± 0.1	D2		17.948 - 18.032	MTX QC 16	
10	D6		9.97 - 10.04	MTX QC 16	
15	C7		14.982 - 15.054	MTX QC 16	
10.5 ± 0.1	E2		10.40 - 10.55	MTX QC 16	
15 ± 0.1	E2		14.96 - 15.04	MTX QC 16	
66X 9.5	E2		9.44 - 9.49	MTX QC 16	
65X 15 ± 0.1= 975 ± 0.1	E4		14.962 - 15.035 = 974.94 - 975.032	MTX QC 16	
132X 45° X .2 FOUR SIDES	E2		45° X .2	MTX QC 16	

STAMP	INSPECTED BY	DATE	PAGE 2 OF 4	QTY ACC	QTY REJ
MTX QC 16	[signature]	9/13/06		9	0

MX1010 (7/98)

Metalex Customized Machinery and Parts — CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006 – 5681	Qty 9

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ■ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-111101	REV 01	P.O. Number 5A10359
	Date Rec'd N/A	P.O. No. N/A	Part Name LOWER MIDDLE MAGNET STRUCTURE BASE		
At Oper. N/A	Serial Numbers: L143-111100 / -112,-212,-312,-114,-214,-314,-116,-216,-316		Customer Name ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
29 DRILL ⇓ THRU 8-32 UNC-2B TAP ⇓ 10 67 PLACES	E5		CONFORMS	MTX QC 16	
2X 45° X .2 THREE SIDES	E2		45° X .2	MTX QC 16	
15.5	E3		15.5	MTX QC 16	
5 HIGH CHARACTER ENGRAVE MAGNET NO.	D6		CONFORMS	MTX QC 16	
65 X 15 ± 0.05 = 975 ± 0.05	D5		14.963-15.032=974.97-976.032	MTX QC 16	
15 ± 0.05	D2		14.972-15.023	MTX QC 16	
9.25	E6		9.25	MTX QC 16	
3 ± 0.05	D2		2.983-3.022	MTX QC 16	
4.2 0 / -0.1	E7		4.127-4.192	MTX QC 16	
45°	E8		45°	MTX QC 16	
(63.5)	E8		REFERENCE	MTX QC 16	
45° X 10	E8		45° X 10	MTX QC 16	
0.5	E8		.475-.541	MTX QC 16	
2X 7.94	E8		7.920-7.980	QC 16	
48 ± 0.1	E8		47.93-48.075	MTX QC 16	
5/16 DRILL ⇓ 21 3/8 -16 UNC-2B TAP ⇓ 17 2 PLACES	D7		CONFORMS	MTX QC 16	
-A-	D8		DATUM	MTX QC 16	
// 0.04	D8		WITH .04 (RESTRAINED)	MTX QC 16	
29 ±0.1	D8		28.935-29.076	MTX QC 16	
10 ± 0.1	D7		9.94-10.07	MTX QC 16	
3X 29	D7		28.956-29.068	MTX QC 16	

STAMP	INSPECTED BY	DATE	PAGE 3 OF 4	QTY ACC	QTY REJ
MTX QC 16	[signature]	9/15/06		9	0

MX1010 (7/98)

Metalex Customized Machinery and Parts CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd : Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006 – 5681	Qty 9

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ■ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-111101	REV 01	P.O. Number 5A10359
	Date Rec'd N/A	P.O. No. N/A	Part Name LOWER MIDDLE MAGNET STRUCTURE BASE		
At Oper. N/A	Serial Numbers: L143-111100 / -112,-212,-312,-114,-214,-314,-116,-216,-316		Customer Name ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
30 0 / -0.03	D8		29.972-30.0	MTX QC 16	
49 0 / -0.1	D8		48.94-48.976	MTX QC 16	
10 ± 0.1	E8		9.935-10.042	MTX QC 16	
27 0 / -0.1	E7		26.94-26.98	MTX QC 16	
67 +0.1 / 0	E7		67-67.08	MTX QC 16	
32	E7		31.94-32.072	QC 16	
8 0 / -0.1	E7		7.93-7.982	MTX QC 16	
SECTION A-A					
134X 9.5 +0.05 / 0	E1		9.5-9.54	MTX QC 16	

STAMP	INSPECTED BY	DATE	PAGE4 OF4	QTY ACC	QTY REJ
MTX QC 16	[signature]	9/13/06		9	0

MX1010 (7/98)

Metalex Customized Machinery and Parts — CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006-5681	Qty 7

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ☒ Final ☐ Rework/Repair ☐ First Article	Vendor Name: N/A		Part No.: L143-111201	REV:	P.O. Number: 5A10359
	Date Rec'd: N/A	P.O. No.: N/A	Part Name: UPPER RIGHT MAGNET STRUCTURE BASE		
At Oper. 60	Serial Numbers: 04-06-08-10-12-14-16		Customer Name: ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
AL CAST TOOL & JIG PLATE 2.5" PLATE	A2		CONFORMS	7	
NOTE: CLEAR ANODIZE	A1		CONFORMS	7	MTX QC 12
128 0 / -0.1	A3		127.923 - 127.979	7	
60	B3		59.991 - 60.007	7	
⌀4.1 THRU ⌀6.35 ↓ 17 24 PLACES	A3		4.1 6.35 X17 24 PLACES	7	
⌖ 0.04 A	A3		.019	7	
189 0 / -0.1	A4		188.961 - 188.999	7	
154.6 ±0.1	A4		154.573 - 155.609	7	
77.3 ±0.1	A4		77.284 77.314	7	
12.7 ±0.1	A3		12.691 - 12.712	7	
10.8 DRILL ↓ 20.500 M12x1.25 ISO – H TAP ↓ 13.5 6 PLACES	A5		CONFORMS	7	
26 ±0.1	A5		26.004 - 26.017	7	
56 ±0.1	A6		55.941 - 55.987	7	
32 ±0.1	B6		31.965 - 31.994	7	
47 ±0.1	B5		47.014 47.055	7	
50.35 ±0.1	B5		50.33 - 50.36	7	
20 ±0.1	B4		20.006 - 20.019	7	
5	B3		5	7	
5	B3		5	7	
5 HIGH CHARACTER ENGRAVE ASSEMBLY NO. AND SERIAL NO.	B3		CONFORMS	7	

STAMP	INSPECTED BY	DATE	PAGE 1 OF 3	QTY ACC	QTY REJ
	James Giffo	7-18-06		7	—

MX1010 (7/98)

Metalex Customized Machinery and Parts CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006-5681	Qty 7

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ■ Final ☐ Rework/Repair ☐ First Article	Vendor Name: N/A		Part No.: L143-111201	REV	P.O. Number: 5A10359
	Date Rec'd: N/A	P.O. No.: N/A	Part Name: UPPER RIGHT MAGNET STRUCTURE BASE		
At Oper. 60	Serial Numbers: 04-06-08-10-12-14-16		Customer Name: ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
5 DRILL ↓ 15 M6x1 ISO – H TAP ↓ 12.7 8 PLACES	C3		CONFORMS	7	
2X 60 ±0.1	C4		59.991 - 60.047	7	
3X 15 ± 0.1	C5		14.973 - 15.011	7	
27 ± 0.1	C5		26.989 - 27.017	7	
10	B5		9.9 - 10.1	7	
15	B5		15.1 - 15.2	7	
4.5 ± 0.1	D3		4.496 - 4.509	7	
15 ± 0.1	D3		15.004 15.046	7	
12X 9.5	D5		9.4 - 9.6	7	
10X 15 ± 0.1= 150 ± 0.1	D4		14.991-15.004 149.996-150.009	7	
22X 45° X .2 FOUR SIDES	D4		.2 X 45°	7	
29 DRILL ↓ THRU 8-32 UNC-2B TAP ↓ 10 12 PLACES	D3		CONFORMS	7	
2X 45° X .2 THREE SIDES	D5		.2 X 45°	7	
10	C3			7	
5 HIGH CHARACTER ENGRAVE MAGNET NO.	C3		CONFORMS	7	
10 X 15 ± 0.05 = 150 ± 0.05	C4		15.991-15.995 149.995-150.004	7	
15 ± 0.05	C3		15.001 - 15.021	7	
12 ± 0.05	C3		12.009 - 12.014	7	
4.2 0 / -0.1	D2		4.191 - 4.244	7	
45°	D2		45°	7	
(63.5)	D1		REFERENCE	7	

STAMP	INSPECTED BY	DATE	PAGE 2 OF 3	QTY ACC	QTY REJ
	James Giffen	7-18-06		7	—

MX1010 (7/98)

Metalex Customized Machinery and Parts — CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006-5681	Qty 7

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ☒ Final ☐ Rework/Repair ☐ First Article	Vendor Name: N/A		Part No.: L143-111201	REV	P.O. Number: 5410359
	Date Rec'd: N/A	P.O. No.: N/A	Part Name: UPPER RIGHT MAGNET STRUCTURE BASE		
At Oper.: 60	Serial Numbers: -04-06-08-10-12-14-16		Customer Name: ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
45° X 10	D1		45° X 10	7	
0.5	D1		.49-.51	7	
2X 7.94	D1		7.93 - 7.95	7	
48 ± 0.1	D1		48.014 - 48.026	7	
5/16 DRILL ⇓ 21 3/8 -16 UNC-2B TAP ⇓ 17 2 PLACES	C1		CONFORMS	7	
-A-	C1		DATUM	7	
⌭ 0.04	C1		w/IN .030	7	
29 ±0.1	C1		29.009 - 29.046	7	
10 ± 0.1	C2		9.984 - 10.003	7	
3X 29	C2		28.8 - 29.1	7	
30 0 / -0.03	C1		29.988 - 29.994	7	
49 0 / -0.1	C1		48.956 - 48.977	7	
10 ± 0.1	C2		9.994 - 10.027	7	
27 0 / -0.1	C2		26.974 - 26.983	7	
67 +0.1 / 0	D2		67.046 - 67.073	7	
32	D2		32.013 - 32.021	7	
8 0 / -0.1	D2		7.991 7.995	7	
SECTION A-A					
24X 9.5 +0.05 / 0	D6		9.521 - 9.532	7	

STAMP	INSPECTED BY	DATE	PAGE 3 OF 3	QTY ACC	QTY REJ
	James [illegible]	7/18/06		7	—

MX1010 (7/98)

Metalex Customized Machinery and Parts CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006 5681	Qty 7

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ■ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-111301	REV	P.O. Number 5A10359
	Date Rec'd N/A	P.O. No. N/A	Part Name LOWER RIGHT MAGNET STRUCTURE BASE		
At Oper. 60	Serial Numbers: 0-4-06-08-010-12-14-16		Customer Name ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
AL CAST TOOL & JIG PLATE 2.5" PLATE	A2		CONFORMS	7	
NOTE: CLEAR ANODIZE	A1		Conforms	7	MTX QC 12
128 0 / -0.1	A5		127.943 - 127.974	7	
60	B2		59.7 - 60.1	7	
⌀4.1 THRU ⌀6.35 ↓ 17 24 PLACES	B4		4.1 6.35 X17 (26X)	7	
0.04 A	A4		.010	7	
189 0 / -0.1	A3		188.914 - 188.937	7	
154.6 ±0.1	A3		154.609 - 154.623	7	
77.3 ±0.1	A4		77.25 - 77.38	7	
12.7 ±0.1	A4		12.695 - 12.699	7	
10.8 DRILL ↓ 20.5 M12x1.25 ISO – H TAP ↓ 13.5 6 PLACES	A4		CONFORMS	7	
26 ±0.1	A4		26.004 - 26.021	7	
56 ±0.1	A4		55.994 - 56.009	7	
32 ±0.1	B4		31.976 - 31.992	7	
47 ±0.1	B4		47.013 - 47.027	7	
50.35 ±0.1	B3		50.33 - 50.36	7	
20 ±0.1	B3		20.019 - 20.027	7	
5	B4		5	7	
5	B4		5	7	
5 HIGH CHARACTER ENGRAVE ASSEMBLY NO. AND SERIAL NO.	B4		CONFORMS	7	

STAMP	INSPECTED BY	DATE	PAGE 1 OF 3	QTY ACC	QTY REJ
	James [signature]	7-18-06		7	

MX1010 (7/98)

Metalex Customized Machinery and Parts — CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006 56931	Qty 7

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ☒ Final ☐ Rework/Repair ☐ First Article	Vendor Name: N/A		Part No.: L143-111301	REV	P.O. Number: 5A10359
	Date Rec'd: N/A	P.O. No.: N/A	Part Name: LOWER RIGHT MAGNET STRUCTURE BASE		
At Oper.: 60	Serial Numbers: -04-06-09-10-12-14-16		Customer Name: ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
5 DRILL ⇓ 15 M6x1 ISO – H TAP ⇓ 12.7 8 PLACES	C4		CONFORMS	7	
2X 60 ±0.1	C3		59.987 - 59.999	7	
3X 15 ± 0.1	C3		14.995 - 15.004	7	
27 ± 0.1	C3		26.992 - 26.997	7	
10	B4		9.9 - 10.1	7	
15	B3		14.95 - 15.02	7	
4.5 ± 0.1	D4		4.465 - 4.504	7	
15 ± 0.1	D4		14.967 - 15.021	7	
12X 9.5	D3		9.470 - 9.520	7	
10X 15 ± 0.1= 150 ± 0.1	D3		14.991-15.009 = 150.001 -150.04	7	
22X 45° X .2 FOUR SIDES	D3		.2 X 45	7	
29 DRILL ⇓ THRU 8-32 UNC-2B TAP ⇓ 10 12 PLACES	D4		CONFORMS	7	
2X 45° X .2 THREE SIDES	D2		.2 X45	7	
17	C4		16.95 - 17.01	7	
5 HIGH CHARACTER ENGRAVE MAGNET NO.	C4		CONFORMS	7	
10 X 15 ± 0.05 = 150 ± 0.05	C3		14.997 -15.003=150.002 -150.009	7	
15 ± 0.05	C4		14.999 -15.005	7	
12 ± 0.05	C4		11.995 - 12.004	7	
4.2 0 / -0.1	D5		4.196 - 4.204	7	
45°	D6		45°	7	
(63.5)	D6		REFERENCE	7	

STAMP	INSPECTED BY	DATE	PAGE 2 OF 3	QTY ACC	QTY REJ
	James Siffen	7-18-06		7	

MX1010 (7/98)

Metalex Customized Machinery and Parts CERTIFIED ISO 9001 QUALITY MANAGEMENT	INSPECTION PLANNING & REPORT FORM Metalex Mfg. 5750 Cornell Rd ! Cincinnati, OH 45242 ! (513) 489-0507	Job No. 2006-5681	Qty 7

Inspection Origin	Vendor (Sub-Tier Source) Identification		Customer Identification		
☐ Receiving ☐ In-Process ☒ Final ☐ Rework/Repair ☐ First Article	Vendor Name N/A		Part No. L143-111301	REV	P.O. Number SA 10359
	Date Rec'd N/A	P.O. No. N/A	Part Name LOWER RIGHT MAGNET STRUCTURE BASE		
At Oper. 60	Serial Numbers: -04-06-09-010-12-014-016		Customer Name ARGONNE		

SPECIFICATION	B/P ZONE	INSPECTION METHOD / GAGE NO.	ACTUAL DIMENSION / GAGE VERIFICATION (Range of Readings or Accept Status)	QTY ACC	QTY REJ
45° X 10	D6		10 X 45°	7	
0.5	D6		.490 - .510	7	
2X 7.94	D6		7.939 - 7.941	7	
48 ± 0.1	C6		47.981 - 47.991	7	
5/16 DRILL ↓ 21 3/8 -16 UNC-2B TAP ↓ 17 2 PLACES	C6		CONFORMS	7	
-A-	C6		DATUM	7	
⌭ 0.04	C6		W/IN .030	7	
29 ±0.1	C6		28.990 - 29.010	7	
10 ± 0.1	C5		9.976 - 10.014	7	
3X 29	C5		28.9 - 29.1	7	
30 0 / -0.03	C6		29.990 - 29.995	7	
49 0 / -0.1	C6		48.971 - 48.985	7	
10 ± 0.1	C5		10.014 - 10.021	7	
27 0 / -0.1	C5		26.943 - 26.971	7	
67 +0.1 / 0	D5		67.033 - 67.057	7	
32	D5		31.95 - 32.01	7	
8 0 / -0.1	D5		7.976 - 7.992	7	
SECTION A-A					
24X 9.5 +0.05 / 0	D1		9.509 - 9.514	7	

STAMP	INSPECTED BY	DATE	PAGE 3 OF 3	QTY ACC	QTY REJ
	James Siff	7-18-06		7	

MX1010 (7/98)